



## MX-Sensor\_V6.80 Function List For KR Market (Note:For reference only)

**NOTES:**

● This function is supported.    ○ This function is not supported.    Mark explaining (Red:New, Yellow: Modify)

**Special Declaration:**

- 1). If the "Relearn Type" of MX-Sensor is only OBD type, and the "OBD-II Function" has not been released for the moment, you can just do the clone for relearning the MX-Sensor.
- 2). All the Automatic Relearn Procedure for MX-Sensor, the drive speed should be controlled between 16 mph (25 km/h) and 64 mph (100 km/h).

| Make   | Model | Year Range      | Feature            | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|-------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Abarth | 500C  | 2010/01-2019/06 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 알파 로메오 | 기우리아  | 2020/01-2024/12 | 433MHz             | 952        | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| Alpina | B3    | 2022/07-2024/06 | 315MHz Schrader    |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| Alpina | B3    | 2014/03-2019/06 | 433MHz Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| Alpina | B3    | 2009/09-2014/03 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B3    | 2006/03-2009/08 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B3    | 2022/07-2024/06 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B3    | 2022/07-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B4    | 2020/09-2023/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B4    | 2014/03-2020/07 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| Alpina | B5    | 2017/01-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina | B5    | 2014/03-2016/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B5    | 2010/02-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B5    | 2005/01-2014/12 | 433MHz 36236798726 |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B6    | 2014/03-2018/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B6    | 2010/12-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B6    | 2006/03-2010/11 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B7    | 2015/07-2022/07 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| Alpina | B7    | 2015/07-2022/07 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina | B7    | 2010/09-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B7    | 2006/01-2010/08 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | B8    | 2021/01-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina | D3    | 2009/09-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D3    | 2022/07-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D3    | 2022/07-2024/06 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D3    | 2005/06-2009/08 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D4    | 2020/09-2023/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D4    | 2014/03-2020/07 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| Alpina | D5    | 2010/02-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D5    | 2011/09-2014/12 | 433MHz 36236798726 |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | D5    | 2017/01-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina | D5    | 2014/03-2016/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina | XB7   | 2022/07-2024/06 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |

| Make         | Model            | Year Range      | Feature          | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------------|------------------|-----------------|------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Alpina       | XB7              | 2020/01-2022/06 | 315MHz           |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| Alpina       | XB7              | 2020/01-2022/06 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina       | XB7              | 2022/07-2024/06 | 315MHz           |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina       | XD3              | 2010/09-2014/02 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina       | XD3              | 2014/04-2017/06 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina       | XD3              | 2010/09-2014/03 | 433MHz           | F25        | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Alpina       | XD3              | 2017/08-2024/06 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Alpina       | XD3              | 2017/08-2024/06 | 315MHz           |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| Alpina       | XD4              | 2018/01-2024/06 | 315MHz           |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| Alpina       | XD4              | 2018/09-2024/06 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Aston Martin | DB11             | 2016/01-2024/12 | 433MHz           | VH500      | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Aston Martin | DBS              | 2018/01-2024/12 | 433MHz Schrader  |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Aston Martin | DBS              | 2007/01-2015/12 | 433MHz           | V12        | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | DBS Superleggera | 2018/01-2022/12 | 433MHz           | VH500      | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Aston Martin | DBX              | 2020/04-2024/12 | 433MHz Huf       |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | Rapide           | 2010/01-2021/12 | 433MHz           |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | Rapide S         | 2010/01-2019/12 | 433MHz           |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | Vanquish         | 2005/01-2021/12 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | Vanquish         | 2012/01-2020/12 | 433MHz           | AM310      | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Aston Martin | Vantage          | 2010/01-2024/12 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A3               | 2012/06-2023/12 | 433MHz           | 8L         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A4               | 2008/08-2019/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | A4               | 2012/01-2023/12 | 433MHz           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A5               | 2019/01-2023/12 | 433MHz           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A5               | 2006/12-2019/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | A6               | 2002/01-2021/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | A6               | 2018/01-2023/12 | 433MHz           | 4G         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A6               | 2005/01-2018/12 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A7               | 2012/01-2021/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | A7               | 2010/09-2023/12 | 433MHz 5Q0907275 | 4G         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A8               | 2017/01-2023/12 | 433MHz           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A8               | 2010/11-2016/12 | 433MHz           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | A8               | 2009/01-2019/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | Q2               | 2020/01-2023/12 | 433MHz           |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | Q3               | 2020/01-2023/12 | 433MHz           | 8U         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | Q5               | 2008/01-2017/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | Q5               | 2017/01-2023/12 | 433MHz           | 8R         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | Q7               | 2005/09-2015/12 | 433MHz           | 4L/AU716   | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | Q7               | 2013/01-2019/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디          | Q7               | 2015/01-2023/12 | 433MHz MLB       |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | Q8               | 2018/01-2023/12 | 433MHz           | 4M         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | R8               | 2015/04-2023/12 | 433MHz           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디          | R8               | 2013/01-2019/12 | Indirect         |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |

| Make        | Model    | Year Range      | Feature               | Model code  | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------------|----------|-----------------|-----------------------|-------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 아우디         | R8       | 2009/06-2024/12 | 433MHz<br>7PP907275F  | AU714       | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | RS5      | 2017/01-2023/12 | 433MHz                |             | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | RS5      | 2010/01-2016/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디         | S6       | 2002/01-2017/12 | Indirect              |             | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디         | S6       | 2005/01-2012/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | S6       | 2018/01-2019/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | S7       | 2012/01-2019/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디         | S8       | 2009/11-2017/10 | 433MHz                | D4          | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | S8       | 2010/01-2017/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디         | S8       | 2017/10-2023/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | SQ5      | 2012/01-2017/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 아우디         | SQ5      | 2017/01-2023/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | TT       | 2014/02-2023/12 | 433MHz                | AU334       | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | TTS      | 2016/01-2023/12 | 433MHz                |             | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 아우디         | e-tron   | 2018/01-2023/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BAIC HUANSU | S6       | 2015/11-2019/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | BAIC               | ●                            | ●                       |
| BMW         | 1 Series | 2019/07-2024/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 1 Series | 2019/07-2024/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 1 Series | 2014/01-2024/12 | 433MHz<br>Continental |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| BMW         | 1 Series | 2010/09-2013/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 1 Series | 2008/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| BMW         | 2 Series | 2019/11-2024/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 2 Series | 2019/11-2024/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 2 Series | 2014/03-2024/12 | 433MHz<br>Continental |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| BMW         | 2 Series | 2012/11-2014/02 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 1998/01-2003/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2019/03-2024/12 | 433MHz<br>Schrader    |             | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| BMW         | 3 Series | 2014/03-2022/12 | 433MHz<br>Continental |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| BMW         | 3 Series | 2019/03-2024/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2010/10-2014/03 | 433MHz                | F30/F31/F34 | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2009/09-2013/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2005/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| BMW         | 3 Series | 2005/01-2009/08 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 1999/01-2002/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2019/03-2024/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 3 Series | 2019/03-2024/12 | 315MHz<br>Schrader    |             | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| BMW         | 4 Series | 2020/07-2024/12 | 315MHz<br>Schrader    |             | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| BMW         | 4 Series | 2020/07-2024/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW         | 4 Series | 2020/07-2024/12 | 433MHz<br>Schrader    |             | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| BMW         | 4 Series | 2020/07-2024/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |

| Make | Model       | Year Range      | Feature            | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| BMW  | 4 Series    | 2013/07-2021/12 | 433MHz Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | 5 Series    | 2010/09-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 5 Series    | 1998/08-2004/05 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 5 Series    | 2003/05-2013/12 | 433MHz 36236798726 |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 5 Series    | 2023/07-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 5 Series    | 2023/07-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 5 Series    | 2016/11-2024/12 | 433MHz Schrader    |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | 5 Series    | 2016/11-2024/12 | 315MHz Schrader    |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | 5 Series    | 2014/03-2017/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 6 Series    | 2014/04-2018/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 6 Series    | 2011/01-2014/03 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 6 Series    | 2003/08-2012/10 | 433MHz             | E63/E64    | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 6 Series GT | 2017/07-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | 6 Series GT | 2017/07-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | 7 Series    | 2006/01-2010/08 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 7 Series    | 2010/09-2014/02 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 7 Series    | 2014/03-2015/05 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 7 Series    | 2015/06-2022/12 | 315MHz Schrader    |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | 7 Series    | 2015/06-2022/12 | 433MHz Schrader    |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | 7 Series    | 2022/07-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 7 Series    | 2022/07-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 7 Series    | 2002/01-2005/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | 8 Series    | 2018/07-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | 8 Series    | 2018/07-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | M2          | 2022/12-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | M2          | 2014/11-2021/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | M2          | 2022/12-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | M3          | 2014/01-2019/12 | 433MHz Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | M3          | 2020/11-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | M3          | 2020/11-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | M4          | 2021/07-2024/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | M4          | 2014/03-2021/12 | 433MHz Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | M4          | 2021/07-2024/12 | 433MHz Schrader    |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | M5          | 2014/03-2017/12 | 433MHz 36106874830 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | M5          | 2010/09-2014/03 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | M6          | 2014/03-2018/12 | 433MHz             | F12        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | M6          | 2011/06-2015/12 | 433MHz 36106856227 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | M8          | 2019/01-2024/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| BMW  | 모터사이클 | 2010/01-2019/12 | 433MHz                |            | ○               | ○                  | ○                            |   | 433MHz    | Schrader            | Activate Only                | ●                       |
| BMW  | X1    | 2022/11-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X1    | 2022/11-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X1    | 2008/09-2014/02 | 433MHz                | E84        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X1    | 2009/01-2013/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| BMW  | X1    | 2014/03-2016/12 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X1    | 2015/08-2023/12 | 433MHz<br>Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | X2    | 2023/11-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X2    | 2023/11-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X2    | 2016/01-2023/12 | 433MHz<br>Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | X3    | 2017/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | X3    | 2017/01-2024/12 | 433MHz<br>Schrader    |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | X3    | 2014/04-2017/12 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X3    | 2003/03-2011/07 | 433MHz                | E83        | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X3    | 2003/01-2010/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| BMW  | X3    | 2010/11-2014/03 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X4    | 2013/05-2018/03 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X4    | 2014/01-2018/12 | 433MHz<br>36106790054 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X4    | 2018/04-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | X4    | 2018/04-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | X5    | 1999/10-2007/09 | 433MHz                | E53        | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X5    | 2015/01-2018/07 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | X5    | 2010/10-2013/06 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X5    | 2010/01-2013/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| BMW  | X5    | 2018/08-2023/03 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | X5    | 2018/08-2023/03 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | X5    | 2023/04-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X5    | 2023/04-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X6    | 2014/08-2019/07 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| BMW  | X6    | 2019/08-2023/12 | 433MHz<br>Schrader    |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | X6    | 2019/08-2023/12 | 315MHz<br>Schrader    |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| BMW  | X6    | 2023/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X6    | 2007/12-2010/09 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X6    | 2010/10-2014/07 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X6    | 2023/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X6    | 2008/01-2014/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| BMW  | X7    | 2022/08-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X7    | 2022/08-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| BMW  | X7    | 2018/12-2022/07 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| BMW  | X7    | 2018/12-2022/07 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |

| Make | Model          | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| BMW  | XM             | 2022/12-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | XM             | 2022/12-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | Z4             | 2018/11-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | Z4             | 2018/11-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | Z4             | 2014/03-2016/12 | 433MHz                |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | Z4             | 2009/01-2013/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| BMW  | Z4             | 2006/01-2014/02 | 433MHz<br>36106790054 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i3             | 2013/01-2022/06 | 433MHz<br>Continental |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| BMW  | i3             | 2022/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i4             | 2021/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i4             | 2021/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i5             | 2023/07-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i5             | 2023/07-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i7             | 2022/07-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i7             | 2022/07-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | i8             | 2013/01-2022/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| BMW  | iX             | 2021/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX             | 2021/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX1            | 2022/11-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX1            | 2022/11-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX2            | 2023/11-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX2            | 2023/11-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| BMW  | iX3            | 2017/08-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| BMW  | iX3            | 2017/08-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 벤틀리  | 벤틀가            | 2016/01-2023/12 | 433MHz<br>5Q0907275   |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 벤틀리  | Continental GT | 2022/01-2023/12 | 433MHz                |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 벤틀리  | Continental GT | 2005/06-2023/12 | 433MHz BY634          |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 벤틀리  | 플라잉 스퍼         | 2011/01-2019/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 벤틀리  | 플라잉 스퍼         | 2019/01-2024/12 | 433MHz<br>5Q0907275   |            | ●               | ●                  | ○                            | 0   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 벤틀리  | 물산             | 2001/01-2020/12 | 433MHz<br>7PP907275F  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 캐딜락  | ATS            | 2015/01-2017/12 | 315MHz<br>13598772    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2016/01-2019/12 | 315MHz<br>20964159    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2016/01-2019/06 | 433MHz                |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2015/01-2015/12 | 433MHz                | A1SL/A1BL  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2014/01-2014/12 | 433MHz                | A1SL/A1BL  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2013/01-2015/12 | 315MHz<br>20964159    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2013/01-2013/12 | 433MHz                | A1SL/A1BL  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2018/01-2020/12 | 315MHz<br>13598772    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS            | 2016/01-2020/12 | 433MHz                | A1SL/A1BL  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |

| Make | Model | Year Range      | Feature            | Model code        | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|--------------------|-------------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 캐딜락  | ATS-V | 2015/01-2015/12 | 433MHz             |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS-V | 2017/01-2019/12 | 433MHz             |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | ATS-V | 2016/01-2016/12 | 433MHz             |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | BLS   | 2006/01-2014/12 | 433MHz             |                   | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT4   | 2020/01-2023/12 | 433MHz<br>13530661 |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT4   | 2020/01-2023/12 | 433MHz Snap<br>in  |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Baolong            | ●                            | ●                       |
| 캐딜락  | CT4   | 2022/01-2023/12 | 433MHz<br>13593957 |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT4   | 2023/01-2023/12 | 433MHz<br>13554170 |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT4   | 2024/01-2024/12 | 433MHz             |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | BHSENS             | ●                            | ●                       |
| 캐딜락  | CT5   | 2019/01-2023/12 | 433MHz<br>13530661 |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT5   | 2023/01-2023/12 | 433MHz<br>13554170 |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT5   | 2023/01-2024/12 | 433MHz<br>13549707 |                   | ●               | ●                  | ○                            | 0/S   | 433MHz    | BHSENS             | ●                            | ●                       |
| 캐딜락  | CT5   | 2019/01-2020/12 | 433MHz             |                   | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT5   | 2020/01-2023/12 | 315MHz<br>13538759 |                   | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT5   | 2022/01-2023/12 | 433MHz Snap<br>in  |                   | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Baolong            | ●                            | ●                       |
| 캐딜락  | CT6   | 2016/01-2021/12 | 433MHz<br>13598773 |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT6   | 2016/01-2018/12 | 315MHz             |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT6   | 2019/01-2022/12 | 433MHz<br>13516165 |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT6   | 2021/01-2022/12 | 433MHz<br>13512347 |                   | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT6   | 2023/01-2023/12 | 433MHz             |                   | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CT6   | 2019/01-2020/12 | 315MHz             |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2012/01-2012/12 | 315MHz Clamp<br>in |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2012/01-2012/12 | 315MHz Snap<br>in  |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2010/01-2013/12 | 433MHz             | GMX206/<br>GMX226 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2010/01-2011/12 | 315MHz Clamp<br>in |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2010/01-2011/12 | 315MHz Snap<br>in  |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2009/01-2009/12 | 315MHz Snap<br>in  |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2009/01-2009/12 | 315MHz Clamp<br>in |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2009/01-2009/12 | 433MHz             | GMX206/<br>GMX226 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2007/10-2008/12 | 315MHz Snap<br>in  |                   | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS   | 2006/01-2007/12 | 433MHz             | GMX322            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |

| Make | Model  | Year Range      | Feature            | Model code                  | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|--------|-----------------|--------------------|-----------------------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 캐딜락  | CTS    | 2016/01-2019/12 | 315MHz<br>13598786 |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2004/01-2005/12 | 315MHz             |                             | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2006/01-2006/12 | 315MHz             |                             | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2007/01-2007/09 | 315MHz             |                             | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2016/01-2021/06 | 433MHz             |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2008/01-2008/12 | 433MHz             | GMX206/<br>GMX226           | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2016/01-2019/12 | 433MHz<br>13598787 |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2019/12 | 315MHz<br>13522628 |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2015/12 | 315MHz<br>20964159 |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2015/12 | 433MHz             |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2014/12 | 315MHz Snap<br>in  |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2014/12 | 433MHz             | GMX206/<br>GMX226           | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2014/01-2014/12 | 315MHz Clamp<br>in |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2013/06-2013/12 | 433MHz             | A1LL                        | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2013/01-2013/12 | 315MHz Snap<br>in  |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS    | 2013/01-2013/12 | 315MHz Clamp<br>in |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS-V  | 2016/01-2019/12 | 433MHz             |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | CTS-V  | 2010/01-2015/12 | 433MHz             |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | DTS    | 2006/01-2006/12 | 315MHz<br>25920615 |                             | ○               | ●                  | ○                            | S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | DTS    | 2007/01-2007/12 | 315MHz             |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | DTS    | 2008/01-2008/12 | 315MHz             |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | DTS    | 2009/01-2013/12 | 315MHz             |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2021/01-2023/12 | 433MHz<br>13533166 |                             | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2009/01-2011/12 | 433MHz             | GMT926                      | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2007/01-2008/12 | 433MHz             | GMT926                      | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2015/01-2020/12 | 433MHz             | GMT900/<br>GMTK2XL/<br>K2UL | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2017/01-2020/12 | 315MHz             |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2020/01-2020/12 | 433MHz             |                             | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2014/01-2014/12 | 433MHz             | GMT900/<br>GMTK2XL/<br>K2UL | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2013/01-2013/12 | 433MHz             | GMT900/<br>GMTK2XL          | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | 에스컬레이드 | 2012/01-2012/12 | 433MHz             | GMT900/<br>GMTK2XL          | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX    | 2004/01-2006/12 | 315MHz             |                             | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX    | 2007/01-2008/12 | 315MHz             |                             | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |



| Make | Model   | Year Range      | Feature            | Model code              | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------|-----------------|--------------------|-------------------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 캐딜락  | SRX     | 2016/01-2018/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2016/01-2016/12 | 433MHz             | C1UL                    | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2015/01-2016/12 | 433MHz             |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2014/01-2016/12 | 433MHz             | GMT166                  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2014/01-2015/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2013/01-2013/12 | 433MHz             | GMT166                  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2012/10-2013/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2012/01-2012/09 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2010/01-2012/12 | 433MHz             | GMT166                  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2010/01-2011/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2009/01-2009/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | SRX     | 2008/06-2009/12 | 433MHz<br>25789964 | GMT166                  | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT4     | 2024/01-2024/12 | 433MHz<br>13549707 |                         | ●               | ●                  | ○                            | 0/S   | 433MHz    | BHSENS             | ●                            | ●                       |
| 캐딜락  | XT4     | 2024/01-2024/12 | 433MHz<br>13538566 |                         | ●               | ●                  | ○                            | 0/S   | 433MHz    | Baolong            | ●                            | ●                       |
| 캐딜락  | XT4     | 2022/01-2023/12 | 315MHz<br>13512346 |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT4     | 2022/01-2023/12 | 433MHz<br>13512347 |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT4     | 2020/01-2021/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT4     | 2018/11-2022/12 | 433MHz             | E2UL                    | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2022/01-2024/12 | 433MHz<br>13512347 |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2021/01-2023/06 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2018/01-2022/12 | 433MHz<br>13516165 |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2018/01-2020/06 | 315MHz<br>13516164 |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2017/01-2019/12 | 315MHz<br>13589597 |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT5     | 2016/01-2021/06 | 433MHz<br>13598773 |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT6     | 2020/01-2024/12 | 433MHz<br>13512347 |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT6     | 2019/01-2023/12 | 315MHz<br>13516164 |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 캐딜락  | XT6     | 2019/01-2022/12 | 433MHz             |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | Alpheon | 2011/01-2015/12 | 433MHz             |                         | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 아베오     | 2021/01-2022/12 | 433MHz             |                         | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 아베오     | 2015/01-2020/12 | 433MHz             |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 아베오     | 2015/01-2020/06 | 433MHz             | G1SC/G1JC/T<br>250/T300 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 아베오     | 2013/01-2014/12 | 433MHz             |                         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 아베오     | 2011/01-2011/12 | 315MHz             |                         | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | Bolt    | 2017/01-2018/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | Bolt    | 2021/01-2024/06 | 433MHz<br>13516165 |                         | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | Bolt    | 2019/01-2021/12 | 315MHz             |                         | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |

| Make | Model | Year Range      | Feature            | Model code                      | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|--------------------|---------------------------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 쉐보레  | Bolt  | 2017/01-2020/12 | 433MHz<br>13598773 |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2024/01-2024/12 | 433MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2016/01-2019/12 | 433MHz<br>13598787 |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2021/01-2023/12 | 433MHz Clamp<br>in |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2020/01-2023/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2020/01-2023/12 | 433MHz<br>13516165 |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2018/01-2019/12 | 315MHz<br>13598786 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2017/01-2022/12 | 433MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2016/01-2016/12 | 433MHz Snap<br>in  |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2014/01-2015/12 | 315MHz<br>22854866 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2014/01-2015/12 | 315MHz<br>20964159 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2013/01-2013/12 | 315MHz<br>12768826 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2012/01-2013/12 | 315MHz<br>20964159 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2012/01-2012/12 | 315MHz<br>12768826 |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 카마로   | 2009/01-2011/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 캡티바   | 2008/01-2018/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 캡티바   | 2011/01-2018/12 | 433MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2017/01-2022/12 | 433MHz<br>13522629 |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2023/01-2023/12 | 433MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2017/01-2019/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2020/01-2020/12 | 433MHz             |                                 | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2020/01-2022/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 콜로라도  | 2020/01-2022/12 | 433MHz<br>13512347 |                                 | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2010/01-2013/12 | 433MHz             |                                 | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2013/01-2013/12 | 315MHz             | C6                              | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2014/01-2014/12 | 433MHz             | C7                              | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2014/01-2015/12 | 315MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2012/01-2012/12 | 315MHz             | C6                              | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 코벳    | 2010/01-2011/12 | 315MHz             | C6                              | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 크루즈   | 2016/01-2019/06 | 433MHz             |                                 | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 크루즈   | 2012/01-2012/12 | 433MHz             | D1SC/<br>D1JC/<br>D1WC/<br>KL1J | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 크루즈   | 2013/01-2015/12 | 433MHz             | D1SC/<br>D1JC/<br>D1WC/<br>KL1J | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |

| Make | Model  | Year Range      | Feature                       | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|--------|-----------------|-------------------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 쉐보레  | 에쿠녹스   | 2022/01-2024/12 | 433MHz<br>13540606            |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 에쿠녹스   | 2022/01-2023/12 | 315MHz<br>13512346            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 에쿠녹스   | 2018/01-2023/12 | 433MHz<br>MRXAG6SP4           |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 에쿠녹스   | 2017/06-2023/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 에쿠녹스   | 2017/06-2022/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2008/01-2008/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2009/01-2011/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2012/01-2012/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2013/01-2013/09 | 315MHz<br>13598771            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2013/10-2014/12 | 315MHz<br>Limited             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2014/01-2021/06 | 433MHz<br>13598773            |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2015/01-2016/12 | 315MHz<br>Limited<br>13598771 |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2015/01-2016/12 | 315MHz<br>Limited<br>23445327 |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2016/01-2016/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2020/01-2020/12 | 315MHz<br>13516164            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2017/01-2020/06 | 315MHz<br>13598772            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2020/01-2020/12 | 433MHz<br>13516165            |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2007/01-2007/12 | 315MHz Clamp<br>in            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2007/01-2007/12 | 315MHz Snap<br>in             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 임팔라    | 2006/01-2006/12 | 315MHz Clamp<br>in            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2010/01-2011/06 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2017/01-2022/12 | 433MHz                        | V300       | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2011/01-2016/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2011/07-2012/06 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2013/01-2014/12 | 315MHz<br>22854866            |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2015/01-2016/12 | 315MHz                        |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2017/01-2022/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 말리브    | 2022/01-2024/12 | 433MHz<br>13512347            |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 몬테 카를로 | 2007/01-2007/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 올랜도    | 2016/01-2018/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | 올랜도    | 2013/01-2015/12 | 433MHz                        | GMT166     | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레  | Seeker | 2022/01-2024/12 | 433MHz                        |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Baolong            | ●                            | ●                       |

| Make  | Model   | Year Range      | Feature            | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|---------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 쉐보레   | 실버라도    | 2021/01-2024/12 | 315MHz<br>13538759 |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 스파크     | 2015/01-2015/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 스파크     | 2002/01-2014/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 스파크     | 2013/01-2023/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 스파크     | 2017/01-2022/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 스파크     | 2016/01-2016/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 타호      | 2021/01-2023/12 | 433MHz<br>13533166 |            | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 타호      | 2022/01-2023/12 | 433MHz<br>13545366 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 타호      | 2022/01-2023/12 | 433MHz             | T1UC       | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 타호      | 2021/01-2024/12 | 433MHz<br>13530661 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트레일브레이저 | 2020/01-2024/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트레일브레이저 | 2017/01-2020/12 | 433MHz<br>13598773 |            | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트래버스    | 2018/01-2023/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트래버스    | 2020/01-2023/12 | 433MHz<br>13512347 |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트래버스    | 2024/01-2024/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트랙스     | 2015/01-2023/12 | 433MHz             | G1UC       | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트랙스     | 2012/01-2014/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 트랙스     | 2017/01-2022/06 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 볼트      | 2016/01-2016/12 | 315MHz             |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 볼트      | 2019/01-2019/12 | 433MHz<br>13512347 |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 볼트      | 2017/01-2018/12 | 433MHz<br>13598773 |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 쉐보레   | 볼트      | 2016/01-2019/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 200     | 2014/01-2016/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 크라이슬러 | 300C    | 2018/01-2021/06 | 433MHz 18<br>inch  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 300C    | 2005/06-2009/05 | 433MHz             | LE48       | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 크라이슬러 | 300C    | 2018/01-2021/06 | 433MHz 20<br>inch  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 300C    | 2009/06-2017/12 | 433MHz 18<br>inch  |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 300C    | 2009/06-2017/12 | 433MHz 20<br>inch  |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 300M    | 2002/01-2004/12 | 433MHz             |            | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 크로스파이어  | 2003/01-2008/12 | 433MHz             | ZH         | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 그랜드 보예저 | 2018/01-2020/03 | 433MHz             | RT         | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 그랜드 보예저 | 2011/01-2017/12 | 433MHz             | RT         | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 퍼시픽카    | 2003/01-2003/12 | 433MHz             |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 퍼시픽카    | 2004/01-2005/12 | 433MHz             |            | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 크라이슬러 | 퍼시픽카    | 2004/01-2005/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Continental        | ●                            | ●                       |
| 크라이슬러 | 퍼시픽카    | 2006/01-2008/12 | 315MHz             | CS         | ●               | ●                  | ○                            | A   | 315MHz    | Continental        | ●                            | ●                       |
| 크라이슬러 | 퍼시픽카    | 2016/01-2017/12 | 433MHz             |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |

| Make    | Model         | Year Range      | Feature                | Model code    | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|---------------|-----------------|------------------------|---------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 크라이슬러   | 퍼시픽카          | 2018/01-2024/12 | 433MHz                 |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| Citroen | C4            | 2010/08-2024/12 | Indirect               |               | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| Citroen | C4 Cactus     | 2014/05-2021/04 | 433MHz                 |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | C5            | 2000/12-2004/07 | 433MHz                 | X40           | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | C5 Aircross   | 2017/09-2024/12 | Indirect               |               | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| Citroen | DS3           | 2015/01-2022/12 | Indirect               |               | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| Citroen | DS3           | 2009/01-2019/12 | 433MHz                 |               | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS4           | 2014/02-2020/07 | 433MHz                 | B81           | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS4           | 2010/12-2014/01 | 433MHz                 | B75           | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS4 Crossback | 2016/01-2020/06 | 433MHz                 |               | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS5           | 2014/02-2018/11 | 433MHz                 | X2/50         | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS5           | 2011/06-2014/01 | 433MHz                 | B81           | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Citroen | DS7           | 2018/01-2024/12 | Indirect               |               | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| Citroen | DS7           | 2017/03-2021/12 | 433MHz                 |               | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| Daewoo  | ALPHEON       | 2011/01-2017/12 | 433MHz                 |               | ○               | ●                  | ○                            | C   | 433MHz    | Schrader           | ●                            | ●                       |
| Dodge   | Nitro         | 2007/06-2011/12 | 433MHz                 | KA            | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| Dodge   | Nitro         | 2006/11-2008/12 | 315MHz                 | KA            | ●               | ●                  | ●                            | O/A   | 315MHz    | Schrader           | ●                            | ●                       |
| 페라리     | 296GTB        | 2022/01-2022/12 | 433MHz                 |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 458 이탈리아      | 2009/01-2020/12 | 433MHz                 | F142          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 458 Spider    | 2009/01-2020/12 | 433MHz                 | F142          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 488           | 2015/01-2021/12 | 433MHz                 | F142          | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 575M 마라넬로     | 2002/01-2006/12 | 433MHz                 |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 595 GTB/GTO   | 2004/01-2011/12 | 433MHz                 |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 599 GTB       | 2004/01-2014/12 | 433MHz                 | F141          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 599 GTO       | 2004/01-2012/12 | 433MHz                 | F141          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 612 스카글리에티    | 2004/01-2011/12 | 433MHz                 | F137          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 812 Superfast | 2017/01-2018/12 | 315MHz                 |               | ○               | ●                  | ○                            | C   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 812 Superfast | 2016/01-2021/12 | 433MHz                 |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | CTC4 Lusso T  | 2017/01-2019/12 | 433MHz<br>F11001648001 |               | ○               | ●                  | ○                            | C   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | CTC4 Lusso T  | 2017/01-2019/12 | 433MHz<br>F11001495001 |               | ○               | ●                  | ○                            | C   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 캘리포니아         | 2008/10-2017/12 | 433MHz                 | F149          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | Daytona SP3   | 2022/01-2023/12 | 433MHz                 |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 엔조            | 2002/01-2006/12 | 433MHz                 | F140          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | F12 벨리네타      | 2012/10-2023/12 | 433MHz 282189          | F151/<br>F152 | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | F12 tdf       | 2015/01-2021/12 | 433MHz                 | F151/<br>F152 | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | F430          | 2007/07-2009/10 | 433MHz                 | F131E         | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | F430          | 2004/09-2007/06 | 433MHz                 | F131E         | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | F8 Tributo    | 2019/01-2023/12 | 433MHz 282189          | F151/<br>F152 | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | FF            | 2011/01-2020/01 | 433MHz                 | F151          | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | FXX           | 2005/01-2006/12 | 433MHz                 | F140          | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | GTC4 루쏘       | 2016/01-2020/12 | 433MHz                 |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리     | 라 페라리         | 2013/01-2020/12 | 433MHz                 | F150          | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |

| Make | Model         | Year Range      | Feature                | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------------|-----------------|------------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 페라리  | Monza SP1/SP2 | 2019/01-2021/12 | 433MHz                 | F151/F152  | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리  | Portofino     | 2016/01-2023/12 | 433MHz                 |            | ○               | ●                  | ○                            | C   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리  | Portofino     | 2017/10-2023/12 | 433MHz<br>F11001648001 |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리  | Roma          | 2020/01-2023/12 | 433MHz                 |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 페라리  | SF90          | 2020/01-2023/12 | 433MHz                 |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Fiat | 500           | 2014/01-2024/12 | Indirect               |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| Fiat | 500C          | 2013/01-2024/12 | Indirect               |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| Fiat | 500L          | 2012/01-2020/12 | Indirect               |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| Fiat | 500X          | 2014/01-2024/12 | Indirect               |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| Fiat | Freemont      | 2014/07-2022/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| Fiat | Freemont      | 2011/01-2014/06 | 433MHz                 | JF         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco        | 2021/01-2023/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco        | 2024/01-2024/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco        | 2021/01-2024/12 | 315MHz<br>ML3T1A180BA  |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco        | 2021/01-2024/12 | 315MHz<br>81C3A8189CA  |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco Sport  | 2020/10-2024/12 | 315MHz                 |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | Bronco Sport  | 2020/10-2024/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 에스케이프         | 2015/01-2018/12 | 433MHz                 | C520       | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 에스케이프         | 2012/05-2014/12 | 433MHz                 | C520       | ●               | ●                  | ●                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Everest       | 2018/01-2018/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Everest       | 2015/01-2017/12 | 433MHz                 |            | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 엑스피디션         | 2018/01-2021/12 | 315MHz                 |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 엑스피디션         | 2022/01-2023/12 | 315MHz                 |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 엑스피디션         | 2024/01-2024/12 | 315MHz                 |            | ○               | ●                  | ○                            | S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 엑스피디션         | 2017/09-2017/12 | 315MHz<br>HC3Z1A189A   |            | ●               | ●                  | ●                            | S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2021/01-2024/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2020/01-2020/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2015/06-2019/12 | 433MHz                 |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2011/01-2015/12 | 315MHz                 | U502       | ●               | ●                  | ●                            | S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2011/01-2015/06 | 433MHz                 | U502       | ●               | ●                  | ●                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2006/01-2010/12 | 433MHz                 |            | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2005/01-2005/12 | 433MHz                 |            | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 익스플로러         | 2004/01-2004/12 | 433MHz                 |            | ●               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 쿠가            | 2014/01-2019/12 | 433MHz                 | C520       | ●               | ●                  | ●                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 몬데오           | 2017/09-2019/05 | 433MHz                 |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 몬데오           | 2015/01-2017/08 | 433MHz Snap in         |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 몬데오           | 2013/01-2015/06 | 433MHz Clamp in        | CD345      | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 포드   | 몬데오           | 2007/01-2012/12 | 433MHz Clamp in        | CD345      | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 포드   | 몬데오           | 2019/06-2022/12 | 433MHz<br>F2GZ1A189B   |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |

| Make | Model          | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 포드   | 무스탕            | 2024/01-2024/12 | 433MHz                |            | ○               | ●                  | ○                            | S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 무스탕            | 2020/01-2023/12 | 433MHz                | S550       | ●               | ●                  | ○                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 무스탕            | 2014/10-2019/12 | 433MHz                | S550       | ●               | ●                  | ●                            | 0/S/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Mustang Mach-E | 2020/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | Mustang Mach-E | 2021/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 포드   | 레인저            | 2019/01-2023/12 | 433MHz Hi Line        |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 레인저            | 2024/01-2024/12 | 433MHz Hi Line        |            | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 레인저            | 2015/01-2018/12 | 433MHz Hi Line        |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 레인저            | 2024/01-2024/12 | 433MHz Lo Line        |            | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 포드   | 타우러스           | 2016/01-2019/12 | 433MHz                |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2022/01-2023/12 | 433MHz<br>13545366    |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2022/01-2023/12 | 433MHz<br>13542523    |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2024/01-2024/12 | 433MHz<br>13538761    |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2021/01-2023/12 | 433MHz<br>13530661    |            | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2024/01-2024/12 | 433MHz<br>13542523    |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2024/01-2024/12 | 433MHz<br>13545366    |            | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2018/01-2023/12 | 433MHz<br>13516165    |            | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2021/01-2023/12 | 315MHz<br>13538759    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| GMC  | Sierra         | 2024/01-2024/12 | 315MHz<br>13538759    |            | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 혼다   | 아코드            | 2015/01-2023/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 혼다   | 아코드            | 2013/01-2015/12 | 433MHz                | 2GA/2GB/QE | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 혼다   | CR-V           | 2014/01-2024/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 혼다   | CR-Z           | 2011/01-2013/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                | ●                            | ●                       |
| 혼다   | 씨빅             | 2013/01-2024/12 | Indirect              |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 혼다   | HR-V           | 2014/09-2024/12 | Indirect              |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 혼다   | 인사이트           | 2010/01-2013/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                | ●                            | ●                       |
| 혼다   | Legend         | 2015/01-2016/12 | 315MHz                | Hybrid     | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                | ●                            | ●                       |
| 혼다   | NSX            | 2016/01-2020/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 혼다   | NSX            | 2016/01-2021/06 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 혼다   | 오디세이           | 2017/01-2020/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 혼다   | 오디세이           | 2021/01-2024/12 | 433MHz<br>42753T3RA02 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 혼다   | 오디세이           | 2015/01-2016/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 혼다   | 오디세이           | 2014/01-2017/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                | ●                            | ●                       |
| 혼다   | 파이롯            | 2009/01-2015/12 | 315MHz Alloy          |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Pacific            | ●                            | ●                       |
| 혼다   | 파이롯            | 2009/01-2015/12 | 315MHz Steel          |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 혼다   | 파이롯            | 2016/01-2017/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |

| Make | Model         | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 현대   | 파이롯           | 2018/01-2023/12 | 433MHz<br>42753T6NA01 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 파이롯           | 2023/01-2024/12 | 433MHz<br>42753T3RA02 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | H2            | 2003/01-2007/12 | 315MHz                |            | ●               | ●                  | ●                            | S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | H2            | 2008/01-2008/12 | 315MHz<br>13598771    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | H2            | 2008/01-2008/12 | 315MHz<br>15922396    |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | H2            | 2009/01-2011/12 | 315MHz                |            | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | H3            | 2005/01-2006/12 | 315MHz                |            | ●               | ●                  | ●                            | S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | H3            | 2007/01-2012/12 | 315MHz                |            | ●               | ●                  | ●                            | S   | 315MHz    | Schrader            | ●                            | ●                       |
| 현대   | 엑센트           | 2015/01-2019/12 | 433MHz Hi Line        | RB         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 엑센트           | 2015/01-2018/12 | 433MHz Lo Line        | RB         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Alsan         | 2018/01-2018/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Alsan         | 2014/01-2017/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Avante        | 2021/01-2023/12 | 433MHz<br>52933F2000  | CN7        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Avante        | 2011/01-2013/12 | 433MHz                | MD         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | Avante        | 2016/01-2020/12 | 433MHz                | AD         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Avante        | 2014/01-2016/12 | 433MHz                | MD         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | Avante        | 2012/01-2016/12 | 433MHz<br>529333X305  | JK         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | EQ900         | 2016/01-2019/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 엘란트라          | 2013/10-2019/12 | 315MHz Lo Line        |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | TRW                 | ●                            | ●                       |
| 현대   | Elantra GT    | 2017/06-2020/12 | 433MHz                | PD         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Elantra GT    | 2021/01-2021/12 | 433MHz                | PD         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 엘란트라 N        | 2022/01-2024/12 | 433MHz<br>52940CG100  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 엘란트라 N        | 2022/01-2024/12 | 433MHz<br>52940L8200  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 에쿠스           | 2013/01-2019/12 | 433MHz                | VI New     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 에쿠스           | 2008/01-2013/12 | 433MHz                | VI Old     | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 제네시스          | 2013/01-2016/12 | 433MHz                | DH         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 제네시스          | 2013/01-2016/12 | 315MHz Hi Line        | BK         | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 현대   | 제네시스          | 2007/01-2014/12 | 433MHz                | BH         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 제네시스          | 2007/01-2007/12 | 315MHz                | BH         | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 현대   | 제네시스          | 2013/01-2016/12 | 315MHz Lo Line        | BK         | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 현대   | Genesis Coupe | 2014/01-2016/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis Coupe | 2012/01-2013/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G70   | 2018/01-2024/12 | 433MHz<br>52940CG100  | IK         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Genesis G70   | 2017/01-2017/12 | 433MHz                | IK         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Genesis G70   | 2018/01-2024/12 | 433MHz<br>52933J5000  | IK         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |



| Make | Model           | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 현대   | Genesis G80     | 2016/07-2019/12 | 433MHz<br>52933B1100 | DH         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80     | 2020/01-2022/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80     | 2020/01-2022/12 | 433MHz               | DH         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80     | 2016/07-2019/12 | 433MHz               | DH         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80     | 2021/07-2024/12 | 433MHz<br>52940T6000 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80     | 2021/01-2024/12 | 433MHz<br>52933D4100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G80 EV  | 2022/11-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G90     | 2016/01-2016/12 | 433MHz               | HI         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis G90     | 2017/01-2024/12 | 433MHz               | HI         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis GV60    | 2021/12-2024/12 | 433MHz<br>52940CG100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Genesis GV60    | 2021/12-2024/12 | 433MHz<br>52933D2100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis GV70    | 2021/01-2024/12 | 433MHz<br>52940T6000 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis GV70    | 2020/12-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis GV70 EV | 2022/11-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Genesis GV80    | 2020/01-2022/12 | 433MHz<br>52933J5000 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Genesis GV80    | 2021/07-2024/12 | 433MHz<br>52940T6000 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Grand Starex    | 2015/01-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 그랜저             | 2011/01-2017/12 | 433MHz               | HG/DM      | ●               | ●                  | ○                            | C   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 그랜저             | 2011/06-2015/12 | 433MHz               | HG         | ●               | ●                  | ○                            | C   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 그랜저             | 2020/01-2023/12 | 433MHz<br>52933D4100 | IG LAMBDA  | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 그랜저             | 2014/01-2014/12 | 433MHz               | Hybrid     | ●               | ●                  | ○                            | C   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 그랜저             | 2015/01-2017/12 | 433MHz               | Hybrid     | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 그랜저             | 2017/01-2020/12 | 433MHz               | IG/IG HEV  | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 그랜저             | 2018/01-2019/12 | 433MHz               | IG LAMBDA  | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 그랜저             | 2021/07-2023/12 | 433MHz<br>52940T6100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Grandeur GN7    | 2023/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Ioniq           | 2016/01-2023/12 | 433MHz               | AE         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Ioniq 5         | 2022/01-2024/12 | 433MHz<br>52940L8200 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Ioniq 5         | 2022/01-2024/12 | 433MHz<br>52940L1100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Ioniq 5         | 2020/01-2021/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Ioniq 6         | 2021/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Kona            | 2017/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | A/0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Kona N          | 2022/01-2024/12 | 433MHz               | OSN        | ●               | ●                  | ○                            | A/0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Maxcruz         | 2012/01-2018/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Nexo            | 2018/04-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Palisade        | 2018/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |

| Make | Model         | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 현대   | Porter        | 2014/01-2023/12 | 433MHz<br>52933A5100 | HR         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Porter        | 2007/01-2018/12 | 433MHz<br>529334H100 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 싼타페           | 2009/01-2012/05 | 433MHz               | CM         | ●               | ●                  | ○                            | 0   | 433MHz    | Lear                | ●                            | ●                       |
| 현대   | 싼타페           | 2006/01-2008/12 | 433MHz               | CM         | ●               | ●                  | ○                            | 0   | 433MHz    | Lear                | ●                            | ●                       |
| 현대   | 싼타페           | 2022/01-2024/12 | 433MHz               | TM/TMA     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 싼타페           | 2012/01-2015/12 | 433MHz               | DM         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 싼타페           | 2019/01-2022/12 | 433MHz               | TM         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 싼타페           | 2018/01-2018/12 | 433MHz               | TM         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 싼타페           | 2012/06-2014/12 | 315MHz               | NC         | ●               | ●                  | ○                            | 0   | 315MHz    | Continental         | ●                            | ●                       |
| 현대   | Solati        | 2014/03-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 쏘나타           | 2014/04-2019/12 | 433MHz Hi Line       | LF/LFA     | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 쏘나타           | 2014/01-2015/12 | 433MHz<br>529331J000 | VDO        | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 쏘나타           | 2010/01-2013/12 | 433MHz               | LF/LFA     | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 쏘나타           | 2010/01-2010/12 | 433MHz               | YF         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 쏘나타           | 2019/05-2024/12 | 433MHz<br>52940L1100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Sonata Hybrid | 2016/01-2019/12 | 433MHz               | YF/LF HEV  | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | Sonata Hybrid | 2011/01-2019/12 | 433MHz<br>529331J000 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Sonata Hybrid | 2011/01-2014/12 | 433MHz<br>529333N100 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Sonata N      | 2023/01-2024/12 | 433MHz<br>52940L1100 |            | ○               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 스타렉스          | 2007/01-2007/12 | 315MHz               |            | ○               | ●                  | ○                            | C   | 315MHz    | Continental         | ●                            | ●                       |
| 현대   | 스타렉스          | 2007/01-2015/12 | 433MHz               | TQ         | ○               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 스타렉스          | 2016/01-2021/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Staria        | 2021/03-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 투싼            | 2009/01-2013/12 | 433MHz               | LM         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 투싼            | 2012/01-2015/12 | 433MHz Hi Line       | LM         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 투싼            | 2012/01-2015/12 | 433MHz Lo Line       | LM         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 투싼            | 2015/01-2018/12 | 433MHz               | LM FCEV    | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 투싼            | 2016/01-2017/12 | 433MHz               | TL         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | 투싼            | 2021/01-2021/09 | 433MHz Hi Line       | TL         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 투싼            | 2021/01-2024/12 | 433MHz<br>52940L1100 | NX         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 투싼            | 2021/01-2024/12 | 433MHz               | NX         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 투싼            | 2015/05-2020/12 | 433MHz Hi Line       | TL         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 벨로스터          | 2011/03-2019/06 | 433MHz               | FS         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | 벨로스터          | 2018/01-2024/12 | 433MHz               | JS         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Veloster N    | 2019/01-2024/06 | 433MHz               | JSN        | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | Venue         | 2022/01-2024/12 | 433MHz<br>52933D4100 | QXI        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model     | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 현대   | Venue     | 2019/01-2022/12 | 433MHz<br>52933D4100 | QX/QXI     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 베라크루즈     | 2007/01-2012/12 | 433MHz               | EN/CM      | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | 베라크루즈     | 2007/01-2015/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Lear                | ●                            | ●                       |
| 현대   | i30       | 2017/01-2020/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                 | Indirect                     | ●                       |
| 현대   | i30       | 2016/08-2024/12 | 433MHz<br>52933562C6 | PD/Pde     | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i30       | 2007/01-2016/12 | 433MHz               | FD/Fde     | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i30       | 2012/01-2016/12 | 433MHz               | GD         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i30       | 2016/08-2024/12 | 433MHz               | PD/Pde     | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i30 N     | 2018/01-2024/12 | 433MHz<br>52940L8200 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 현대   | i30 N     | 2018/01-2024/12 | 433MHz<br>52933F2000 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i40       | 2017/01-2019/12 | 433MHz               | IF         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 현대   | i40       | 2011/01-2014/03 | 433MHz               | VF         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | i40       | 2011/01-2014/03 | 433MHz Second        | VF         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 현대   | i40       | 2014/04-2020/12 | 433MHz               | VF         | ●               | ●                  | ○                            | 0/A   | 433MHz    | TRW                 | ●                            | ●                       |
| 인피니티 | EX Series | 2010/03-2015/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | EX Series | 2007/11-2011/03 | 315MHz<br>40700JK00C |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | EX Series | 2008/01-2014/03 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | FX Series | 2010/12-2018/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | FX Series | 2010/12-2018/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | FX Series | 2008/03-2013/12 | 433MHz<br>407001AY0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | FX Series | 2007/07-2008/06 | 315MHz<br>40700JA00B |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | FX Series | 2002/11-2007/06 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | FX Series | 2008/05-2011/04 | 315MHz<br>40700JK00C |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | FX Series | 2008/07-2010/12 | 315MHz<br>40700JA01C |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | FX Series | 2008/05-2010/04 | 315MHz<br>40700JY10A |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | G Series  | 2010/03-2015/12 | 315MHz<br>407001LA0E |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | G Series  | 2007/01-2011/06 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | G Series  | 2006/08-2010/11 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | G Series  | 2006/08-2007/12 | 315MHz<br>40700JA01B |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | G Series  | 2011/07-2014/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | M Series  | 2010/05-2013/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | M Series  | 2010/08-2015/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | M Series  | 2008/05-2010/04 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | M Series  | 2002/07-2007/08 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | M Series  | 2007/09-2008/08 | 315MHz<br>40700JA00C |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | Q30       | 2016/04-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |

| Make | Model | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 인피니티 | Q45   | 2006/09-2008/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | Q45   | 2002/08-2006/08 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | Q50   | 2013/11-2021/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | Q50   | 2014/01-2022/07 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental         | ●                            | ●                       |
| 인피니티 | Q60   | 2016/10-2020/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | Q60   | 2017/01-2020/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental         | ●                            | ●                       |
| 인피니티 | Q70   | 2013/07-2020/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | Q70   | 2013/07-2020/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | Q70   | 2014/11-2021/12 | 433MHz<br>407006WYOB  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | Q70   | 2018/10-2021/12 | 433MHz<br>407003JA0A  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | QX50  | 2018/04-2022/05 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | QX50  | 2014/05-2018/03 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | QX50  | 2016/12-2018/03 | 433MHz<br>407001AY0A  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 인피니티 | QX50  | 2013/09-2018/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | QX60  | 2012/04-2018/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | QX60  | 2018/08-2021/12 | 433MHz<br>407009DJ0A  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 인피니티 | QX70  | 2014/05-2019/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | QX80  | 2013/10-2016/09 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 인피니티 | QX80  | 2014/09-2020/12 | 433MHz<br>407006WY0C  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 재규어  | E-페이스 | 2017/01-2018/12 | 433MHz                | X540       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | E-페이스 | 2019/01-2022/12 | 433MHz                | X540       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-페이스 | 2015/01-2018/12 | 433MHz                | X761       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-페이스 | 2019/01-2022/12 | 433MHz                | X761       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-페이스 | 2022/01-2024/12 | 433MHz<br>M8E21A159AA | X761       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2012/11-2016/04 | 433MHz<br>AH521A159AA | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2012/11-2016/04 | 315MHz<br>AH521A159CA | X152       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2016/05-2018/12 | 433MHz<br>FW931A159AB | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2019/01-2021/06 | 433MHz<br>FW931A159AB | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2019/01-2024/12 | 433MHz<br>GX631A159AA | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2021/01-2023/12 | 433MHz<br>M8E21A159AA | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2016/05-2018/12 | 433MHz<br>GX631A159AA | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | F-타요  | 2012/11-2016/04 | 433MHz<br>FW931A159AB | X152       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | I-페이스 | 2019/01-2023/12 | 433MHz<br>GX631A159AA | X590       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | I-페이스 | 2021/01-2023/12 | 433MHz<br>M8E21A159AA | X590       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model     | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 재규어  | I-페이스     | 2017/01-2018/12 | 433MHz                | X590       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | S-타요      | 1998/10-2011/08 | 315MHz                | X200       | ●               | ●                  | ○                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | S-타요      | 1998/10-2011/08 | 433MHz                | X200       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | X-타요      | 2001/01-2009/12 | 315MHz                | X400       | ●               | ●                  | ○                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | X-타요      | 2001/01-2009/12 | 433MHz                | X400       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XE        | 2022/01-2023/12 | 433MHz<br>M8E21A159AA | X760       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XE        | 2019/01-2022/12 | 433MHz<br>GX631A159AA | X760       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XE        | 2015/04-2018/12 | 433MHz<br>FW931A159AB | X760       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XE        | 2015/01-2018/12 | 433MHz<br>GX631A159AA | X760       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XF        | 2009/04-2015/08 | 315MHz                | X250       | ●               | ●                  | ○                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | XF        | 2014/07-2015/05 | 433MHz                | X260       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XF        | 2015/09-2018/12 | 433MHz                | X260       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XF        | 2019/01-2024/12 | 433MHz<br>GX631A159AA | X260       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XF        | 2007/01-2015/08 | 433MHz                | X250       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XJ        | 2002/12-2009/12 | 433MHz                | X350       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XJ        | 2010/01-2020/04 | 433MHz<br>AH521A159AA | X351       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XJ        | 2010/01-2020/04 | 433MHz<br>GX631A159AA | X351       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XK        | 2006/01-2009/12 | 315MHz                | X150       | ●               | ●                  | ○                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | XK        | 2010/01-2015/12 | 315MHz                | X150       | ●               | ●                  | ○                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 재규어  | XK        | 2006/01-2009/12 | 433MHz                | X150       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XK        | 2010/01-2015/12 | 433MHz                | X150       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 재규어  | XKR       | 2006/01-2014/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 체로키       | 2014/01-2016/12 | 433MHz                | KL         | ●               | ●                  | ●                            | O/A   | 433MHz    | TRW                 | ●                            | ●                       |
| 지프   | 체로키       | 2019/01-2022/12 | 315MHz                |            | ●               | ●                  | ○                            | O/A   | 315MHz    | TRW                 | ●                            | ●                       |
| 지프   | 체로키       | 2018/01-2023/12 | 433MHz                | KL         | ●               | ●                  | ○                            | O/A   | 433MHz    | TRW                 | ●                            | ●                       |
| 지프   | 체로키       | 2018/01-2018/12 | 315MHz                |            | ●               | ●                  | ○                            | O/A   | 315MHz    | TRW                 | ●                            | ●                       |
| 지프   | 체로키       | 2017/01-2017/12 | 433MHz                | KL         | ●               | ●                  | ●                            | O/A   | 433MHz    | TRW                 | ●                            | ●                       |
| 지프   | 체로키       | 2015/01-2017/12 | 315MHz                |            | ●               | ●                  | ●                            | O/A   | 315MHz    | TRW                 | ●                            | ●                       |
| 지프   | 컴맨더       | 2006/01-2007/12 | 433MHz                | XK         | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴맨더       | 2008/01-2010/12 | 433MHz                | XK         | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 컴파스       | 2006/05-2017/12 | 433MHz                | MK49       | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 컴파스       | 2007/01-2009/12 | 315MHz                | MK49       | ●               | ●                  | ●                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴파스       | 2010/01-2012/12 | 315MHz                |            | ●               | ●                  | ●                            | O/A   | 315MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴파스       | 2017/01-2017/12 | 433MHz                | 551        | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴파스       | 2018/01-2018/12 | 433MHz                | 551        | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴파스       | 2019/01-2021/12 | 433MHz                | 551        | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 컴파스       | 2019/01-2024/12 | 433MHz                | MP/MX      | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | Gladiator | 2019/11-2022/12 | 433MHz<br>MRXAG4WA5   |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | Gladiator | 2021/07-2024/12 | 433MHz Conti          |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키   | 2012/01-2015/12 | 433MHz                | WK74       | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |

| Make | Model   | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 지프   | 그랜드 체로키 | 2016/01-2017/12 | 433MHz               | WK         | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2018/01-2022/12 | 433MHz<br>68252493AB | WK         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2021/01-2023/12 | 433MHz               | WL         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2021/01-2023/12 | 433MHz Conti         |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2016/01-2017/12 | 433MHz               |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2006/06-2010/12 | 433MHz               | WH         | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2004/05-2005/12 | 315MHz               | WK         | ●               | ●                  | ●                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2005/01-2006/05 | 433MHz               |            | ●               | ●                  | ●                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2006/01-2007/12 | 315MHz               | WK         | ●               | ●                  | ●                            | 0/A   | 315MHz    | Schrader            | ●                            | ●                       |
| 지프   | 그랜드 체로키 | 2011/01-2011/12 | 433MHz               | WK74       | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 패트리오트   | 2007/01-2008/12 | 315MHz               |            | ●               | ●                  | ●                            | 0/A   | 315MHz    | Schrader            | ●                            | ●                       |
| 지프   | 패트리오트   | 2007/01-2008/12 | 433MHz               | MK         | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 패트리오트   | 2009/01-2014/12 | 315MHz               | MK         | ●               | ●                  | ●                            | 0/A   | 315MHz    | Schrader            | ●                            | ●                       |
| 지프   | 레니게이드   | 2020/01-2022/12 | 433MHz<br>53394085   |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 레니게이드   | 2018/01-2024/12 | 433MHz<br>68193586AC |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 레니게이드   | 2018/01-2018/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 레니게이드   | 2017/01-2017/12 | 433MHz               |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 레니게이드   | 2015/01-2016/12 | 433MHz               |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 랭글러     | 2014/01-2017/12 | 433MHz               | JL         | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2007/01-2009/12 | 315MHz               | JK         | ●               | ●                  | ●                            | 0/A   | 315MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2010/01-2012/12 | 315MHz               | JK         | ●               | ●                  | ●                            | 0/A   | 315MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2018/01-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2019/01-2019/12 | 433MHz               | J3         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2010/01-2013/12 | 433MHz               | JK72       | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2019/01-2020/12 | 433MHz               | JL         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2010/01-2012/12 | 433MHz               |            | ●               | ●                  | ●                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 지프   | 랭글러     | 2021/07-2024/12 | 433MHz Conti         |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 지프   | 랭글러     | 2021/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | Bongo   | 2017/01-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아   | Bongo   | 2020/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아   | Bongo   | 2014/01-2016/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아   | 카렌스     | 2006/01-2019/12 | 433MHz               | RP         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아   | 카니발     | 2020/01-2024/12 | 433MHz               | KA4        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아   | 카니발     | 2019/01-2024/12 | 433MHz               | YP/YPi     | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | 카니발     | 2018/01-2018/12 | 433MHz<br>52933C1100 |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | 카니발     | 2014/01-2018/12 | 433MHz               | YP/Sedan   | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | 카니발     | 2005/01-2014/12 | 315MHz               | YP         | ●               | ●                  | ○                            | 0   | 315MHz    | Lear                | ●                            | ●                       |
| 기아   | EV6     | 2021/03-2024/12 | 433MHz<br>52940L8200 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | EV6     | 2021/03-2024/12 | 433MHz<br>52940CG100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아   | EV6     | 2021/03-2024/12 | 433MHz<br>52940BV100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |

| Make | Model     | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 기아   | EV9       | 2023/07-2024/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | 포르테       | 2009/01-2013/04 | 315MHz               | TD         | ●               | ●                  | ○                            | 0   | 315MHz    | Continental        | ●                            | ●                       |
| 기아   | K3        | 2022/01-2023/12 | 433MHz               | BD         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Pacific            | ●                            | ●                       |
| 기아   | K3        | 2012/01-2018/12 | 433MHz TRW           | YDC/YD     | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | K3        | 2012/01-2016/12 | 433MHz<br>529333X305 |            | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | K3        | 2018/01-2021/12 | 433MHz<br>Pacific    | BDC/BD     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Pacific            | ●                            | ●                       |
| 기아   | K3        | 2019/01-2019/12 | 433MHz TRW           | YDC/YD     | ●               | ●                  | ○                            | 0/A   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | K5        | 2015/07-2021/12 | 433MHz Hybrid        | JF/JF HEV  | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K5        | 2013/01-2015/06 | 433MHz Hybrid        | TF/TF HEV  | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K5        | 2011/01-2012/12 | 433MHz               | TF/TF HEV  | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K5        | 2020/01-2024/12 | 433MHz               | DL3        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K7        | 2013/01-2016/12 | 433MHz Hybrid        | VG         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K7        | 2016/01-2021/12 | 433MHz               | YG         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K7        | 2008/01-2012/12 | 433MHz               | VG         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | K8        | 2021/07-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | K9        | 2022/01-2024/12 | 433MHz               | RJ         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | K9        | 2019/01-2021/12 | 433MHz               | RJ         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | K9        | 2011/01-2018/12 | 433MHz               | KH         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | 모하비       | 2014/09-2015/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | 모하비       | 2008/01-2014/08 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | 모하비       | 2007/01-2007/12 | 433MHz<br>529333M000 |            | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | 모하비       | 2007/01-2007/12 | 433MHz<br>529333V600 | HM         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | 모하비       | 2020/01-2021/12 | 433MHz<br>52933D2100 | HM PE2     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모하비       | 2022/01-2023/12 | 433MHz               | HM PE2     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모하비       | 2016/01-2016/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모하비       | 2020/01-2020/12 | 433MHz<br>52933D4100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모하비       | 2017/01-2020/12 | 433MHz<br>529332J100 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모닝        | 2014/01-2022/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | 모닝        | 2017/01-2022/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 기아   | Morning 3 | 2017/01-2020/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 기아   | Niro      | 2023/01-2024/12 | 433MHz<br>52940CG100 | SG2        | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | Niro      | 2022/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 기아   | Niro      | 2016/01-2021/12 | 433MHz               | DE         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 기아   | Opirus    | 2006/01-2014/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | 옵티마       | 2005/12-2010/12 | 315MHz               | MG         | ●               | ●                  | ○                            | 0   | 315MHz    | Lear               | ●                            | ●                       |
| 기아   | Pride     | 2018/01-2018/12 | 433MHz Lo<br>Line    | YB         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |
| 기아   | Pride     | 2012/01-2017/12 | 433MHz               | UB         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                | ●                            | ●                       |

| Make  | Model      | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|------------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 기아    | Pride      | 2017/01-2018/12 | Indirect              |            | ○               | ○                  | ○                            | S   | N/A       | N/A                 | Indirect                     | ●                       |
| 기아    | Pride      | 2018/01-2018/12 | 433MHz Hi Line        | YB         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | Ray        | 2011/01-2023/12 | 433MHz                | Elec       | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | Seltos     | 2019/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | Sonet      | 2021/01-2023/12 | 433MHz                |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아    | 쏘렌토        | 2020/01-2024/12 | 433MHz                | MQ4        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘렌토        | 2018/01-2020/09 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘렌토        | 2014/01-2018/06 | 433MHz<br>529333N100  | UMA        | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘렌토        | 2011/01-2015/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘렌토        | 2009/01-2010/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘렌토        | 2006/01-2008/12 | 433MHz                | XM         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘울         | 2023/01-2024/12 | 433MHz                | SK3        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘울         | 2019/01-2022/12 | 433MHz                | SK3        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 쏘울         | 2013/11-2016/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아    | 쏘울         | 2008/06-2013/10 | 433MHz                | AM         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 스포티지       | 2015/11-2021/06 | 433MHz                | QL/QLE     | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 스포티지       | 2013/10-2016/01 | 433MHz                | SL         | ●               | ●                  | ○                            | 0/A   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | 스포티지       | 2010/01-2014/01 | 433MHz Hi Line        | SL         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | 스포티지       | 2009/01-2010/12 | 315MHz Lo Line        | KM/SL      | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 기아    | 스포티지       | 2008/01-2008/12 | 315MHz Lo Line        | KM         | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 기아    | 스포티지       | 2005/01-2007/12 | 315MHz Lo Line        | KM         | ●               | ●                  | ○                            | 0   | 315MHz    | TRW                 | ●                            | ●                       |
| 기아    | 스포티지       | 2021/01-2024/12 | 433MHz<br>52940L1100  |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 기아    | 스포티지       | 2010/01-2013/12 | 433MHz Lo Line        | SL         | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | Sportage R | 2010/01-2013/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | Sportage R | 2014/01-2023/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | TRW                 | ●                            | ●                       |
| 기아    | Stinger    | 2017/01-2017/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아    | Stinger    | 2018/01-2024/12 | 433MHz                | CK         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아    | Stinger    | 2017/06-2017/12 | 433MHz                | CK         | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 기아    | Stonic     | 2017/01-2023/12 | Indirect              |            | ○               | ○                  | ○                            | S   | N/A       | N/A                 | Indirect                     | ●                       |
| 기아    | Stonic     | 2017/11-2021/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 람보르기니 | 아벤타도       | 2011/01-2023/12 | 433MHz                | LB834      | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 람보르기니 | Few Off    | 2017/01-2020/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 람보르기니 | 허라칸        | 2014/01-2024/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 람보르기니 | One Off    | 2016/01-2020/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 람보르기니 | Urus       | 2017/01-2019/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 람보르기니 | Urus       | 2020/01-2024/12 | 433MHz                |            | ○               | ●                  | ○                            | C   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 랜드로버  | 디펜더        | 2020/01-2023/12 | 433MHz<br>GX631A159AA | L663       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버  | 디펜더        | 2020/01-2023/12 | 433MHz<br>FW931A159AB | L663       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |



| Make | Model     | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 랜드로버 | 디펜더       | 2020/01-2024/12 | 433MHz<br>M8E21A159AA | L663       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2017/01-2018/12 | 433MHz<br>GX631A159AA | L462       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2021/01-2024/12 | 433MHz<br>M8E21A159AA | L462       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2019/01-2022/12 | 433MHz<br>GX631A159AA | L462       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/12-2016/12 | 433MHz<br>GX631A159AA | L319       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/12-2016/12 | 433MHz<br>AH521A159AA | L319       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/12-2016/12 | 315MHz<br>AH521A159CA | L319       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/12-2016/12 | 433MHz<br>FW931A159AB | L319       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/01-2016/12 | 315MHz<br>BH521A159CA | L319       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2004/06-2009/11 | 315MHz                | L319       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2002/01-2004/05 | 433MHz                | L318       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2004/06-2009/11 | 433MHz                | L319       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리     | 2009/12-2016/12 | 433MHz<br>BH521A159AA | L319       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리 스포츠 | 2021/01-2024/12 | 433MHz<br>M8E21A159AA | L550       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리 스포츠 | 2014/01-2018/12 | 433MHz<br>BH521A159AA | L550       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리 스포츠 | 2014/06-2018/12 | 433MHz<br>GX631A159AA | L550       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리 스포츠 | 2019/01-2022/12 | 433MHz<br>BH521A159AA | L550       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 디스커버리 스포츠 | 2019/01-2022/12 | 433MHz<br>GX631A159AA | L550       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 315MHz<br>4H231A159CA | L359       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 315MHz<br>AH521A159CA | L359       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 433MHz<br>GX631A159AA | L359       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 315MHz<br>BH521A159CA | L359       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 433MHz<br>FW931A159AB | L359       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 프리랜더      | 2006/01-2014/12 | 433MHz<br>BH521A159AA | L359       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버      | 2022/01-2024/12 | 433MHz<br>M8E21A159AA | L460       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버      | 2022/01-2023/12 | 433MHz<br>GX631A159AA | L460       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버      | 2020/02-2021/12 | 433MHz<br>M8E21A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버      | 2019/01-2021/12 | 433MHz<br>GX631A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model    | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 랜드로버 | 렌지로버     | 2016/01-2018/01 | 433MHz<br>FW931A159AB | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2010/01-2012/12 | 433MHz<br>AH521A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2013/01-2015/12 | 433MHz<br>AH521A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2013/01-2015/12 | 433MHz<br>GX631A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2013/01-2015/12 | 433MHz<br>FW931A159AB | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2013/01-2015/12 | 315MHz<br>AH521A159CA | L405       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2005/01-2009/12 | 433MHz                | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2005/01-2009/12 | 315MHz                | L322       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2016/01-2018/12 | 433MHz<br>GX631A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2010/01-2012/12 | 433MHz<br>GX631A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2010/01-2012/12 | 315MHz<br>BH521A159CA | L322       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2010/01-2012/12 | 433MHz<br>BH521A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2010/01-2012/12 | 315MHz<br>AH521A159CA | L322       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버     | 2002/01-2004/12 | 433MHz                | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2015/07-2018/12 | 433MHz<br>GX631A159AA | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2011/07-2015/06 | 433MHz<br>AH521A159AA | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2021/07-2024/12 | 433MHz<br>M8E21A159AA | L551       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2011/07-2015/06 | 433MHz<br>BH521A159AA | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2015/07-2017/12 | 433MHz<br>FW931A159AB | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2011/07-2015/06 | 315MHz<br>AH521A159CA | L538       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2011/07-2015/06 | 315MHz<br>BH521A159CA | L538       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2015/07-2018/12 | 315MHz<br>BH521A159CA | L538       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2015/07-2018/12 | 433MHz<br>BH521A159AA | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2019/01-2023/12 | 433MHz<br>GX631A159AA | L551       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 에보크 | 2011/07-2015/06 | 433MHz<br>FW931A159AB | L538       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz<br>FW931A159AB | L320       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 315MHz<br>AH521A159CA | L320       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz<br>BH521A159AA | L320       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model    | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 랜드로버 | 렌지로버 스포츠 | 2005/01-2009/12 | 315MHz                | L320       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2005/01-2009/12 | 433MHz                | L320       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2021/01-2022/09 | 433MHz<br>M8E21A159AA | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2022/10-2024/12 | 433MHz                | L461       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2019/01-2022/09 | 433MHz<br>FW931A159AB | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2019/01-2022/09 | 433MHz<br>GX631A159AA | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2016/01-2018/12 | 433MHz<br>GX631A159AA | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2016/01-2018/12 | 433MHz<br>FW931A159AB | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz<br>AH521A159AA | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 315MHz<br>AH521A159CA | L494       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz<br>GX631A159AA | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz<br>FW931A159AB | L494       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 315MHz<br>BH521A159CA | L320       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz<br>GX631A159AA | L320       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz<br>AH521A159AA | L320       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 벨라  | 2021/01-2024/12 | 433MHz<br>M8E21A159AA | L560       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 벨라  | 2017/01-2018/12 | 433MHz                | L560       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 벨라  | 2019/01-2023/12 | 433MHz<br>GX631A159AA | L560       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2010/01-2012/12 | 315MHz<br>BH521A159CA | L322       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2010/01-2012/12 | 433MHz<br>AH521A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2010/01-2012/12 | 315MHz<br>AH521A159CA | L322       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2010/01-2012/12 | 433MHz<br>GX631A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2010/01-2012/12 | 433MHz<br>BH521A159AA | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2022/01-2024/12 | 433MHz<br>M8E21A159AA | L460       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2005/01-2009/12 | 433MHz                | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2002/01-2004/12 | 433MHz                | L322       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2022/01-2023/12 | 433MHz<br>GX631A159AA | L460       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2020/02-2021/12 | 433MHz<br>M8E21A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그  | 2019/01-2021/12 | 433MHz<br>GX631A159AA | L405       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |

| Make | Model     | Year Range      | Feature            | Model code          | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------|-----------------|--------------------|---------------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 랜드로버 | 렌지로버 보그   | 2016/01-2018/12 | 433MHz GX631A159AA | L405                | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2013/01-2015/12 | 433MHz AH521A159AA | L405                | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2016/01-2018/01 | 433MHz FW931A159AB | L405                | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2013/01-2015/12 | 315MHz AH521A159CA | L405                | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2013/01-2015/12 | 433MHz GX631A159AA | L405                | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2013/01-2015/12 | 433MHz FW931A159AB | L405                | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 랜드로버 | 렌지로버 보그   | 2005/01-2009/12 | 315MHz             | L322                | ●               | ●                  | ○                            | 0/A   | 315MHz    | Continental         | ●                            | ●                       |
| 렉서스  | CT Series | 2013/12-2022/12 | 433MHz             | 080A                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | ES Series | 2006/01-2012/05 | 433MHz             |                     | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | ES Series | 2012/06-2021/01 | 433MHz C210        | 980L                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | ES Series | 2018/06-2024/12 | 433MHz             |                     | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | GS Series | 2012/01-2022/12 | 433MHz             | 920L                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | GX Series | 2013/09-2019/08 | 315MHz             |                     | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | IS Series | 2006/01-2022/12 | 315MHz 107J        |                     | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | IS Series | 2013/04-2023/12 | 433MHz C210        | 030L/400A/720A/XE30 | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | LC Series | 2017/01-2022/12 | 433MHz             |                     | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | LS Series | 2017/10-2024/12 | 433MHz             |                     | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | LS Series | 2012/10-2017/09 | 433MHz             |                     | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | LX Series | 2015/10-2021/12 | 433MHz C215        | URJ                 | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | NX Series | 2014/01-2024/12 | 433MHz             | 600A                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | RC Series | 2014/09-2023/01 | 433MHz             | XC1/720A            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | RX Series | 2009/01-2015/10 | 433MHz             | 640L                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | RX Series | 2015/10-2020/12 | 315MHz C015        |                     | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | RX Series | 2015/09-2024/12 | 433MHz C215        | 740A                | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | SC Series | 2006/08-2010/12 | 315MHz             |                     | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 렉서스  | UX Series | 2018/01-2024/12 | 433MHz C215        | URJ                 | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 링컨   | 에비에이터     | 2024/01-2024/12 | 315MHz             |                     | ○               | ●                  | ○                            | S   | 315MHz    | Schrader            | ●                            | ●                       |
| 링컨   | 에비에이터     | 2020/01-2024/12 | 433MHz             |                     | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | 에비에이터     | 2020/01-2024/12 | 433MHz D6A5FA180BB |                     | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | 컨티넨탈      | 2016/07-2020/12 | 433MHz             |                     | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | Corsair   | 2019/05-2024/12 | 433MHz             |                     | ●               | ●                  | ○                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKC       | 2014/04-2015/12 | 433MHz             | 2. OF SEL           | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKC       | 2016/01-2019/12 | 433MHz             | 2. OF SEL           | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKS       | 2017/01-2020/12 | 315MHz             |                     | ●               | ●                  | ○                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKS       | 2009/01-2010/12 | 315MHz             |                     | ●               | ●                  | ●                            | 0/S   | 315MHz    | Lear                | ●                            | ●                       |
| 링컨   | MKS       | 2008/01-2008/12 | 315MHz             |                     | ●               | ●                  | ●                            | 0/S   | 315MHz    | Lear                | ●                            | ●                       |
| 링컨   | MKS       | 2013/01-2016/12 | 433MHz             |                     | ●               | ●                  | ●                            | 0/S   | 433MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKS       | 2012/01-2012/12 | 315MHz             |                     | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |
| 링컨   | MKS       | 2011/01-2011/12 | 315MHz             |                     | ●               | ●                  | ●                            | 0/S   | 315MHz    | Schrader            | ●                            | ●                       |

| Make    | Model      | Year Range      | Feature               | Model code    | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|------------|-----------------|-----------------------|---------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 링컨      | MKX        | 2018/01-2019/12 | 433MHz                |               | ●               | ●                  | ○                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKX        | 2016/01-2017/12 | 433MHz                |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKX        | 2015/01-2015/12 | 433MHz                |               | ●               | ●                  | ●                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKZ        | 2021/01-2021/12 | 433MHz                |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKZ        | 2017/01-2020/12 | 433MHz                |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKZ        | 2015/09-2016/12 | 433MHz                |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKZ        | 2015/01-2016/12 | 433MHz<br>DR3V1A180DA |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | MKZ        | 2013/01-2014/12 | 433MHz<br>DR3V1A180DA |               | ●               | ●                  | ●                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | Nautilus   | 2021/01-2024/12 | 433MHz                |               | ●               | ●                  | ○                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | Nautilus   | 2019/01-2020/12 | 433MHz                |               | ●               | ●                  | ○                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | 네비게이터      | 2024/01-2024/12 | 433MHz<br>PR3Z1A189M  |               | ○               | ●                  | ○                            | S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | 네비게이터      | 2021/01-2024/12 | 433MHz                | P702          | ●               | ●                  | ○                            | O/S   | 433MHz    | Schrader           | ●                            | ●                       |
| 링컨      | 네비게이터      | 2018/01-2023/12 | 315MHz                |               | ●               | ●                  | ○                            | O/S   | 315MHz    | Schrader           | ●                            | ●                       |
| 링컨      | 타운카        | 2008/01-2008/12 | 315MHz                |               | ●               | ●                  | ○                            | S   | 315MHz    | Lear               | ●                            | ●                       |
| 링컨      | 타운카        | 2005/07-2007/12 | 315MHz                |               | ●               | ●                  | ○                            | S   | 315MHz    | Lear               | ●                            | ●                       |
| 링컨      | 타운카        | 2012/01-2013/12 | 315MHz                |               | ○               | ●                  | ○                            | S   | 315MHz    | Schrader           | ●                            | ●                       |
| 링컨      | 타운카        | 2010/01-2011/12 | 315MHz                |               | ●               | ●                  | ○                            | S   | 315MHz    | Lear               | ●                            | ●                       |
| 링컨      | 타운카        | 2009/01-2009/12 | 315MHz                |               | ●               | ●                  | ○                            | S   | 315MHz    | Lear               | ●                            | ●                       |
| Lotus   | 3-Eleven   | 2015/01-2021/06 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Lotus   | Elise      | 2000/09-2021/05 | 433MHz                | Monza         | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Lotus   | Evora      | 2010/01-2022/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| Lotus   | Exige      | 2000/09-2022/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 지블리        | 2018/10-2023/12 | 433MHz                | M156D         | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 마세라티    | 지블리        | 2018/01-2020/12 | 433MHz                | M156/<br>M157 | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 지블리        | 2013/01-2017/12 | 433MHz                | M156/<br>M157 | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 그란싸브리오     | 2017/01-2020/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 그란 투리스모    | 2014/01-2022/01 | 433MHz                | M145          | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | Grecale    | 2022/01-2023/12 | 433MHz                |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 마세라티    | 레반테        | 2020/01-2023/12 | 433MHz                | M161          | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 마세라티    | 레반테        | 2015/01-2019/12 | 433MHz                |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | MC20       | 2020/01-2023/12 | 433MHz                |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 마세라티    | 콰트로폴테      | 2018/01-2022/12 | 433MHz                |               | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 콰트로폴테      | 2013/01-2017/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 마세라티    | 스파이더       | 2001/07-2008/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | 500 Series | 2015/01-2022/12 | 433MHz<br>RDE011      |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | 600 Series | 2014/03-2022/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | 700 Series | 2017/01-2024/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | GT         | 2019/01-2024/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | P1         | 2013/01-2020/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | Senna      | 2018/01-2020/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| McLaren | Speedtail  | 2019/01-2021/12 | 433MHz                |               | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |

| Make     | Model     | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|-----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 메르세데스 벤츠 | A Class   | 2012/01-2014/03 | 433MHz                | 176        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | A Class   | 2014/04-2018/05 | 433MHz                | 176        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | A Class   | 2018/06-2024/12 | 315MHz<br>A0009054204 | 177        | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | A Class   | 2018/06-2024/12 | 433MHz                | 177        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2023/06-2024/12 | 315MHz<br>A0009058513 | 192        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2018/11-2023/12 | 433MHz                | 290        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2023/06-2024/12 | 433MHz<br>A0009058706 | 192        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2023/06-2024/12 | 433MHz<br>A0009058413 | 192        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2018/11-2023/12 | 315MHz                | 290        | ●               | ●                  | ○                            | O/A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | AMG GT    | 2014/01-2023/12 | 433MHz                | C190       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | B Class   | 2019/02-2024/12 | 315MHz                | 247        | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | B Class   | 2019/02-2024/12 | 433MHz<br>A0009054104 | 247        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | B Class   | 2011/11-2019/01 | 433MHz                | 246        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2021/06-2024/12 | 433MHz                | 206        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2022/09-2024/12 | 433MHz<br>A0009058413 | 206        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2018/01-2018/12 | 433MHz                | C205       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2022/09-2024/12 | 315MHz<br>A0009058513 | 206        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2018/06-2023/12 | 433MHz<br>A0009053907 | C205       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | C Class   | 2007/04-2020/12 | 433MHz                | W205       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CL Class  | 2007/01-2014/12 | 433MHz<br>Continental | 216        | ●               | ●                  | ○                            | O   | 433MHz    | Continental        | ●                            | ●                       |
| 메르세데스 벤츠 | CL Class  | 2010/01-2015/12 | 433MHz                | 216        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLA Class | 2012/12-2014/05 | 433MHz                | 117        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLA Class | 2014/06-2019/04 | 433MHz                | 117        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLA Class | 2019/05-2024/12 | 315MHz<br>A0009054204 | 118        | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | CLA Class | 2019/05-2024/12 | 433MHz                | 118        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | CLC Class | 2008/01-2018/06 | 433MHz                | 216        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLE Class | 2023/06-2024/12 | 315MHz<br>A0009058513 | 236        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLE Class | 2023/06-2024/12 | 433MHz<br>A0009058413 | 236        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLK Class | 2002/01-2018/06 | 433MHz                | 209        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLS Class | 2018/01-2024/12 | 433MHz                | 257        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLS Class | 2018/01-2024/12 | 315MHz                | 257        | ●               | ●                  | ○                            | O/A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | CLS Class | 2012/01-2017/12 | 433MHz                | 218        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2023/10-2024/12 | 433MHz<br>A0009058413 | 214        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2023/10-2024/12 | 315MHz<br>A0009058513 | 214        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2016/01-2023/12 | 315MHz                | 213        | ●               | ●                  | ○                            | O/A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2015/11-2023/12 | 433MHz                | W213/BR238 | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |

| Make     | Model     | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|-----------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 메르세데스 벤츠 | E Class   | 2014/06-2018/12 | 433MHz                | W212       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2009/07-2014/05 | 433MHz                | W212/C207  | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | E Class   | 2005/06-2011/10 | 433MHz                | W211       | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 메르세데스 벤츠 | EQA       | 2020/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | EQA       | 2020/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | EQB       | 2022/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | EQB       | 2021/01-2024/12 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | EQC       | 2019/01-2024/12 | 433MHz                | 293        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQC       | 2019/01-2024/12 | 315MHz                | 293        | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQE       | 2022/09-2024/12 | 433MHz<br>A0009058413 | 295        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQE       | 2022/01-2024/12 | 433MHz                | 295        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQE       | 2022/09-2024/12 | 315MHz<br>A0009058513 | 295        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQE       | 2022/01-2024/12 | 315MHz                | 295        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQS       | 2021/01-2024/12 | 433MHz                | 297        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQS       | 2022/09-2024/12 | 433MHz<br>A0009058413 | 297        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQS       | 2022/09-2024/12 | 315MHz<br>A0009058513 | 297        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | EQS       | 2021/01-2024/12 | 315MHz                | 297        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | G Class   | 2018/06-2024/12 | 433MHz                | 463        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | G Class   | 2018/06-2024/12 | 315MHz                | 463        | ●               | ●                  | ○                            | O/A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | G Class   | 2007/04-2018/05 | 433MHz                | G463/461   | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLA Class | 2020/01-2024/12 | 315MHz<br>A0009054204 |            | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLA Class | 2020/01-2024/12 | 433MHz                | H247       | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLA Class | 2018/01-2020/12 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLB Class | 2019/01-2024/12 | 433MHz                | 247        | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLB Class | 2019/01-2024/12 | 315MHz                | 247        | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2022/06-2024/12 | 433MHz                | 254        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2022/09-2024/12 | 433MHz<br>A0009058413 | 254        | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2015/01-2019/07 | 433MHz                | X253       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2016/09-2022/12 | 433MHz<br>A0009053907 | C253       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2022/01-2024/12 | 315MHz                | 254        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLC Class | 2022/09-2024/12 | 315MHz<br>A0009058513 | 254        | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLE Class | 2012/01-2020/12 | 433MHz                | X166       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLE Class | 2018/01-2023/12 | 315MHz                | W167       | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLE Class | 2018/10-2023/12 | 433MHz                | V167       | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLK Class | 2008/01-2015/09 | 433MHz                | X204       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLS Class | 2013/01-2019/06 | 433MHz                | X166       | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | GLS Class | 2020/01-2024/12 | 315MHz                |            | ●               | ●                  | ○                            | O/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GLS Class | 2019/07-2024/12 | 433MHz                | X167       | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 메르세데스 벤츠 | GT        | 2014/01-2022/12 | 433MHz                | GT         | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | ML Class  | 2011/09-2015/09 | 433MHz                | 166        | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |

| Make     | Model       | Year Range      | Feature               | Model code  | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|-------------|-----------------|-----------------------|-------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 메르세데스 벤츠 | S Class     | 2009/06-2020/12 | 433MHz                | W222/C217   | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class     | 2022/09-2024/12 | 433MHz<br>A0009058413 | 223         | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class     | 2021/06-2024/12 | 433MHz                | 223         | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class     | 2022/09-2024/12 | 315MHz<br>A0009058513 | 223         | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class     | 2022/01-2024/12 | 315MHz                | 223         | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class     | 2017/01-2017/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | S Class 쿠페  | 2014/01-2022/12 | 433MHz                | 217         | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SL Class    | 2021/09-2024/12 | 433MHz                | 232         | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SL Class    | 2021/09-2024/12 | 315MHz<br>A0009058513 | 232         | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SL Class    | 2021/09-2024/12 | 315MHz                | 232         | ○               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SL Class    | 2012/01-2020/12 | 433MHz                | W231        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SL Class    | 2021/09-2024/12 | 433MHz<br>A0009058413 | 232         | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SLC Class   | 2016/01-2020/06 | 433MHz                | R172        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | SLK Class   | 2004/01-2021/12 | 433MHz                | R171, R172  | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 메르세데스 벤츠 | V Class     | 2014/01-2024/12 | 433MHz                | W447        | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 미니       | 클럽맨         | 2014/07-2014/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 클럽맨         | 2007/08-2016/12 | 433MHz<br>36236781847 |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 클럽맨         | 2007/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니       | 클럽맨         | 2015/07-2024/06 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 미니       | Convertible | 2009/01-2014/06 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | Convertible | 2015/01-2023/12 | 433MHz<br>Continental |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 미니       | Convertible | 2014/07-2015/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | Convertible | 2009/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니       | 컨트리맨        | 2023/11-2024/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 컨트리맨        | 2023/11-2024/12 | 315MHz                |             | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 컨트리맨        | 2015/07-2024/06 | 433MHz<br>Continental |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 미니       | 컨트리맨        | 2014/07-2018/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 컨트리맨        | 2010/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니       | 컨트리맨        | 2009/01-2014/06 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 쿠페          | 2016/01-2017/12 | 433MHz                |             | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 미니       | 쿠페          | 2014/07-2015/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 쿠페          | 2012/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니       | 쿠페          | 2011/07-2014/06 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 미니          | 2014/01-2022/12 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 미니          | 2009/01-2015/12 | 433MHz<br>OYGTSSRE4D  |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 미니          | 2006/03-2024/06 | 433MHz<br>Continental | F55/F56/R56 | ●               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 미니       | 페이스맨        | 2014/07-2018/06 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니       | 페이스맨        | 2012/01-2013/12 | Indirect              |             | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니       | 페이스맨        | 2009/01-2014/06 | 433MHz                |             | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |



| Make | Model | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 미니   | 로드스터  | 2014/05-2015/12 | 433MHz                |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미니   | 로드스터  | 2012/01-2013/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 미니   | 로드스터  | 2011/01-2014/12 | 433MHz<br>36106856227 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 미츠비시 | 이클립스  | 2006/01-2011/08 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 미츠비시 | 아웃랜더  | 2008/01-2011/12 | Indirect              |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 니산   | 370Z  | 2014/09-2022/06 | 433MHz<br>407006WYOB  |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Pacific            | ●                            | ●                       |
| 니산   | 370Z  | 2011/07-2022/09 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 니산   | 370Z  | 2010/03-2022/06 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 370Z  | 2009/10-2011/06 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 니산   | 370Z  | 2008/10-2010/02 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 알티마   | 2006/01-2011/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 알티마   | 2018/11-2020/06 | 433MHz<br>407004CB0B  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 니산   | 알티마   | 2012/06-2018/10 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 니산   | 알티마   | 2012/01-2014/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental        | ●                            | ●                       |
| 니산   | 알티마   | 2010/09-2011/12 | 315MHz<br>407001AA0B  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 알티마   | 2008/05-2009/05 | 315MHz<br>40700JA02B  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 큐브    | 2012/03-2012/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 큐브    | 2013/01-2016/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 큐브    | 2011/11-2015/12 | 315MHz<br>407001LA0E  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 큐브    | 2010/10-2016/12 | 315MHz<br>407003AN1A  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental        | ●                            | ●                       |
| 니산   | 큐브    | 2009/10-2012/02 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 큐브    | 2009/07-2009/10 | 315MHz<br>40700JA00C  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 큐브    | 2009/02-2009/07 | 315MHz<br>40700JA01C  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | GT-R  | 2010/11-2020/04 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | GT-R  | 2013/11-2022/08 | 433MHz<br>4070062B0A  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 니산   | GT-R  | 2011/06-2020/04 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 니산   | GT-R  | 2008/12-2011/05 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 니산   | GT-R  | 2008/03-2010/12 | 315MHz<br>40700JA00C  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | GT-R  | 2008/03-2009/12 | 315MHz<br>40700JA01C  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 쥬크    | 2010/07-2012/03 | 315MHz<br>407001AA0B  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 니산   | 쥬크    | 2014/05-2019/09 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 니산   | 쥬크    | 2013/01-2014/10 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 쥬크    | 2012/03-2012/12 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 쥬크    | 2011/07-2012/02 | 315MHz                |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental        | ●                            | ●                       |
| 니산   | 쥬크    | 2010/07-2020/12 | 315MHz<br>407001LA0E  |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 니산   | 리프    | 2018/01-2020/01 | 433MHz                |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |

| Make     | Model      | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| 니산       | 리프         | 2014/11-2017/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 리프         | 2014/05-2016/02 | 433MHz<br>407006WYOB |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 니산       | 리프         | 2013/01-2018/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Continental         | ●                            | ●                       |
| 니산       | 맥시마        | 2018/11-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 맥시마        | 2015/04-2018/12 | 433MHz<br>407003JA0B |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 무라노        | 2014/10-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 무라노        | 2004/01-2015/12 | 433MHz<br>407001AY0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 니산       | 무라노        | 2004/01-2014/09 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 니산       | 무라노        | 2015/01-2021/06 | 433MHz<br>407006WY0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific             | ●                            | ●                       |
| 니산       | 패스파인더      | 2012/09-2019/02 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 콰시카이       | 2013/12-2017/07 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental         | ●                            | ●                       |
| 니산       | 로그         | 2013/01-2015/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 니산       | 로그         | 2011/07-2012/12 | 315MHz<br>40700JK00E |            | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific             | ●                            | ●                       |
| 니산       | 로그         | 2009/08-2012/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 니산       | 로그         | 2007/08-2009/07 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader            | ●                            | ●                       |
| 니산       | 엑스트레일      | 2018/01-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 1007       | 2004/01-2011/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 2008       | 2013/02-2024/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 207        | 2005/11-2013/09 | 433MHz               | A7         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 208        | 2012/01-2024/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 3008       | 2013/09-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 3008       | 2008/11-2013/08 | 433MHz               | T84        | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 3008       | 2016/06-2024/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 307        | 2001/01-2007/02 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 307        | 2007/03-2008/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 308        | 2007/05-2013/05 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 308        | 2013/06-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 308        | 2020/01-2024/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 407        | 2003/01-2012/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 5008       | 2017/01-2024/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 5008       | 2013/09-2022/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 5008       | 2009/09-2013/08 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 508        | 2017/07-2024/12 | Indirect             | R83        | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| 푸조       | 508        | 2013/10-2022/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 508        | 2010/09-2013/09 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 607        | 2004/10-2012/12 | 433MHz               | Z8         | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | 607        | 1999/09-2004/09 | 433MHz               | 6042/Z8    | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| 푸조       | 807        | 2004/10-2016/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental         | ●                            | ●                       |
| 푸조       | RCZ        | 2009/12-2013/09 | 433MHz               | T75        | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader            | ●                            | ●                       |
| Polestar | Polestar 2 | 2020/07-2024/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Polestar | Polestar 3 | 2023/03-2024/12 | 433MHz               |            | ○               | ●                  | ○                            | C   | 433MHz    | BHSENS              | ●                            | ●                       |
| 포르쉐      | 718 (982)  | 2016/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |

| Make | Model      | Year Range      | Feature | Model code      | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|------------|-----------------|---------|-----------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 포르쉐  | 911        | 2012/02-2016/12 | 433MHz  | 991             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911        | 2004/07-2012/01 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911        | 2005/01-2012/12 | 315MHz  | 997             | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911        | 2011/01-2017/12 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911        | 2015/01-2020/12 | 433MHz  |                 | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(991)   | 2011/12-2016/12 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(991)   | 2011/01-2016/12 | 433MHz  | 991             | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(992)   | 2017/01-2024/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(997)   | 2015/09-2019/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(997)   | 2009/01-2015/08 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(997)   | 2008/04-2015/08 | 433MHz  | 997             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(997)   | 2005/02-2008/03 | 433MHz  | 997             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(997)   | 2005/01-2008/12 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(터보)    | 2007/01-2009/12 | 315MHz  | 997T            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(터보)    | 2010/01-2016/12 | 433MHz  | 991T            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(터보)    | 2010/01-2016/12 | 315MHz  | 991T            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 911(터보)    | 2007/01-2009/12 | 433MHz  | 997T            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 918 스파이더   | 2013/01-2015/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2017/01-2024/12 | 315MHz  | 982/982SP       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2016/03-2024/12 | 433MHz  | 982/982SP       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2012/01-2016/12 | 315MHz  | 981/981SP       | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2012/01-2016/12 | 433MHz  | 981             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2009/01-2013/12 | 433MHz  | 987             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2009/01-2012/12 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2004/01-2008/12 | 315MHz  | 987             | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 박스터        | 2004/01-2008/12 | 433MHz  | 987             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Carrera GT | 2003/09-2011/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2011/01-2014/10 | 433MHz  | 92A             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2002/01-2006/12 | 315MHz  |                 | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2002/01-2006/12 | 433MHz  | 9PA             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2007/01-2010/12 | 433MHz  | 9PA1            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2007/01-2010/12 | 315MHz  | 9PA1            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2010/01-2014/12 | 315MHz  | 92A             | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2017/09-2023/12 | 433MHz  | 9YA             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2015/01-2023/12 | 315MHz  | 9YA             | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 카이엔        | 2014/11-2017/08 | 433MHz  | 92A             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2007/01-2009/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2010/01-2014/05 | 433MHz  | 4. 8L           | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2017/09-2023/12 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2014/06-2017/08 | 433MHz  |                 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2010/01-2012/12 | 315MHz  | 4. 8L           | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | Cayenne S  | 2008/01-2009/12 | 315MHz  | 4. 8L           | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 케이맨        | 2016/10-2024/12 | 433MHz  | 982/982C/CT 4-2 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 케이맨        | 2013/01-2016/12 | 315MHz  | 2. 7L           | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐  | 케이맨        | 2012/01-2016/12 | 433MHz  | 981             | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |

| Make    | Model      | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 포르쉐     | 케이맨        | 2009/01-2012/12 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 케이맨        | 2009/01-2011/12 | 433MHz               | 987        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 케이맨        | 2005/01-2008/12 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 케이맨        | 2005/01-2008/12 | 433MHz               | 987/987C   | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | GT3        | 2017/01-2021/12 | 433MHz               |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | GT3        | 2015/01-2015/12 | 315MHz               |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | GT3        | 2010/01-2016/12 | 433MHz               | 996/997    | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | GT3        | 2007/01-2009/12 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | GT3        | 2006/03-2011/12 | 433MHz               | 996        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 마칸         | 2014/01-2023/12 | 433MHz               | P0416/95B  | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 마칸         | 2014/01-2023/12 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 파나마라       | 2009/01-2014/02 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 파나마라       | 2017/09-2023/12 | 433MHz               | 970/971    | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 파나마라       | 2014/01-2016/12 | 315MHz               | 970        | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 파나마라       | 2013/09-2017/08 | 433MHz               | 970        | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | 파나마라       | 2010/01-2013/12 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | Panamera S | 2009/06-2013/12 | 315MHz               | 4. 8L      | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | Panamera S | 2009/01-2013/06 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 포르쉐     | Taycan     | 2019/01-2023/12 | 433MHz<br>9J1907275  |            | ●               | ●                  | ○                            | 0   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Renault | Captur     | 2022/03-2024/06 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| Renault | Clio       | 2013/01-2015/12 | 433MHz               |            | ○               | ●                  | ○                            | C   | 433MHz    | Schrader           | ●                            | ●                       |
| Renault | Clio III   | 2008/04-2014/05 | 433MHz               | X85        | ●               | ●                  | ●                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| Renault | Kangoo     | 2022/02-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| Renault | XM3        | 2021/01-2024/06 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| Renault | XM3        | 2021/01-2024/06 | 433MHz<br>407006UA0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| Renault | Zoe        | 2021/01-2023/12 | 433MHz<br>407006UA0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| Renault | Zoe        | 2019/06-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| Renault | Zoe        | 2018/04-2021/06 | 433MHz<br>407004CB0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | QM3        | 2016/01-2018/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 르노삼성    | QM3        | 2013/01-2015/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 르노삼성    | QM5        | 2009/01-2013/12 | 315MHz               |            | ●               | ●                  | ○                            | 0   | 315MHz    | Schrader           | ●                            | ●                       |
| 르노삼성    | QM5        | 2014/01-2016/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | QM5        | 2007/01-2013/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Schrader           | ●                            | ●                       |
| 르노삼성    | QM6        | 2023/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM3        | 2018/01-2019/12 | 433MHz<br>407004CB0A |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM3        | 2009/01-2017/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM3 ZE     | 2017/01-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM5        | 2016/01-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM5        | 2010/01-2015/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM6        | 2021/01-2024/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM6        | 2015/01-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성    | SM7        | 2016/01-2019/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Continental        | ●                            | ●                       |

| Make  | Model      | Year Range      | Feature               | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|------------|-----------------|-----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 르노삼성  | SM7        | 2012/01-2015/12 | 433MHz                |            | ●               | ●                  | ○                            | O   | 433MHz    | Continental        | ●                            | ●                       |
| 르노삼성  | XM3        | 2019/01-2021/12 | 433MHz                |            | ●               | ●                  | ○                            | O   | 433MHz    | Schrader           | ●                            | ●                       |
| 롤스로이스 | 컬리넨        | 2019/01-2023/12 | 433MHz Huf            |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 컬리넨        | 2018/01-2024/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 롤스로이스 | 다운         | 2016/01-2023/12 | 433MHz                | RR6        | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 고스트        | 2020/08-2024/06 | 433MHz<br>36106887147 |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 롤스로이스 | 고스트        | 2020/01-2024/06 | 433MHz<br>36106877937 | RR21       | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 고스트        | 2014/04-2021/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 고스트        | 2009/12-2014/03 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 팬텀         | 2017/01-2024/06 | 433MHz<br>MRXAG5SP4   | RR11/RR02  | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 롤스로이스 | 팬텀         | 2012/01-2017/12 | 433MHz                | RR01       | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 팬텀         | 2003/02-2018/12 | 433MHz<br>OYGTSSRE4TC |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | Spectre    | 2023/08-2024/06 | 315MHz                |            | ○               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | Spectre    | 2023/08-2024/06 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 레이스        | 2013/05-2023/12 | 433MHz<br>36106874830 | RR5        | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 롤스로이스 | 레이스        | 2013/01-2022/12 | 433MHz                | RR5        | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 샤브    | 9-3        | 2006/10-2009/05 | 433MHz                | YS3F       | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 샤브    | 9-3        | 2003/01-2006/09 | 433MHz                | YS3F       | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 샤브    | 9-5        | 2006/11-2009/09 | 433MHz                | YE3E       | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 샤브    | 9-5        | 2002/07-2006/10 | 433MHz                | YE3E       | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 엑티온        | 2018/07-2019/12 | 433MHz Q200           |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 엑티온        | 2012/08-2021/12 | 433MHz QJ             |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 체어맨        | 2014/01-2019/12 | 433MHz                |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 체어맨        | 2014/01-2019/12 | 433MHz<br>4199034000  |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 체어맨        | 2005/01-2013/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | Chairman W | 2008/01-2017/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 코란도        | 2019/05-2024/06 | 433MHz<br>4199037000  |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 코란도        | 2010/11-2023/12 | 433MHz C200           |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 코란도        | 2008/01-2013/12 | 315MHz                |            | ○               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 카이런        | 2010/01-2016/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 카이런        | 2006/01-2016/12 | 315MHz                |            | ○               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 무쏘         | 2023/01-2024/06 | 433MHz<br>4199036100  |            | ○               | ●                  | ○                            | C   | 433MHz    | BHSENS             | ●                            | ●                       |
| 쌍용    | 무쏘         | 2018/06-2023/12 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 무쏘         | 2016/01-2018/05 | 433MHz                |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 렉스턴        | 2020/01-2021/12 | 433MHz C300           |            | ○               | ●                  | ○                            | C   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 렉스턴        | 2017/03-2023/12 | 433MHz Y400           |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | 렉스턴        | 2012/07-2017/12 | 433MHz Y300           |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | 렉스턴        | 2006/01-2013/12 | 315MHz                |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용    | Rodius     | 2005/05-2021/12 | 433MHz AJ             |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용    | Rodius     | 2005/01-2013/12 | 315MHz                |            | ○               | ●                  | ○                            | A   | 315MHz    | Huf/Beru           | ●                            | ●                       |

| Make   | Model        | Year Range      | Feature               | Model code                            | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|--------------|-----------------|-----------------------|---------------------------------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 쌍용     | 티볼리          | 2016/01-2023/12 | 433MHz                |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용     | 티볼리          | 2015/01-2020/06 | 433MHz X100           |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 쌍용     | Turismo      | 2014/01-2022/12 | 433MHz AJ             |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 쌍용     | XLV          | 2016/01-2022/12 | 433MHz                | XK                                    | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| Suzuki | Super Carry  | 2019/06-2023/12 | 433MHz                |                                       | ○               | ●                  | ○                            | C   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model 3      | 2018/01-2021/12 | 433MHz<br>107481200B  |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model 3      | 2016/01-2020/12 | 433MHz                |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model S      | 2023/01-2023/12 | 433MHz                |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model S      | 2021/01-2022/12 | 433MHz                |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model S      | 2014/09-2020/12 | 433MHz                |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 테슬라    | Model X      | 2014/10-2023/12 | 433MHz<br>Continental |                                       | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 도요타    | 86           | 2012/04-2023/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 아발론          | 2018/04-2022/12 | 433MHz                | 740A                                  | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 아발론          | 2016/10-2018/03 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2018/08-2021/01 | 315MHz C015           |                                       | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2016/10-2021/01 | 433MHz 60010          |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2016/08-2018/09 | 315MHz                |                                       | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2016/05-2021/01 | 433MHz C210           |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2016/04-2020/07 | 315MHz C010           |                                       | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2016/01-2024/12 | 433MHz C215           | 045L                                  | ●               | ●                  | ○                            | 0/A   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 캠리           | 2014/01-2017/12 | 433MHz                | XV50                                  | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | Camry Hybrid | 2014/01-2017/09 | 433MHz                | XV50/XV70                             | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 코롤라          | 2002/01-2013/08 | 315MHz<br>Japan/USA   |                                       | ●               | ●                  | ○                            | 0   | 315MHz    | Pacific            | ●                            | ●                       |
| 도요타    | FJ 크루저       | 2016/08-2021/01 | 433MHz 30071          |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | FJ 크루저       | 2014/06-2023/12 | 433MHz                | 155L                                  | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 포투나          | 2016/08-2021/01 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | GR Supra     | 2019/01-2024/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 도요타    | GT86         | 2012/09-2023/12 | 433MHz                | E88                                   | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 랜드크루저        | 2014/01-2021/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 프라도          | 2009/01-2017/08 | 433MHz                | 611L                                  | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 프리우스         | 2019/01-2024/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 프리우스         | 2014/05-2019/12 | 433MHz                | 590L/030A/<br>XW30/XW50/6<br>90A/277N | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 프리우스 C       | 2014/03-2022/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 프리우스 V       | 2014/11-2017/11 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | RAV4         | 2018/01-2024/12 | 433MHz                | XA50                                  | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | RAV4         | 2012/01-2023/12 | 433MHz                | 410A/XA40/1<br>20L                    | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 씨에나          | 2010/06-2022/12 | 433MHz                | 500N/500L                             | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 도요타    | 벤자           | 2014/06-2015/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0   | 433MHz    | Pacific            | ●                            | ●                       |
| 폭스바겐   | 아테온          | 2017/01-2023/12 | 433MHz                |                                       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐   | 비틀           | 2012/12-2019/12 | 433MHz                |                                       | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐   | 비틀           | 2012/01-2019/12 | Indirect              |                                       | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |

| Make | Model      | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 폭스바겐 | CC         | 2018/01-2023/06 | 433MHz MQB           |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | CC         | 2011/06-2017/12 | 433MHz               | VC17       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | EOS        | 2014/01-2015/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | 골프         | 2013/01-2022/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | 골프         | 2009/01-2012/12 | Indirect             |            | ○               | ○                  | ○                            | S   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | 제타         | 2010/01-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | 뉴 비틀       | 2012/01-2022/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | 뉴 비틀       | 2011/08-2020/06 | 433MHz               |            | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 뉴 비틀       | 2006/01-2011/12 | 433MHz               | VW314      | ○               | ●                  | ○                            | A   | 433MHz    | Continental        | ●                            | ●                       |
| 폭스바겐 | 뉴 비틀       | 2006/01-2011/12 | 315MHz               |            | ○               | ●                  | ○                            | A   | 315MHz    | Continental        | ●                            | ●                       |
| 폭스바겐 | 파사트        | 2014/09-2023/12 | 433MHz               | B8         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 파사트        | 2010/01-2014/12 | 433MHz               |            | ●               | ●                  | ○                            | 0   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 파사트        | 2005/01-2011/12 | 433MHz               | VW451      | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 폭스바겐 | Passat CC  | 2009/01-2016/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 폭스바겐 | 페이톤        | 2010/06-2019/12 | 433MHz               | Vh67       | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 페이톤        | 2001/12-2007/05 | 433MHz               | VW611      | ●               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 폴로         | 2009/01-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | Santana    | 2014/09-2023/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | T-ROC      | 2017/11-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 폭스바겐 | Teramont   | 2019/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | Teramont X | 2019/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 티구안        | 2016/01-2023/12 | 433MHz               | VW376/5N2  | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 티구안        | 2011/05-2015/12 | 433MHz               | 5N         | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 티구안        | 2008/01-2011/04 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 폭스바겐 | Tiguan L   | 2016/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 투아렉        | 2014/08-2023/12 | 433MHz               | 7P5/7P6108 | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 투아렉        | 2007/01-2014/07 | 433MHz<br>7PP907275F | VW526      | ●               | ●                  | ○                            | 0/A   | 433MHz    | Huf/Beru           | ●                            | ●                       |
| 폭스바겐 | 타우란        | 2020/06-2024/06 | 315MHz               |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Huf/Beru           | ●                            | ●                       |
| 볼보   | C30        | 2011/01-2014/03 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C30        | 2006/01-2014/03 | 433MHz<br>31445474   |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C30        | 2006/01-2010/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C30 일렉트릭   | 2011/01-2013/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C30 일렉트릭   | 2010/01-2010/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C40        | 2022/01-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | C70        | 2011/01-2014/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C70        | 2008/01-2010/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C70        | 2006/01-2014/12 | 433MHz<br>31445474   |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | C70        | 2006/01-2007/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | EX30       | 2023/06-2024/12 | 433MHz               |            | ○               | ●                  | ○                            | C   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S40        | 2011/01-2014/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S40        | 2003/01-2014/12 | 433MHz<br>31445474   |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S40        | 2003/01-2010/12 | 433MHz               |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Continental        | ●                            | ●                       |

| Make | Model             | Year Range      | Feature            | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------------------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 볼보   | S60               | 2019/04-2023/12 | 433MHz<br>31362304 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S60               | 2019/01-2023/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | S60               | 2010/01-2019/12 | 433MHz<br>31445474 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S60               | 2010/01-2019/12 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S60               | 2001/01-2010/12 | 315MHz<br>31200923 |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S60               | 2000/07-2010/02 | 433MHz<br>31329981 |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S80               | 2016/01-2018/02 | 433MHz             |            | ○               | ●                  | ○                            | C   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S80               | 2013/01-2019/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | S80               | 2010/01-2016/12 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S80               | 2007/01-2009/12 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S80               | 2006/01-2017/01 | 433MHz<br>31341893 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | S80               | 1999/01-2013/12 | 315MHz             |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S90               | 2016/05-2023/12 | 433MHz<br>31362304 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | S90               | 2016/01-2024/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | V40               | 2015/01-2020/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | V40               | 2012/01-2021/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V50               | 2011/01-2016/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V50               | 2004/01-2014/12 | 433MHz<br>31445474 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V50               | 2003/01-2010/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V60               | 2019/01-2023/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | V60               | 2017/11-2022/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | V60               | 2011/01-2019/12 | 433MHz<br>31341893 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V60               | 2008/01-2014/06 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V60 Cross Country | 2019/01-2023/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | V70               | 2007/01-2016/12 | 433MHz<br>31445474 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | V90               | 2016/01-2023/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | V90               | 2015/01-2022/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | V90 Cross Country | 2016/01-2023/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | XC40              | 2017/01-2024/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | XC60              | 2015/01-2024/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | XC60              | 2008/01-2017/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | XC70              | 2010/01-2014/06 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | XC70              | 2008/01-2018/12 | 433MHz             |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |
| 볼보   | XC70              | 2008/01-2009/12 | 433MHz<br>31302096 |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental        | ●                            | ●                       |



| Make | Model | Year Range      | Feature            | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|--------------------|------------------------------|-------------------------|
| 볼보   | XC90  | 2016/01-2024/12 | Indirect           |            | ○               | ○                  | ○                            | A   | N/A       | N/A                | Indirect                     | ●                       |
| 볼보   | XC90  | 2015/01-2022/12 | 433MHz<br>31362304 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | XC90  | 2003/01-2016/12 | 433MHz<br>31329981 |            | ●               | ●                  | ○                            | 0/A   | 433MHz    | Schrader           | ●                            | ●                       |
| 볼보   | XC90  | 2003/01-2016/12 | 315MHz<br>31200923 |            | ●               | ●                  | ○                            | 0/A   | 315MHz    | Schrader           | ●                            | ●                       |