

# MX-Sensor\_V2.70 Function List For AU Market (Note:For reference only)

**NOTES:**

● This function is supported.   ○ This function is not supported.   Mark explaining (Red:New, Yellow: Modify)

**Special Declaration:**

- 1). If the "Relearn Type" of MX-Sensor is only OBD type, and the "OBD-II Function" has not been released for the moment, you can just do the clone for relearning the MX-Sensor.
- 2). All the Automatic Relearn Procedure for MX-Sensor, the drive speed should be controlled between 16 mph (25 km/h) and 64 mph (100 km/h).

| Make       | Model        | Year Range      | Feature              | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, O=OBD, O*=OBD partially supported, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------------|--------------|-----------------|----------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Abarth     | 124 Spider   | 2018/01-2022/12 | 433MHz               |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Abarth     | 124 Spider   | 2016/10-2017/12 | 433MHz               |            | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Abarth     | 124 Spider   | 2016/01-2020/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Abarth     | 500          | 2008/01-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Abarth     | 500          | 2008/01-2022/12 | 433MHz               |            | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| Abarth     | 500C         | 2010/01-2019/06 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Abarth     | 595          | 2014/01-2023/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Abarth     | 595 C        | 2015/01-2021/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| Abarth     | 599          | 2014/03-2019/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Abarth     | 695 Rivale   | 2019/01-2020/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Acura      | NSX          | 2016/06-2020/12 | 315MHz               |            | ●               | ●                  | ○                            | O   | 315MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | 159          | 2005/07-2016/12 | 433MHz               | 939        | ●               | ●                  | ○                            | A   | 433MHz    | TRW                 | ●                            | ●                       |
| Alfa Romeo | 4C           | 2013/01-2021/12 | 433MHz               |            | ●               | ●                  | ●                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| Alfa Romeo | 8C           | 2007/01-2009/12 | 433MHz               |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Huf/Beru            | ●                            | ●                       |
| Alfa Romeo | Giulia       | 2018/01-2026/06 | 433MHz               | 952        | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Giulia       | 2016/01-2017/12 | 433MHz               | 952        | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Giulietta    | 2018/01-2023/12 | 433MHz               |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| Alfa Romeo | Giulietta    | 2014/01-2017/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |
| Alfa Romeo | Giulietta    | 2010/01-2020/12 | Indirect             |            | ○               | ○                  | ○                            | A   | N/A       | N/A                 | Indirect                     | ●                       |
| Alfa Romeo | Giulietta    | 2010/01-2013/12 | 433MHz               |            | ○               | ●                  | ○                            | C   | 433MHz    | TRW                 | ●                            | ●                       |
| Alfa Romeo | MiTo         | 2013/08-2020/12 | 433MHz               |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Schrader            | ●                            | ●                       |
| Alfa Romeo | MiTo         | 2008/01-2013/07 | 433MHz               |            | ●               | ●                  | ○                            | O   | 433MHz    | TRW                 | ●                            | ●                       |
| Alfa Romeo | Quadrifoglio | 2018/01-2021/12 | 433MHz               |            | ○               | ●                  | ○                            | A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Quadrifoglio | 2016/01-2017/12 | 433MHz               |            | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Spider       | 2006/06-2017/12 | 433MHz               | 946        | ○               | ●                  | ○                            | C   | 433MHz    | TRW                 | ●                            | ●                       |
| Alfa Romeo | Stelvio      | 2018/01-2026/06 | 433MHz               |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Stelvio      | 2017/01-2017/12 | 433MHz               |            | ●               | ●                  | ●                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Tonale       | 2022/01-2026/06 | 433MHz<br>68339096AB |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alfa Romeo | Tonale       | 2022/01-2025/12 | 433MHz<br>50554747   |            | ●               | ●                  | ○                            | O/A   | 433MHz    | Continental         | ●                            | ●                       |
| Alpina     | B3           | 2022/07-2026/06 | 315MHz               |            | ●               | ●                  | ○                            | A   | 315MHz    | Huf/Beru            | ●                            | ●                       |
| Alpina     | B3           | 2022/07-2026/06 | 315MHz<br>Schrader   |            | ●               | ●                  | ○                            | A   | 315MHz    | Schrader            | ●                            | ●                       |
| Alpina     | B3           | 2022/07-2026/06 | 433MHz<br>Schrader   |            | ●               | ●                  | ○                            | A   | 433MHz    | Schrader            | ●                            | ●                       |

|              |                     |                 |                       |       |   |   |   |      |        |             |   |   |
|--------------|---------------------|-----------------|-----------------------|-------|---|---|---|------|--------|-------------|---|---|
| Alpina       | B3                  | 2022/07-2026/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | B3                  | 2014/03-2019/06 | 433MHz<br>Continental |       | ● | ● | ○ | A    | 433MHz | Continental | ● | ● |
| Alpina       | B3                  | 2009/09-2014/03 | 433MHz                |       | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | B3                  | 1998/05-2006/01 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | B4                  | 2014/03-2020/07 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Continental | ● | ● |
| Alpina       | B5                  | 2021/11-2024/06 | 315MHz<br>Schrader    |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | B5                  | 2021/11-2024/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ● | ● |
| Alpina       | B5                  | 2021/11-2024/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | B5                  | 2017/01-2024/06 | 433MHz<br>Schrader    |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | B7                  | 2015/07-2022/07 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | B7                  | 2015/07-2022/07 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | D3                  | 2022/07-2026/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ● | ● |
| Alpina       | D3                  | 2022/07-2026/06 | 315MHz<br>Schrader    |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | D3                  | 2022/07-2026/06 | 433MHz<br>Schrader    |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | D3                  | 2022/07-2026/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | D3                  | 2014/01-2022/12 | 433MHz<br>Continental |       | ● | ● | ○ | A    | 433MHz | Continental | ● | ● |
| Alpina       | D3                  | 2009/09-2014/02 | 433MHz                |       | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | D4                  | 2022/02-2026/06 | 433MHz<br>Schrader    |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | D4                  | 2014/03-2020/07 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Continental | ● | ● |
| Alpina       | D5                  | 2021/11-2024/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | D5                  | 2017/01-2024/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | XB7                 | 2022/07-2026/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ● | ● |
| Alpina       | XB7                 | 2022/07-2026/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Alpina       | XB7                 | 2020/01-2022/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | XB7                 | 2020/01-2022/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | XD3                 | 2017/08-2024/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Alpina       | XD3                 | 2017/08-2024/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Alpina       | XD4                 | 2018/01-2024/06 | 315MHz                |       | ● | ● | ○ | A    | 315MHz | Schrader    | ● | ● |
| Aston Martin | Cygnets             | 2011/01-2018/06 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Pacific     | ● | ● |
| Aston Martin | DB11                | 2016/01-2026/06 | 433MHz                | VH500 | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Aston Martin | DB9                 | 2009/01-2018/12 | 433MHz                | AM803 | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | DBS                 | 2018/01-2026/06 | 433MHz<br>Schrader    |       | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Aston Martin | DBS                 | 2007/01-2015/12 | 433MHz                | V12   | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | DBS<br>Superleggera | 2018/01-2022/12 | 433MHz                | VH500 | ● | ● | ○ | A    | 433MHz | Schrader    | ● | ● |
| Aston Martin | DBX                 | 2020/04-2026/06 | 433MHz Huf            |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Lagonda             | 2015/01-2019/12 | 433MHz                | COMET | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | One-77              | 2011/01-2012/12 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Rapide              | 2010/01-2021/12 | 433MHz                |       | ○ | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Rapide S            | 2010/01-2019/12 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Valkyrie            | 2018/01-2021/12 | 433MHz                |       | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Vanquish            | 2012/01-2020/12 | 433MHz                | AM310 | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Vantage             | 2005/07-2026/06 | 433MHz                | AM305 | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ● | ● |
| Aston Martin | Vantage             | 2005/01-2011/12 | 433MHz<br>Smartire    |       | ○ | ● | ○ | C    | 433MHz | Smartire    | ● | ● |

|              |        |                 |                       |          |   |   |   |      |        |             |          |   |
|--------------|--------|-----------------|-----------------------|----------|---|---|---|------|--------|-------------|----------|---|
| Aston Martin | Virage | 2010/01-2020/12 | 433MHz                |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Aston Martin | Zagato | 2011/01-2012/08 | 433MHz                |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A1     | 2010/06-2023/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | A3     | 2012/06-2023/12 | 433MHz                | 8L       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A3     | 2010/01-2022/12 | Indirect              |          | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Audi         | A3     | 2003/01-2012/12 | 315MHz                |          | ● | ● | ○ | A    | 315MHz | Continental | ●        | ● |
| Audi         | A4     | 2012/01-2023/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A4     | 2007/01-2015/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | A4     | 2007/01-2012/12 | 315MHz<br>Continental |          | ● | ● | ○ | A    | 315MHz | Continental | ●        | ● |
| Audi         | A4     | 2001/01-2011/12 | 433MHz<br>4F0907275B  |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A5     | 2007/01-2012/12 | 315MHz                |          | ● | ● | ○ | A    | 315MHz | Continental | ●        | ● |
| Audi         | A5     | 2006/12-2019/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | A5     | 2006/09-2023/12 | 433MHz                |          | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A6     | 2011/01-2023/12 | 433MHz                | 4G       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A6     | 2004/03-2019/12 | 433MHz<br>7PP907275F  |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A6     | 2002/01-2021/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | A6     | 2000/01-2005/12 | 433MHz                |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A7     | 2012/01-2021/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | A7     | 2010/09-2023/12 | 433MHz<br>5Q0907275   | 4G       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A7     | 2009/01-2022/12 | 433MHz                |          | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A8     | 2010/01-2023/12 | 433MHz<br>5Q0907275   |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A8     | 2009/11-2017/10 | 433MHz                | 4H/4L    | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A8     | 2009/01-2019/12 | Indirect              |          | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Audi         | A8     | 2002/10-2012/12 | 433MHz                | 4E       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | A9     | 2019/01-2019/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | e-tron | 2018/01-2023/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q2     | 2016/01-2023/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q2     | 2015/01-2021/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | Q3     | 2011/07-2023/12 | 433MHz                | 8U       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q3     | 2011/06-2019/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | Q4     | 2019/09-2023/12 | 433MHz                |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q5     | 2008/09-2023/12 | 433MHz                | 8R       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q5     | 2008/01-2017/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | Q5     | 2008/01-2015/12 | 315MHz                |          | ● | ● | ○ | A    | 315MHz | Continental | ●        | ● |
| Audi         | Q6     | 2018/01-2019/12 | 433MHz                |          | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q7     | 2015/01-2023/12 | 433MHz MLB            |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q7     | 2013/01-2019/12 | Indirect              |          | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Audi         | Q7     | 2005/09-2015/12 | 433MHz                | 4L/AU716 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q8     | 2018/01-2023/12 | 433MHz                | 4M       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | Q8     | 2018/01-2021/12 | Indirect              |          | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Audi         | R8     | 2015/01-2019/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Audi         | R8     | 2009/06-2024/12 | 433MHz<br>7PP907275F  | AU714    | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | RS Q3  | 2018/01-2023/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | RS Q8  | 2019/12-2023/12 | 433MHz                |          | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | RS3    | 2016/07-2023/12 | 433MHz                | 8V       | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Audi         | RS3    | 2013/01-2017/12 | Indirect              |          | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |

|         |              |                 |                      |       |   |   |   |     |        |             |          |   |
|---------|--------------|-----------------|----------------------|-------|---|---|---|-----|--------|-------------|----------|---|
| Audi    | RS4          | 2008/01-2015/12 | Indirect             |       | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Audi    | RS4          | 2006/04-2021/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS4          | 2006/04-2018/12 | 433MHz               | 8E/B7 | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS5          | 2012/01-2021/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS5          | 2010/01-2016/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | RS5          | 2007/01-2012/12 | 315MHz               |       | ○ | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Audi    | RS6          | 2019/01-2023/12 | 433MHz<br>5Q0907275  |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS6          | 2013/01-2019/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | RS6          | 2008/01-2019/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS6          | 2000/01-2007/12 | 433MHz               |       | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS6/RS6 Plus | 2013/01-2019/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS7          | 2018/03-2023/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | RS7          | 2013/01-2019/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | RS7          | 2010/01-2021/06 | 433MHz<br>7PP907275F |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | S3           | 2003/01-2012/12 | 315MHz               |       | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Audi    | S4           | 2009/01-2019/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | S4           | 2007/01-2015/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | S5           | 2012/01-2019/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | S5           | 2007/01-2016/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | S6           | 2004/01-2009/12 | 433MHz<br>7PP907275F |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | S6           | 2000/01-2005/12 | 433MHz<br>4D0907275  |       | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | S7           | 2012/01-2019/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | S8           | 2009/11-2017/10 | 433MHz               | D4    | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | SQ5          | 2014/01-2023/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | SQ5          | 2012/01-2017/12 | Indirect             |       | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Audi    | SQ7          | 2016/01-2023/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | SQ7          | 2016/01-2020/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | SQ8          | 2020/01-2023/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | TT           | 2014/03-2020/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | TT           | 2014/02-2023/12 | 433MHz               | AU334 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | TT           | 2007/01-2014/12 | 315MHz               |       | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Audi    | TT           | 2006/04-2014/02 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Audi    | TT RS        | 2016/11-2023/06 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | TTS          | 2016/01-2023/12 | 433MHz               |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Audi    | TTS          | 2012/01-2022/12 | Indirect             |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Baojun  | Cloud        | 2023/08-2026/06 | 433MHz<br>23851617   |       | ● | ● | ○ | 0   | 433MHz | BHSENS      | ●        | ● |
| Baojun  | Cloud        | 2023/08-2026/06 | 433MHz<br>23818042   |       | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| Baojun  | Yep          | 2023/05-2026/06 | 433MHz<br>23851617   |       | ● | ● | ○ | 0   | 433MHz | BHSENS      | ●        | ● |
| Baojun  | Yep          | 2023/05-2026/06 | 433MHz<br>23984663   |       | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| Baojun  | Yep          | 2023/05-2026/06 | 433MHz<br>23818042   |       | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| Baojun  | Yep Plus     | 2024/03-2026/06 | 433MHz<br>23984663   |       | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| Bentley | Arnage       | 2008/01-2011/09 | 433MHz<br>7PP907275F |       | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |

|         |                            |                 |                       |             |   |   |   |      |        |             |          |   |
|---------|----------------------------|-----------------|-----------------------|-------------|---|---|---|------|--------|-------------|----------|---|
| Bentley | Bentayga                   | 2016/01-2023/12 | 433MHz<br>5Q0907275   |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Bentayga                   | 2016/01-2019/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Brooklands                 | 2008/01-2011/12 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Continental<br>Flying Spur | 2005/03-2020/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Continental<br>GT          | 2018/04-2024/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Continental<br>GT          | 2005/06-2023/12 | 433MHz BY634          |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Continental<br>GT          | 2003/09-2005/05 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Continental<br>GTC         | 2018/01-2023/12 | 433MHz<br>5Q0907275   |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Flying Spur                | 2019/01-2026/12 | 433MHz<br>5Q0907275   |             | ● | ● | ○ | 0    | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Flying Spur                | 2011/01-2022/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Mulliner                   | 2021/01-2023/12 | 433MHz                |             | ○ | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Mulsanne                   | 2017/01-2022/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Bentley | Mulsanne                   | 2001/01-2020/12 | 433MHz<br>7PP907275F  |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 1 Series                   | 2019/07-2026/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 1 Series                   | 2019/07-2026/06 | 315MHz                |             | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW     | 1 Series                   | 2014/01-2024/12 | 433MHz<br>Continental |             | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW     | 1 Series                   | 2010/09-2013/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 1 Series                   | 2008/01-2013/12 | Indirect              |             | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW     | 2 Series                   | 2019/11-2026/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 2 Series                   | 2019/11-2026/06 | 315MHz                |             | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW     | 2 Series                   | 2014/03-2024/12 | 433MHz<br>Continental |             | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW     | 2 Series                   | 2012/11-2014/02 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 2019/03-2026/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 2019/03-2026/06 | 315MHz                |             | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 2019/03-2026/06 | 315MHz<br>Schrader    |             | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW     | 3 Series                   | 2019/03-2026/06 | 433MHz<br>Schrader    |             | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW     | 3 Series                   | 2014/03-2022/12 | 433MHz<br>Continental |             | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW     | 3 Series                   | 2010/10-2014/03 | 433MHz                | F30/F31/F34 | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 2009/09-2013/12 | 433MHz                |             | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 2005/01-2009/08 | 433MHz                |             | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 1999/03-2013/12 | Indirect              |             | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW     | 3 Series                   | 1999/01-2002/12 | 315MHz                |             | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW     | 3 Series                   | 1998/01-2003/12 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 4 Series                   | 2020/07-2026/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW     | 4 Series                   | 2020/07-2026/06 | 315MHz                |             | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW     | 4 Series                   | 2020/07-2026/06 | 433MHz<br>Schrader    |             | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW     | 4 Series                   | 2020/07-2026/06 | 315MHz<br>Schrader    |             | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW     | 4 Series                   | 2013/07-2021/12 | 433MHz<br>Continental |             | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW     | 5 Series                   | 2023/07-2026/06 | 433MHz                |             | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |

|     |             |                 |                       |         |   |   |   |      |        |             |          |   |
|-----|-------------|-----------------|-----------------------|---------|---|---|---|------|--------|-------------|----------|---|
| BMW | 5 Series    | 2023/07-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | 5 Series    | 2016/11-2024/12 | 315MHz<br>Schrader    |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | 5 Series    | 2016/11-2024/12 | 433MHz<br>Schrader    |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | 5 Series    | 2014/03-2017/12 | 433MHz                |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 5 Series    | 2010/09-2014/02 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 5 Series    | 2007/01-2013/12 | Indirect              |         | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | 5 Series    | 2003/05-2013/12 | 433MHz<br>36236798726 |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 5 Series    | 1999/01-2004/12 | Indirect              |         | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | 5 Series    | 1998/08-2004/05 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 6 Series    | 2014/04-2018/12 | 433MHz                |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 6 Series    | 2011/01-2014/03 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 6 Series    | 2003/01-2012/12 | 433MHz                | E63/E64 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 6 Series    | 2003/01-2007/12 | Indirect              |         | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | 6 Series GT | 2017/07-2024/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | 6 Series GT | 2017/07-2024/12 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | 7 Series    | 2022/07-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 2022/07-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 2015/06-2022/12 | 433MHz<br>Schrader    |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | 7 Series    | 2015/06-2022/12 | 315MHz<br>Schrader    |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | 7 Series    | 2014/03-2015/05 | 433MHz                |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 2010/09-2014/02 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 2006/01-2010/08 | 433MHz                |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 2002/01-2005/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | 7 Series    | 1999/01-2001/12 | Indirect              | E38     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | 8 Series    | 2018/07-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | 8 Series    | 2018/07-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | i3          | 2022/01-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | i3          | 2013/01-2022/06 | 433MHz<br>Continental |         | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW | i4          | 2021/01-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | i4          | 2021/01-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | i5          | 2023/07-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | i5          | 2023/07-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | i7          | 2022/07-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | i7          | 2022/07-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | i8          | 2013/01-2022/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW | iX          | 2021/01-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | iX          | 2021/01-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | iX1         | 2022/11-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | iX1         | 2022/11-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | iX2         | 2023/11-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | iX2         | 2023/11-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | iX3         | 2017/08-2025/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | iX3         | 2017/08-2025/12 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | M2          | 2022/12-2026/06 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | M2          | 2022/12-2026/06 | 315MHz                |         | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | M2          | 2014/11-2021/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |

|     |            |                 |                       |     |   |   |   |      |        |             |               |   |
|-----|------------|-----------------|-----------------------|-----|---|---|---|------|--------|-------------|---------------|---|
| BMW | M3         | 2020/11-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |
| BMW | M3         | 2020/11-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●             | ● |
| BMW | M3         | 2014/01-2019/12 | 433MHz<br>Continental |     | ● | ● | ○ | A    | 433MHz | Continental | ●             | ● |
| BMW | M3         | 2008/01-2013/12 | 433MHz<br>36106856227 |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M3         | 2007/01-2013/12 | Indirect              |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect      | ● |
| BMW | M3         | 2006/01-2007/12 | 433MHz                |     | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M3         | 1999/01-2006/12 | 433MHz<br>36112360420 |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M4         | 2021/07-2026/06 | 433MHz<br>Schrader    |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |
| BMW | M4         | 2021/07-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●             | ● |
| BMW | M4         | 2020/01-2022/12 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M4         | 2014/03-2021/12 | 433MHz<br>Continental |     | ● | ● | ○ | A    | 433MHz | Continental | ●             | ● |
| BMW | M5         | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M5         | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●             | ● |
| BMW | M5         | 2016/01-2023/06 | 433MHz<br>Schrader    |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |
| BMW | M5         | 2014/04-2018/12 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M5         | 2010/09-2014/03 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M5         | 2005/01-2010/12 | Indirect              |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect      | ● |
| BMW | M5         | 1999/01-2003/12 | Indirect              |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect      | ● |
| BMW | M6         | 2014/03-2018/12 | 433MHz                | F12 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M6         | 2014/01-2018/12 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M6         | 2011/06-2015/12 | 433MHz<br>36106856227 |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | M6         | 2005/01-2011/12 | Indirect              |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect      | ● |
| BMW | M8         | 2019/01-2025/12 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |
| BMW | M8         | 2019/01-2025/12 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●             | ● |
| BMW | Motorcycle | 2010/01-2019/12 | 433MHz                |     | ○ | ○ | ○ |      | 433MHz | Schrader    | Activate Only | ● |
| BMW | X1         | 2022/11-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X1         | 2022/11-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●             | ● |
| BMW | X1         | 2015/08-2023/12 | 433MHz<br>Continental |     | ● | ● | ○ | A    | 433MHz | Continental | ●             | ● |
| BMW | X1         | 2014/03-2016/12 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X1         | 2008/09-2014/02 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X2         | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X2         | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●             | ● |
| BMW | X2         | 2016/01-2023/12 | 433MHz<br>Continental |     | ● | ● | ○ | A    | 433MHz | Continental | ●             | ● |
| BMW | X3         | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X3         | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●             | ● |
| BMW | X3         | 2017/01-2025/12 | 433MHz<br>Schrader    |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |
| BMW | X3         | 2017/01-2025/12 | 315MHz<br>Schrader    |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●             | ● |
| BMW | X3         | 2014/04-2017/12 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X3         | 2010/11-2014/03 | 433MHz                |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X3         | 2003/03-2011/07 | 433MHz                | E83 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●             | ● |
| BMW | X3         | 2003/01-2010/12 | Indirect              |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect      | ● |
| BMW | X4         | 2018/04-2026/06 | 433MHz                |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●             | ● |

|     |             |                 |                         |     |   |   |   |      |        |             |          |   |
|-----|-------------|-----------------|-------------------------|-----|---|---|---|------|--------|-------------|----------|---|
| BMW | X4          | 2018/04-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | X4          | 2014/01-2018/12 | 433MHz<br>36106790054   |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X4          | 2013/05-2018/03 | 433MHz                  |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X5          | 2023/04-2026/06 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X5          | 2023/04-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | X5          | 2019/01-2023/03 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | X5          | 2019/01-2023/03 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | X5          | 2013/08-2018/12 | 433MHz<br>Continental   |     | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW | X5          | 2010/10-2013/06 | 433MHz                  |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X5          | 2004/01-2010/12 | Indirect                |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | X5          | 1999/10-2007/09 | 433MHz                  | E53 | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X6          | 2023/01-2026/06 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X6          | 2023/01-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | X6          | 2019/08-2023/12 | 433MHz<br>Schrader      |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | X6          | 2019/08-2023/12 | 315MHz<br>Schrader      |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | X6          | 2014/08-2019/07 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| BMW | X6          | 2010/10-2014/07 | 433MHz                  |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X6          | 2008/01-2014/12 | Indirect                |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | X6          | 2007/12-2010/09 | 433MHz                  |     | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X7          | 2022/08-2026/06 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | X7          | 2022/08-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | X7          | 2018/12-2022/07 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| BMW | X7          | 2018/12-2022/07 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Schrader    | ●        | ● |
| BMW | XM          | 2022/12-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | XM          | 2022/12-2026/06 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | Z4          | 2018/11-2026/06 | 433MHz                  |     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| BMW | Z4          | 2018/11-2026/06 | 315MHz                  |     | ● | ● | ○ | A    | 315MHz | Huf/Beru    | ●        | ● |
| BMW | Z4          | 2014/03-2016/12 | 433MHz                  |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | Z4          | 2009/01-2013/12 | Indirect                |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BMW | Z4          | 2006/01-2014/02 | 433MHz<br>36106790054   |     | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| BMW | Z4          | 2003/01-2008/12 | Indirect                |     | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| BYD | ATTO 1      | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |     | ● | ● | ○ | 0    | 433MHz | BHSENS      | ●        | ● |
| BYD | ATTO 1      | 2023/04-2026/06 | 433MHz                  |     | ● | ● | ○ | 0    | 433MHz | Schrader    | ●        | ● |
| BYD | ATTO 2      | 2025/10-2026/06 | 433MHz<br>SA3HE3609200B |     | ● | ● | ○ | C    | 433MHz | BHSENS      | ●        | ● |
| BYD | ATTO 2      | 2025/10-2026/06 | 315MHz                  |     | ● | ● | ○ | C    | 315MHz | BHSENS      | ●        | ● |
| BYD | ATTO 2      | 2025/10-2026/06 | 433MHz                  |     | ● | ● | ○ | C    | 433MHz | Baolong     | ●        | ● |
| BYD | ATTO 2      | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |     | ● | ● | ○ | 0    | 433MHz | BHSENS      | ●        | ● |
| BYD | ATTO 2      | 2024/03-2025/02 | 433MHz                  |     | ● | ● | ○ | 0    | 433MHz | BHSENS      | ●        | ● |
| BYD | ATTO 2      | 2024/03-2025/02 | 433MHz<br>SC3609200     |     | ● | ● | ○ | 0    | 433MHz | Schrader    | ●        | ● |
| BYD | ATTO 2 DM-i | 2025/10-2026/06 | 433MHz                  |     | ● | ● | ○ | C    | 433MHz | Baolong     | ●        | ● |
| BYD | ATTO 2 DM-i | 2025/10-2026/06 | 433MHz<br>SA3HE3609200B |     | ● | ● | ○ | C    | 433MHz | BHSENS      | ●        | ● |
| BYD | ATTO 2 DM-i | 2025/10-2026/06 | 315MHz                  |     | ● | ● | ○ | C    | 315MHz | BHSENS      | ●        | ● |

|     |                |                 |                         |  |   |   |   |     |        |          |   |   |
|-----|----------------|-----------------|-------------------------|--|---|---|---|-----|--------|----------|---|---|
| BYD | ATTO 3         | 2025/10-2026/06 | 433MHz<br>SA3HE3609200G |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD | ATTO 3         | 2025/10-2026/06 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD | ATTO 3         | 2025/01-2026/06 | 433MHz<br>SA3HE3609200E |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| BYD | ATTO 3         | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | ATTO 3         | 2022/02-2025/02 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | BHSENS   | ● | ● |
| BYD | ATTO 3         | 2021/12-2025/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | ATTO 3         | 2021/12-2025/02 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | DOLPHIN        | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | DOLPHIN        | 2025/01-2026/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | DOLPHIN        | 2022/12-2024/12 | 433MHz<br>SC3609200H    |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | DOLPHIN        | 2022/12-2024/12 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | DOLPHIN        | 2021/08-2025/02 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | BaoLong  | ● | ● |
| BYD | DOLPHIN        | 2021/08-2024/12 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | DOLPHIN        | 2021/08-2024/12 | 433MHz<br>SC3609200C    |  | ● | ● | ○ | 0   | 433MHz | YunLing  | ● | ● |
| BYD | DOLPHIN MINI   | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | DOLPHIN MINI   | 2023/04-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | DOLPHIN SURF   | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | DOLPHIN SURF   | 2023/04-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | HAN DM-i       | 2025/10-2026/06 | 433MHz                  |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN DM-i       | 2024/09-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN DM-i       | 2022/04-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | HAN DM-i       | 2022/04-2024/12 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN EV         | 2024/09-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN EV         | 2022/04-2024/12 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN EV         | 2020/07-2024/12 | 433MHz<br>SC3609200B    |  | ● | ● | ○ | 0/A | 433MHz | BaoLong  | ● | ● |
| BYD | HAN EV         | 2020/07-2024/12 | 433MHz<br>SC3609200C    |  | ● | ● | ○ | 0   | 433MHz | YunLing  | ● | ● |
| BYD | HAN EV         | 2020/01-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | HAN L DM-i     | 2025/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN L DM-p     | 2025/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | HAN L EV       | 2025/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | Sea Lion 07 EV | 2024/05-2026/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | Seagull        | 2023/04-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | Seagull        | 2023/04-2026/06 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL DM-i      | 2023/09-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL DM-i      | 2023/09-2024/12 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |

|     |                |                 |                         |  |   |   |   |     |        |          |   |   |
|-----|----------------|-----------------|-------------------------|--|---|---|---|-----|--------|----------|---|---|
| BYD | SEAL EV        | 2024/08-2026/06 | 433MHz                  |  | ● | ● | ○ | A/0 | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL EV        | 2024/08-2026/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | SEAL EV        | 2024/08-2025/02 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | SEAL EV        | 2024/08-2025/02 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0/A | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL EV        | 2022/07-2024/07 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | SEAL EV        | 2022/07-2024/07 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0/A | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL EV        | 2022/07-2024/07 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | SEAL U DM-i    | 2024/07-2026/06 | 433MHz<br>EUEA3609200C  |  | ● | ● | ○ | 0   | 433MHz | WILLING  | ● | ● |
| BYD | SEAL U DM-i    | 2024/07-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL U DM-i    | 2023/06-2025/02 | 433MHz<br>SA3HE3609200C |  | ● | ● | ○ | 0   | 433MHz | YunLing  | ● | ● |
| BYD | SEAL U DM-i    | 2023/06-2025/02 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEAL U DM-i    | 2021/01-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | SEALION 5 DM-i | 2025/01-2026/06 | 433MHz<br>EUEA3609200C  |  | ● | ● | ○ | 0   | 433MHz | WILLING  | ● | ● |
| BYD | SEALION 5 DM-i | 2025/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEALION 6      | 2024/07-2026/06 | 433MHz<br>EUEA3609200C  |  | ● | ● | ○ | 0   | 433MHz | WILLING  | ● | ● |
| BYD | SEALION 6      | 2024/07-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEALION 6      | 2023/06-2025/02 | 433MHz<br>SA3HE3609200C |  | ● | ● | ○ | 0   | 433MHz | YunLing  | ● | ● |
| BYD | SEALION 6      | 2023/06-2025/02 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SEALION 6      | 2021/01-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | SEALION 7 EV   | 2024/05-2026/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD | SEALION 8 DM-i | 2025/01-2026/06 | 433MHz<br>EUEA3609200C  |  | ● | ● | ○ | 0   | 433MHz | WILLING  | ● | ● |
| BYD | SEALION 8 DM-i | 2025/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SHARK          | 2023/11-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SONG PLUS DM-i | 2024/07-2026/06 | 433MHz<br>EUEA3609200C  |  | ● | ● | ○ | 0   | 433MHz | WILLING  | ● | ● |
| BYD | SONG PLUS DM-i | 2024/07-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SONG PLUS DM-i | 2023/06-2025/02 | 433MHz<br>SA3HE3609200C |  | ● | ● | ○ | 0   | 433MHz | YunLing  | ● | ● |
| BYD | SONG PLUS DM-i | 2023/06-2025/02 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD | SONG PLUS DM-i | 2021/01-2024/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD | T3             | 2020/11-2026/06 | 433MHz                  |  | ○ | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| BYD | YUAN PLUS      | 2025/10-2026/06 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD | YUAN PLUS      | 2025/10-2026/06 | 433MHz<br>SA3HE3609200G |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD | YUAN PLUS      | 2025/01-2026/06 | 433MHz<br>SA3HE3609200E |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |

|          |           |                 |                         |  |   |   |   |     |        |          |   |   |
|----------|-----------|-----------------|-------------------------|--|---|---|---|-----|--------|----------|---|---|
| BYD      | YUAN PLUS | 2025/01-2026/06 | 433MHz<br>EUEA3609200B  |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| BYD      | YUAN PLUS | 2022/02-2025/02 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | BHSENS   | ● | ● |
| BYD      | YUAN PLUS | 2021/12-2025/06 | 315MHz                  |  | ● | ● | ○ | 0   | 315MHz | BHSENS   | ● | ● |
| BYD      | YUAN PLUS | 2021/12-2025/02 | 433MHz<br>SC3609200     |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| BYD      | YUAN UP   | 2025/10-2026/06 | 433MHz<br>SA3HE3609200B |  | ● | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| BYD      | YUAN UP   | 2025/10-2026/06 | 315MHz                  |  | ● | ● | ○ | C   | 315MHz | BHSENS   | ● | ● |
| BYD      | YUAN UP   | 2025/10-2026/06 | 433MHz                  |  | ● | ● | ○ | C   | 433MHz | Baolong  | ● | ● |
| Cadillac | CT6       | 2016/07-2021/12 | 433MHz<br>13598773      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| Cadillac | CT6       | 2016/01-2016/12 | 433MHz<br>13598773      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2017/07-2019/12 | 315MHz<br>13598772      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2017/07-2019/12 | 433MHz<br>13598787      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2017/07-2019/12 | 315MHz<br>13598786      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2016/01-2017/12 | 315MHz<br>13598786      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2016/01-2017/12 | 315MHz<br>13598772      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2015/07-2017/12 | 433MHz<br>13598787      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2013/09-2015/12 | 315MHz<br>13581558      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2013/09-2015/12 | 315MHz<br>13598786      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2013/09-2014/12 | 315MHz Snap<br>in       |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2008/07-2013/12 | 315MHz Snap<br>in       |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2008/07-2013/12 | 315MHz Clamp<br>in      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2007/01-2008/12 | 315MHz Snap<br>in       |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | CTS       | 2003/07-2007/12 | 315MHz                  |  | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Deville   | 2000/07-2005/12 | 315MHz                  |  | ● | ● | ○ | S   | 315MHz | Schrader | ● | ● |
| Cadillac | DTS       | 2009/01-2011/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | DTS       | 2007/07-2008/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | DTS       | 2005/07-2007/12 | 315MHz<br>25920615      |  | ○ | ● | ○ | S   | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2018/01-2019/12 | 433MHz<br>13516165      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2017/06-2020/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2016/07-2017/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2014/01-2016/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2013/07-2014/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2008/07-2013/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2006/01-2008/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| Cadillac | Escalade  | 2006/01-2007/12 | 315MHz Clamp<br>in      |  | ● | ● | ● | 0/S | 315MHz | TRW      | ● | ● |
| Cadillac | Lyriq     | 2024/07-2026/06 | 315MHz<br>13549918      |  | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |

|           |                    |                 |                             |  |   |   |   |       |        |             |   |   |
|-----------|--------------------|-----------------|-----------------------------|--|---|---|---|-------|--------|-------------|---|---|
| Cadillac  | Lyriq              | 2023/07-2026/06 | 315MHz                      |  | ● | ● | ○ | A/O/S | 315MHz | Schrader    | ● | ● |
| Cadillac  | Lyriq              | 2022/06-2026/06 | 433MHz<br>13530661          |  | ● | ● | ○ | A/O/S | 433MHz | Schrader    | ● | ● |
| Cadillac  | Seville            | 2000/07-2006/12 | 315MHz                      |  | ● | ● | ○ | S     | 315MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2009/07-2016/12 | 433MHz                      |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2008/07-2009/12 | 433MHz Snap<br>in           |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2008/07-2009/12 | 315MHz                      |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2006/07-2008/12 | 315MHz                      |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2006/07-2008/12 | 433MHz Snap<br>in           |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Cadillac  | SRX                | 2003/07-2006/12 | 315MHz                      |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | STS                | 2008/07-2011/12 | 315MHz Clamp<br>in          |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | STS                | 2008/07-2011/12 | 315MHz                      |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | STS                | 2004/01-2008/12 | 315MHz                      |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | XLR                | 2006/07-2009/12 | 315MHz                      |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Cadillac  | XLR                | 2003/07-2006/12 | 315MHz                      |  | ○ | ● | ○ | S     | 315MHz | Schrader    | ● | ● |
| Cadillac  | XLR-V              | 2016/01-2019/12 | 433MHz                      |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Chery     | Arrizo             | 2016/01-2021/12 | 433MHz                      |  | ● | ● | ○ | 0/A   | 433MHz | Continental | ● | ● |
| Chery     | OMODA 5            | 2022/07-2026/06 | 433MHz                      |  | ● | ● | ○ | 0/A   | 433MHz | BHSENS      | ● | ● |
| Chery     | OMODA EV           | 2023/10-2026/06 | 433MHz                      |  | ● | ● | ○ | C     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 3            | 2021/01-2023/12 | 433MHz<br>802000121AA       |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 3            | 2016/05-2023/12 | 433MHz<br>T113114011        |  | ● | ● | ○ | 0     | 433MHz | Chery       | ● | ● |
| Chery     | Tiggo 4            | 2019/06-2023/12 | 433MHz<br>802000121AA       |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 4 Pro        | 2022/01-2025/06 | 433MHz<br>802000012AA       |  | ● | ● | ○ | 0     | 433MHz | Baolong     | ● | ● |
| Chery     | Tiggo 7            | 2021/12-2026/06 | 433MHz<br>802000247AA       |  | ● | ● | ○ | 0     | 433MHz | Continental | ● | ● |
| Chery     | Tiggo 7            | 2019/06-2026/06 | 433MHz<br>802000121AA       |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 7 PRO        | 2020/01-2026/06 | 433MHz<br>802000121AA       |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 8            | 2020/01-2025/12 | 433MHz<br>802000126AA       |  | ● | ● | ○ | 0     | 433MHz | Baolong     | ● | ● |
| Chery     | Tiggo 8            | 2019/06-2025/12 | 433MHz<br>802000121AA       |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chery     | Tiggo 8 Pro<br>Max | 2022/05-2026/06 | 433MHz                      |  | ● | ● | ○ | 0     | 433MHz | BHSENS      | ● | ● |
| Chevrolet | Camaro             | 2019/07-2024/12 | 315MHz                      |  | ● | ● | ● | 0     | 315MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2019/07-2024/12 | 433MHz                      |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2016/07-2024/12 | 433MHz<br>13516165          |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2016/07-2019/12 | 315MHz                      |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2016/07-2019/12 | 433MHz Clamp<br>in 13598787 |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2016/07-2019/12 | 315MHz<br>13598786          |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2015/07-2016/12 | 433MHz<br>13598787          |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Chevrolet | Camaro             | 2010/07-2016/12 | 433MHz Snap<br>in           |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |

|           |           |                 |                    |  |   |   |   |       |        |          |   |   |
|-----------|-----------|-----------------|--------------------|--|---|---|---|-------|--------|----------|---|---|
| Chevrolet | Camaro    | 2009/01-2016/12 | 315MHz<br>22854866 |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2023/01-2025/12 | 433MHz<br>84977020 |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2020/07-2026/06 | 433MHz<br>13554170 |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2020/07-2025/12 | 315MHz<br>13538759 |  | ● | ● | ○ | 0/S/A | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2019/07-2023/12 | 433MHz<br>13529771 |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2018/07-2019/12 | 433MHz             |  | ● | ● | ● | 0/A   | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2013/07-2018/12 | 433MHz             |  | ● | ● | ● | 0/A   | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2009/07-2013/12 | 433MHz             |  | ● | ● | ○ | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2009/07-2013/12 | 315MHz             |  | ● | ● | ○ | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2008/07-2009/12 | 315MHz<br>13598771 |  | ● | ● | ○ | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2005/01-2009/12 | 315MHz<br>25758220 |  | ● | ● | ○ | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 2001/01-2004/12 | 315MHz             |  | ● | ● | ○ | S     | 315MHz | Schrader | ● | ● |
| Chevrolet | Corvette  | 1997/01-2000/12 | 315MHz             |  | ○ | ● | ○ | S     | 315MHz | Schrader | ● | ● |
| Chevrolet | Cruze     | 2008/10-2016/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Malibu    | 2016/07-2024/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Malibu    | 2012/07-2016/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Malibu    | 2012/07-2016/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2024/01-2026/06 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2023/07-2026/06 | 433MHz<br>13542523 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2021/07-2026/06 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2021/07-2023/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2021/07-2023/12 | 433MHz<br>13530661 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2021/07-2023/12 | 433MHz<br>13598773 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2020/07-2021/12 | 433MHz<br>13530661 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2020/07-2021/12 | 315MHz<br>13538759 |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2017/07-2021/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2017/07-2019/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2016/07-2021/12 | 433MHz<br>13598773 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2016/07-2017/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2014/10-2016/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2014/10-2016/12 | 433MHz<br>13598773 |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2013/05-2014/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2013/05-2014/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2013/05-2014/12 | 315MHz Snap<br>in  |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2010/07-2013/12 | 433MHz             |  | ● | ● | ● | 0/S   | 433MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2008/07-2013/12 | 315MHz Snap<br>in  |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2008/07-2011/12 | 315MHz Clamp<br>in |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |
| Chevrolet | Silverado | 2006/10-2008/12 | 315MHz             |  | ● | ● | ● | 0/S   | 315MHz | Schrader | ● | ● |

|           |               |                 |                    |        |   |   |   |     |        |             |          |   |
|-----------|---------------|-----------------|--------------------|--------|---|---|---|-----|--------|-------------|----------|---|
| Chevrolet | Silverado     | 2006/10-2008/12 | 315MHz Clamp in    |        | ● | ● | ● | 0/S | 315MHz | Schrader    | ●        | ● |
| Chevrolet | Spark         | 2014/07-2015/12 | 433MHz             |        | ● | ● | ● | 0/S | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 200           | 2017/01-2017/12 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | 200           | 2015/01-2016/12 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | 300           | 2022/01-2024/12 | 433MHz             |        | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ●        | ● |
| Chrysler  | 300           | 2018/01-2021/12 | 433MHz             |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300           | 2009/01-2017/12 | 433MHz Clamp in    |        | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300 SRT       | 2018/01-2021/12 | 433MHz             |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300 SRT       | 2010/01-2017/12 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300C          | 2018/01-2021/06 | 433MHz 18 inch     |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300C          | 2018/01-2021/06 | 433MHz 20 inch     |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300C          | 2014/01-2017/12 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300C          | 2009/06-2017/12 | 433MHz 18 inch     |        | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | 300C          | 2005/06-2009/05 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | Crossfire     | 2003/01-2008/12 | 433MHz             |        | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Grand Voyager | 2018/01-2020/03 | 433MHz             |        | ● | ● | ○ | 0/S | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Grand Voyager | 2018/01-2019/12 | 433MHz Continental |        | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | Grand Voyager | 2016/01-2017/12 | 433MHz Continental |        | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | Grand Voyager | 2011/01-2017/12 | 433MHz             |        | ● | ● | ● | 0/S | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Grand Voyager | 2007/01-2010/12 | 433MHz             |        | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Chrysler  | PT Cruiser    | 2007/08-2010/12 | 315MHz             |        | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Chrysler  | Sebring       | 2006/01-2010/12 | 433MHz             |        | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Chrysler  | Voyager       | 2018/01-2020/12 | 433MHz Schrader    |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Voyager       | 2011/01-2017/12 | 433MHz SCH         |        | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Voyager       | 2006/01-2008/12 | 315MHz             |        | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Chrysler  | Voyager       | 2004/01-2005/12 | 315MHz             |        | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Chrysler  | Voyager       | 2002/01-2003/12 | 433MHz             |        | ● | ● | ○ | S   | 433MHz | Schrader    | ●        | ● |
| Chrysler  | Ypsilon       | 2018/01-2019/06 | Indirect           |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Chrysler  | Ypsilon       | 2011/01-2017/12 | Indirect           |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Citroen   | Berlingo      | 2025/01-2026/06 | 433MHz             |        | ○ | ● | ○ | C   | 433MHz | Schrader    | ●        | ● |
| Citroen   | Berlingo      | 2018/07-2025/12 | Indirect           |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Citroen   | Berlingo      | 2013/10-2018/06 | 433MHz             |        | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen   | Berlingo      | 2008/01-2013/09 | 433MHz             | B9     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen   | C3            | 2009/09-2024/12 | Indirect           |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Citroen   | C4            | 2014/10-2018/10 | 433MHz             | B58    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Citroen   | C4            | 2010/08-2024/12 | Indirect           |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Citroen   | C4            | 2008/08-2014/09 | 433MHz             |        | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen   | C4            | 2004/09-2008/07 | 433MHz             | B5     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Citroen   | C4 Aircross   | 2012/04-2018/06 | 433MHz             |        | ● | ● | ○ | S   | 433MHz | Continental | ●        | ● |
| Citroen   | C4 Cactus     | 2014/05-2021/04 | 433MHz             |        | ○ | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| Citroen   | C4 Picasso    | 2006/05-2013/02 | 433MHz             |        | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen   | C5            | 2013/09-2020/12 | 433MHz             |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Citroen   | C5            | 2004/08-2013/08 | 433MHz             | X3/X40 | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Citroen   | C5            | 2000/12-2004/07 | 433MHz             | X40    | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen   | C5 Aircross   | 2017/09-2025/12 | Indirect           |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |

|         |               |                 |                   |       |   |   |   |     |        |             |          |   |
|---------|---------------|-----------------|-------------------|-------|---|---|---|-----|--------|-------------|----------|---|
| Citroen | C6            | 2005/01-2013/12 | 433MHz            | X6    | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Citroen | C8            | 2005/10-2015/12 | 433MHz            | V3    | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Citroen | C8            | 2002/01-2005/09 | 433MHz            | V3    | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | Dispatch      | 2016/05-2025/12 | Indirect          |       | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Citroen | Dispatch      | 2014/06-2016/04 | 433MHz            |       | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | Dispatch      | 2006/10-2014/05 | 433MHz            |       | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | DS3           | 2015/01-2022/12 | Indirect          |       | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Citroen | DS3           | 2009/01-2019/12 | 433MHz            |       | ○ | ● | ○ | C   | 433MHz | Schrader    | ●        | ● |
| Citroen | DS4           | 2014/02-2020/07 | 433MHz            | B81   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Citroen | DS4           | 2010/12-2014/01 | 433MHz            | B75   | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | DS5           | 2014/02-2018/11 | 433MHz            | X2/50 | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | DS5           | 2011/06-2014/01 | 433MHz            | B81   | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Citroen | DS7           | 2018/01-2024/12 | Indirect          |       | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Dodge   | Avenger       | 2011/01-2014/12 | 433MHz Clamp in   |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Avenger       | 2011/01-2014/12 | 433MHz Snap in    |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Avenger       | 2007/01-2014/12 | 315MHz            |       | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Dodge   | Avenger       | 2007/01-2010/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Dodge   | Caliber       | 2007/01-2012/12 | 315MHz            |       | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Dodge   | Caliber       | 2006/01-2012/12 | 433MHz            |       | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Dodge   | Challenger    | 2018/01-2021/12 | 433MHz            |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Challenger    | 2008/01-2017/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Charger       | 2011/01-2015/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Charger SRT   | 2015/01-2015/12 | 433MHz            |       | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Dodge   | Dakota        | 2010/01-2011/12 | 315MHz Snap in    |       | ● | ● | ● | 0/A | 315MHz | Schrader    | ●        | ● |
| Dodge   | Dakota        | 2007/01-2010/12 | 315MHz Clamp in   |       | ● | ● | ● | 0/A | 315MHz | Schrader    | ●        | ● |
| Dodge   | Dart          | 2012/05-2017/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Dodge   | Durango       | 2010/01-2015/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Grand Caravan | 2014/01-2015/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Grand Caravan | 2011/01-2013/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Grand Caravan | 2008/01-2010/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Dodge   | Journey       | 2015/01-2017/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Journey       | 2010/01-2014/12 | 433MHz SCH        |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Journey       | 2008/01-2011/12 | 433MHz Lo Line    |       | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Dodge   | Journey       | 2008/01-2010/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Dodge   | Nitro         | 2009/01-2012/12 | 315MHz            |       | ● | ● | ● | 0/A | 315MHz | Schrader    | ●        | ● |
| Dodge   | Nitro         | 2006/11-2008/12 | 315MHz            |       | ● | ● | ● | 0/A | 315MHz | Schrader    | ●        | ● |
| Dodge   | Nitro         | 2006/06-2012/12 | 433MHz            |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Ram 1500      | 2024/01-2024/12 | 433MHz 68378369AB |       | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Dodge   | Ram 1500      | 2020/01-2024/12 | 433MHz            |       | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Dodge   | Ram 1500      | 2018/01-2026/12 | 433MHz DT         |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Ram 1500      | 2018/01-2019/12 | 433MHz            |       | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Dodge   | Ram 1500      | 2010/01-2013/12 | 433MHz Schrader   |       | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Ram 2500      | 2024/11-2026/12 | 433MHz Schrader   |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Dodge   | Ram 2500      | 2019/01-2025/12 | 433MHz            |       | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Dodge   | Ram 2500      | 2018/01-2018/12 | 433MHz            |       | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |

|         |                   |                 |                        |           |   |   |   |     |        |          |   |   |
|---------|-------------------|-----------------|------------------------|-----------|---|---|---|-----|--------|----------|---|---|
| Dodge   | Ram 2500          | 2016/01-2017/12 | 433MHz                 |           | ● | ● | ● | 0   | 433MHz | TRW      | ● | ● |
| Dodge   | Ram 3500          | 2024/11-2026/12 | 433MHz<br>Schrader     |           | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Dodge   | Ram 3500          | 2019/01-2024/12 | 433MHz                 |           | ● | ● | ○ | 0/A | 433MHz | TRW      | ● | ● |
| Dodge   | Ram 3500          | 2014/01-2017/12 | 433MHz                 |           | ● | ● | ● | 0/A | 433MHz | TRW      | ● | ● |
| Dodge   | Ram 3500          | 2010/01-2013/12 | 433MHz                 |           | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| Dodge   | Ram 3500 DRW      | 2019/01-2025/12 | 433MHz Alloy<br>wheel  |           | ● | ● | ○ | 0/A | 433MHz | TRW      | ● | ● |
| Dodge   | Ram 3500 DRW      | 2019/01-2024/12 | 433MHz Steel<br>wheel  |           | ● | ● | ○ | 0/A | 433MHz | TRW      | ● | ● |
| Dodge   | Ram Series        | 2018/01-2021/12 | 433MHz                 |           | ● | ● | ○ | 0/A | 433MHz | TRW      | ● | ● |
| Dodge   | Ram Series        | 2014/01-2017/12 | 433MHz                 |           | ● | ● | ● | 0   | 433MHz | TRW      | ● | ● |
| Dodge   | SRT Viper         | 2010/01-2017/12 | 433MHz                 |           | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| Dodge   | Viper             | 2002/01-2011/12 | 433MHz                 |           | ○ | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| Ferrari | 296 GTS           | 2022/06-2026/06 | 433MHz                 |           | ○ | ● | ○ | A   | 433MHz | BHSENS   | ● | ● |
| Ferrari | 296GTB            | 2021/06-2026/06 | 433MHz 939581          |           | ○ | ● | ○ | A   | 433MHz | BHSENS   | ● | ● |
| Ferrari | 296GTB            | 2021/06-2026/06 | 315MHz 939582          |           | ○ | ● | ○ | A   | 315MHz | BHSENS   | ● | ● |
| Ferrari | 458 Spider        | 2009/01-2020/12 | 433MHz                 |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 488               | 2015/01-2021/12 | 433MHz                 | F142      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 488 Spider        | 2015/01-2019/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 575M<br>Maranello | 2002/01-2006/12 | 433MHz                 |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 599 GTB           | 2004/01-2014/12 | 433MHz                 | F141      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 599 GTO           | 2004/01-2012/12 | 433MHz                 | F141      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 612<br>Scaglietti | 2004/01-2012/12 | 433MHz                 | F137      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 812 Superfast     | 2017/01-2024/12 | 433MHz 314818          |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | 812 Superfast     | 2016/01-2021/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | California        | 2008/01-2019/06 | 433MHz                 |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Daytona SP3       | 2022/01-2023/12 | 433MHz                 |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Enzo              | 2002/01-2006/12 | 433MHz                 | F140      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | F12<br>Berlinetta | 2012/01-2022/12 | 433MHz                 | F151/F152 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | F12 tdf           | 2015/01-2021/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | F430              | 2007/07-2009/10 | 433MHz 282189          | F131E     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | F430              | 2005/01-2007/06 | 433MHz                 | F131E     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | F8 Tributo        | 2019/01-2023/12 | 433MHz 282189          | F151/F152 | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | FF                | 2011/01-2020/01 | 433MHz                 | F151      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Ferrari | FXX               | 2005/01-2006/12 | 433MHz                 |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso        | 2016/01-2021/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso        | 2016/01-2020/12 | 433MHz 314818          |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso T      | 2017/01-2021/12 | 433MHz<br>F11001495001 |           | ● | ● | ○ | C   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso T      | 2017/01-2021/12 | 433MHz<br>F11001648001 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso T      | 2017/01-2021/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | La Ferrari        | 2013/01-2020/12 | 433MHz 282189          |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Monza SP1/SP2     | 2019/01-2025/12 | 433MHz                 | F151/F152 | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Portofino         | 2017/01-2023/12 | 433MHz                 |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Portofino         | 2016/01-2023/12 | 433MHz 314818          |           | ● | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Purosangue        | 2022/01-2026/06 | 433MHz                 |           | ○ | ● | ○ | A   | 433MHz | BHSENS   | ● | ● |
| Ferrari | Roma              | 2020/01-2026/06 | 433MHz 314818          |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |
| Ferrari | Roma              | 2020/01-2025/12 | 433MHz                 |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ● | ● |

|         |                |                 |                       |         |   |   |   |       |        |             |          |   |
|---------|----------------|-----------------|-----------------------|---------|---|---|---|-------|--------|-------------|----------|---|
| Ferrari | Roma Spider    | 2023/01-2026/06 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Ferrari | SF90           | 2020/01-2025/12 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Ferrari | SF90           | 2020/01-2025/12 | 433MHz 314818         |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Ferrari | SF90 Spider    | 2020/01-2025/12 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Ferrari | SF90 Stradale  | 2020/01-2026/06 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Ferrari | SF90 xx Spider | 2023/01-2026/06 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Huf/Beru    | ●        | ● |
| Fiat    | 124 Spider     | 2017/01-2021/12 | 433MHz                |         | ● | ● | ● | 0/A   | 433MHz | Continental | ●        | ● |
| Fiat    | 124 Spider     | 2015/08-2016/12 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Continental | ●        | ● |
| Fiat    | 500            | 2014/01-2024/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | 500            | 2014/01-2022/12 | 433MHz                | 312     | ● | ● | ● | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | 500C           | 2014/01-2019/06 | 433MHz                | 312     | ● | ● | ● | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | 500C           | 2013/01-2024/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | 500L           | 2012/07-2020/05 | 433MHz<br>53104671    |         | ● | ● | ● | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | 500L           | 2012/01-2020/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | 500X           | 2014/01-2024/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | Doblo          | 2009/01-2022/12 | 433MHz                | 223/263 | ● | ● | ● | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | Ducato         | 2020/01-2026/06 | 433MHz                | X2/50   | ● | ● | ○ | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | Ducato         | 2014/06-2019/12 | 433MHz                | X2/50   | ● | ● | ● | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | Freemont       | 2014/07-2016/12 | 433MHz                |         | ● | ● | ○ | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | Freemont       | 2011/01-2014/06 | 433MHz                |         | ● | ● | ○ | 0/A   | 433MHz | Schrader    | ●        | ● |
| Fiat    | Panda          | 2012/01-2026/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | Punto          | 2005/09-2018/12 | 433MHz                | 199     | ● | ● | ○ | A     | 433MHz | TRW         | ●        | ● |
| Fiat    | Scudo          | 2016/01-2026/12 | Indirect              |         | ○ | ○ | ○ | A     | N/A    | N/A         | Indirect | ● |
| Fiat    | Scudo          | 2013/01-2019/12 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Schrader    | ●        | ● |
| Fiat    | Scudo          | 2006/01-2013/10 | 433MHz                | G9      | ○ | ● | ○ | A     | 433MHz | Schrader    | ●        | ● |
| Fiat    | Talento        | 2016/01-2025/06 | 433MHz                |         | ○ | ● | ○ | A     | 433MHz | Schrader    | ●        | ● |
| Ford    | Ecosport       | 2017/09-2023/12 | 433MHz                |         | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ●        | ● |
| Ford    | Ecosport       | 2017/07-2019/06 | 433MHz<br>EV6T1A180CB |         | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ●        | ● |
| Ford    | Ecosport       | 2013/06-2014/09 | 433MHz                |         | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ●        | ● |
| Ford    | Ecosport       | 2013/01-2017/06 | 433MHz<br>EV6T1A180CB |         | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ●        | ● |
| Ford    | Edge           | 2023/01-2023/12 | 433MHz                |         | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ●        | ● |
| Ford    | Edge           | 2015/01-2022/12 | 433MHz<br>F2GZ1A189B  |         | ● | ● | ● | 0/S/A | 433MHz | Schrader    | ●        | ● |
| Ford    | Edge           | 2015/01-2020/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Endura         | 2018/01-2021/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Endura         | 2018/01-2021/12 | 433MHz                |         | ● | ● | ● | 0/S   | 433MHz | Schrader    | ●        | ● |
| Ford    | Escape         | 2020/01-2025/12 | 315MHz                |         | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Escape         | 2019/08-2026/06 | 433MHz<br>JX7Z1A189A  |         | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ●        | ● |
| Ford    | Escape         | 2018/01-2019/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Escape         | 2013/10-2017/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Escape         | 2012/01-2013/09 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2022/01-2026/06 | 433MHz                |         | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2022/01-2026/06 | 315MHz                |         | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2018/01-2021/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2016/06-2021/12 | 433MHz                |         | ● | ● | ● | 0/S   | 433MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2015/01-2017/12 | 315MHz                |         | ● | ● | ● | 0/S   | 315MHz | Schrader    | ●        | ● |
| Ford    | Everest        | 2009/06-2014/12 | 315MHz                |         | ○ | ● | ○ | S     | 315MHz | Schrader    | ●        | ● |

|      |                    |                 |                       |  |   |   |   |       |        |             |   |   |
|------|--------------------|-----------------|-----------------------|--|---|---|---|-------|--------|-------------|---|---|
| Ford | Everest            | 2006/01-2009/05 | 315MHz                |  | ○ | ● | ○ | S     | 315MHz | Lear        | ● | ● |
| Ford | Expedition         | 2018/01-2018/12 | 315MHz                |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | Explorer           | 2010/11-2015/12 | 315MHz<br>Schrader    |  | ● | ● | ● | S     | 315MHz | Schrader    | ● | ● |
| Ford | Explorer           | 2010/11-2015/05 | 433MHz<br>BB5Z1A189A  |  | ● | ● | ● | S     | 433MHz | Schrader    | ● | ● |
| Ford | F-150              | 2023/12-2026/06 | 433MHz<br>PR3Z1A189M  |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | F-150              | 2020/10-2026/06 | 433MHz<br>ML3Z1A189D  |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | F-150              | 2015/01-2019/12 | 433MHz                |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | F-150              | 2015/01-2017/12 | 315MHz                |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | F-150              | 2014/03-2014/12 | 433MHz                |  | ● | ● | ● | S     | 433MHz | Schrader    | ● | ● |
| Ford | F-150 Trailer      | 2023/01-2026/06 | 433MHz                |  | ○ | ● | ○ | S     | 433MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2020/01-2021/12 | 433MHz                |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2020/01-2021/12 | 315MHz                |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2017/01-2019/12 | 433MHz                |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2017/01-2019/12 | 315MHz                |  | ● | ● | ● | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2015/01-2016/12 | 433MHz                |  | ● | ● | ● | S     | 433MHz | Schrader    | ● | ● |
| Ford | F-Series           | 2015/01-2016/12 | 315MHz                |  | ● | ● | ● | S     | 315MHz | Schrader    | ● | ● |
| Ford | Fiesta             | 2017/01-2023/12 | 433MHz<br>F2GZ1A189B  |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Fiesta             | 2014/05-2019/08 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Fiesta             | 2014/01-2019/12 | 315MHz                |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | Focus              | 2019/06-2025/12 | 433MHz<br>JX7Z1A189A  |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Focus              | 2018/05-2025/12 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Focus              | 2014/01-2020/02 | 433MHz<br>EV6T1A180DB |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Kuga               | 2014/01-2019/12 | 433MHz                |  | ● | ● | ● | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mondeo             | 2019/06-2022/12 | 433MHz                |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Mondeo             | 2017/09-2019/05 | 433MHz                |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Mondeo             | 2014/09-2017/12 | 433MHz Snap<br>in     |  | ● | ● | ● | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Mondeo             | 2007/01-2015/06 | 433MHz Clamp<br>in    |  | ● | ● | ○ | 0/A   | 433MHz | Continental | ● | ● |
| Ford | Mustang            | 2024/01-2026/06 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mustang            | 2024/01-2026/06 | 433MHz<br>PR3Z1A189M  |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mustang            | 2020/01-2023/12 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mustang            | 2014/07-2019/12 | 433MHz                |  | ● | ● | ● | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mustang Mach-<br>E | 2024/07-2026/06 | 433MHz<br>PR3Z1A189M  |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | Mustang Mach-<br>E | 2021/01-2024/12 | 315MHz                |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | Mustang Mach-<br>E | 2020/10-2026/06 | 315MHz<br>FR3Z1A189A  |  | ● | ● | ○ | 0/S   | 315MHz | Schrader    | ● | ● |
| Ford | Mustang Mach-<br>E | 2020/01-2025/01 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | PUMA               | 2024/04-2026/06 | 433MHz                |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader    | ● | ● |
| Ford | PUMA               | 2019/11-2024/04 | 433MHz                |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Ranger             | 2024/01-2026/06 | 433MHz Hi<br>Line     |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |
| Ford | Ranger             | 2024/01-2026/06 | 433MHz Lo<br>Line     |  | ● | ● | ○ | 0/S   | 433MHz | Schrader    | ● | ● |

|       |                 |                 |                   |  |   |   |   |       |        |                  |   |   |
|-------|-----------------|-----------------|-------------------|--|---|---|---|-------|--------|------------------|---|---|
| Ford  | Ranger          | 2018/01-2023/12 | 433MHz Lo Line    |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Ranger          | 2018/01-2023/12 | 433MHz Hi Line    |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Ranger          | 2015/01-2017/12 | 433MHz Lo Line    |  | ● | ● | ● | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Ranger          | 2015/01-2017/12 | 433MHz Hi Line    |  | ● | ● | ● | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Ranger          | 2014/05-2014/12 | 433MHz            |  | ● | ● | ○ | S     | 433MHz | Schrader         | ● | ● |
| Ford  | Territory       | 2016/01-2016/12 | 315MHz            |  | ○ | ● | ○ | S     | 315MHz | Schrader         | ● | ● |
| Ford  | Territory       | 2011/01-2015/12 | 315MHz            |  | ○ | ● | ○ | S     | 315MHz | Schrader         | ● | ● |
| Ford  | Territory       | 2007/01-2010/12 | 315MHz            |  | ○ | ● | ○ | S     | 315MHz | Lear             | ● | ● |
| Ford  | Territory       | 2004/01-2006/12 | 433MHz            |  | ○ | ● | ○ | S     | 433MHz | Schrader         | ● | ● |
| Ford  | Tourneo Connect | 2024/01-2026/06 | 433MHz 95FE0275   |  | ● | ● | ○ | 0/A   | 433MHz | BHSENS           | ● | ● |
| Ford  | Tourneo Connect | 2024/01-2026/06 | 433MHz 95C907275  |  | ● | ● | ○ | 0/A   | 433MHz | BHSENS           | ● | ● |
| Ford  | Tourneo Custom  | 2023/08-2026/06 | 433MHz PR3Z1A189M |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Tourneo Custom  | 2019/06-2025/12 | 433MHz            |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Tourneo Custom  | 2013/09-2019/05 | 433MHz            |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2024/01-2026/06 | 433MHz PR3Z1A189M |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2023/01-2025/12 | 433MHz JX7Z1A189A |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2019/10-2026/06 | 315MHz            |  | ● | ● | ○ | 0/S   | 315MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2019/01-2023/12 | 433MHz            |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2019/01-2019/12 | 315MHz 9L3Z1A189A |  | ● | ● | ○ | 0/S   | 315MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2013/06-2014/12 | 433MHz            |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2013/01-2018/12 | 315MHz            |  | ● | ● | ○ | 0/S   | 315MHz | Schrader         | ● | ● |
| Ford  | Transit         | 2010/01-2012/12 | 315MHz            |  | ○ | ● | ○ | S     | 315MHz | Schrader         | ● | ● |
| Ford  | Transit Connect | 2024/01-2026/06 | 433MHz 95C907275  |  | ● | ● | ○ | 0/A   | 433MHz | BHSENS           | ● | ● |
| Ford  | Transit Custom  | 2019/06-2024/12 | 433MHz            |  | ● | ● | ○ | 0/S   | 433MHz | Schrader         | ● | ● |
| Ford  | Transit Custom  | 2013/09-2019/05 | 433MHz            |  | ● | ● | ○ | 0/S/A | 433MHz | Schrader         | ● | ● |
| Ford  | Transit Custom  | 2013/01-2019/12 | 315MHz            |  | ● | ● | ○ | 0/S/A | 315MHz | Schrader         | ● | ● |
| Foton | Cargo Van       | 2018/01-2019/12 | 433MHz            |  | ● | ● | ○ | S     | 433MHz | TTE              | ● | ● |
| Foton | Sauvana         | 2015/01-2022/12 | 433MHz            |  | ● | ● | ○ | S     | 433MHz | TTE              | ● | ● |
| Foton | Tunland         | 2011/01-2022/12 | 433MHz            |  | ● | ● | ○ | S     | 433MHz | TTE              | ● | ● |
| Foton | Tunland Yutu    | 2019/01-2023/12 | 433MHz            |  | ● | ● | ○ | C     | 433MHz | OrangeElectronic | ● | ● |
| Foton | View CS2        | 2014/01-2018/12 | 433MHz            |  | ● | ● | ○ | S     | 433MHz | TTE              | ● | ● |
| Geely | EMGRAND         | 2016/01-2019/12 | 433MHz            |  | ● | ● | ○ | 0     | 433MHz | Continental      | ● | ● |
| Geely | EX5             | 2024/01-2026/06 | 433MHz            |  | ○ | ● | ○ | C     | 433MHz | SAT              | ● | ● |
| Geely | Galaxy A7       | 2025/08-2026/06 | 433MHz            |  | ○ | ● | ○ | C     | 433MHz | BHSENS           | ● | ● |
| Geely | Galaxy E5       | 2024/01-2026/06 | 433MHz            |  | ○ | ● | ○ | C     | 433MHz | SAT              | ● | ● |
| Geely | Galaxy E8       | 2025/01-2026/06 | 433MHz 6608125749 |  | ● | ● | ○ | C     | 433MHz | BHSENS           | ● | ● |
| Geely | Galaxy E8       | 2024/01-2025/12 | 433MHz            |  | ● | ● | ○ | C     | 433MHz | BHSENS           | ● | ● |

|           |                    |                 |                         |  |   |   |   |     |        |          |   |   |
|-----------|--------------------|-----------------|-------------------------|--|---|---|---|-----|--------|----------|---|---|
| Geely     | Galaxy L6          | 2025/01-2026/06 | 433MHz<br>6608067897    |  | ● | ● | ○ | C   | 433MHz | SAT      | ● | ● |
| Geely     | Galaxy L6          | 2023/09-2025/12 | 433MHz                  |  | ● | ● | ○ | C   | 433MHz | SAT      | ● | ● |
| Geely     | Galaxy L7          | 2025/01-2026/06 | 433MHz<br>6608252653    |  | ● | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| Geely     | Galaxy L7          | 2025/01-2025/12 | 433MHz<br>6608067897    |  | ● | ● | ○ | C   | 433MHz | SAT      | ● | ● |
| Geely     | Galaxy L7          | 2023/05-2025/12 | 433MHz                  |  | ● | ● | ○ | C   | 433MHz | SAT      | ● | ● |
| Geely     | Galaxy M9          | 2025/09-2026/06 | 433MHz                  |  | ○ | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| Geely     | Galaxy M9          | 2025/09-2026/06 | 433MHz<br>6608304432    |  | ○ | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| Geely     | Galaxy StarShine 6 | 2025/10-2026/06 | 433MHz                  |  | ○ | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| Geely     | Galaxy StarShine 8 | 2025/03-2026/06 | 433MHz                  |  | ○ | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| Geely     | Galaxy Starship 7  | 2024/12-2026/06 | 433MHz                  |  | ○ | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| Geely     | Galaxy Starship 7  | 2024/12-2026/06 | 433MHz<br>6608125749    |  | ○ | ● | ○ | C   | 433MHz | BHSENS   | ● | ● |
| Geely     | GC 6               | 2015/01-2019/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Dias     | ● | ● |
| Geely     | Monjaro            | 2022/01-2025/06 | 433MHz<br>8889081697    |  | ● | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| Geely     | Tugella            | 2021/07-2023/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| Geely     | Tugella L          | 2021/01-2025/12 | 433MHz<br>8889081697    |  | ● | ● | ○ | C   | 433MHz | Schrader | ● | ● |
| Geely     | X7                 | 2017/01-2019/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Dias     | ● | ● |
| GMC       | Hummer EV          | 2024/07-2026/06 | 433MHz Clamp<br>in      |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GMC       | Hummer EV          | 2021/11-2026/06 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GMC       | Hummer EV          | 2021/11-2026/06 | 433MHz<br>13530661      |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2021/07-2023/12 | 433MHz<br>13516165      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2017/07-2021/12 | 433MHz<br>13516165      |  | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2017/07-2019/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2016/07-2017/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2013/07-2014/12 | 315MHz Snap<br>in SCH   |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2013/05-2016/12 | 315MHz                  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2008/07-2013/12 | 315MHz Snap<br>in       |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2008/07-2011/12 | 315MHz Clamp<br>in      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2006/10-2008/12 | 315MHz Snap<br>in SCH   |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2006/10-2008/12 | 315MHz Clamp<br>in      |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC       | Sierra             | 2006/07-2007/12 | 315MHz Clamp<br>in SCH  |  | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GreatWall | CANNON             | 2023/05-2026/06 | 433MHz<br>3641100XKN02A |  | ● | ● | ○ | 0/A | 433MHz | Dias     | ● | ● |
| GreatWall | CANNON             | 2021/06-2026/06 | 433MHz Clamp<br>in      |  | ● | ● | ○ | 0   | 433MHz | Dias     | ● | ● |
| GreatWall | CANNON             | 2019/09-2026/06 | 433MHz<br>3641101XKN01A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |

|           |                 |                 |                         |  |   |   |   |     |        |          |   |   |
|-----------|-----------------|-----------------|-------------------------|--|---|---|---|-----|--------|----------|---|---|
| GreatWall | CANNON          | 2019/09-2022/12 | 433MHz Snap in          |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | Cannon Alpha    | 2024/09-2026/06 | 433MHz Clamp in         |  | ● | ● | ○ | 0/A | 433MHz | Dias     | ● | ● |
| GreatWall | Cannon Alpha    | 2022/12-2026/06 | 433MHz<br>3641100XKV3AA |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GreatWall | ORA Flash Cat   | 2022/10-2026/06 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GreatWall | ORA Good Cat    | 2023/01-2026/06 | 433MHz<br>3641100AKR02A |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| GreatWall | ORA Good Cat    | 2023/01-2026/06 | 433MHz<br>3641100XKR02A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | ORA Good Cat    | 2023/01-2026/06 | 433MHz<br>3641101XKN01A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | ORA Good Cat    | 2023/01-2026/06 | 433MHz<br>3641101BKN01A |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| GreatWall | Steed Pick Up   | 2014/01-2023/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| GreatWall | TanKe 300       | 2025/02-2026/06 | 433MHz<br>3641100XKN02A |  | ● | ● | ○ | 0/A | 433MHz | Dias     | ● | ● |
| GreatWall | TanKe 300       | 2023/08-2026/06 | 433MHz<br>3641100XKV3AA |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GreatWall | TanKe 300       | 2023/01-2026/06 | 433MHz<br>3641101XKN01A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | TanKe 300       | 2023/01-2026/06 | 433MHz<br>3641101AKN01A |  | ● | ● | ○ | 0   | 433MHz | Dias     | ● | ● |
| GreatWall | TanKe 300       | 2020/12-2022/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | TanKe 500       | 2022/03-2026/06 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GreatWall | TanKe 500 Hi4-T | 2023/06-2026/06 | 433MHz                  |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| GreatWall | V200            | 2011/01-2016/12 | 433MHz<br>3641110AK80XA |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| GreatWall | V240            | 2009/01-2016/12 | 433MHz<br>3641110AK80XA |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| GreatWall | Voleex C20R     | 2014/01-2018/12 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| GreatWall | Voleex C30      | 2014/01-2017/12 | 433MHz<br>3641110AK80XA |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| GreatWall | Wingle 5        | 2018/01-2026/06 | 433MHz                  |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | Wingle 5        | 2016/01-2026/06 | 433MHz<br>3641100XKU00A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | Wingle 5        | 2011/01-2016/12 | 433MHz<br>3641110AK80XA |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| GreatWall | Wingle 6        | 2014/04-2018/11 | 433MHz<br>3641100XSZ08A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | Wingle 6        | 2014/01-2015/12 | 433MHz<br>3641110K80    |  | ● | ● | ○ | 0   | 433MHz | SAT      | ● | ● |
| GreatWall | Wingle 6        | 2012/01-2015/12 | 433MHz<br>3641110AK80XA |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| GreatWall | Wingle 7        | 2018/06-2026/06 | 433MHz<br>3641100XKU00B |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | Wingle 7        | 2018/06-2026/06 | 433MHz<br>3641100XKU00A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |
| GreatWall | X200            | 2011/01-2016/12 | 433MHz                  |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| GreatWall | X240            | 2009/01-2016/12 | 433MHz                  |  | ○ | ● | ○ | S   | 433MHz | SAT      | ● | ● |
| Haval     | Dargo           | 2025/07-2026/06 | 433MHz<br>3641100XKV3AA |  | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Haval     | Dargo           | 2020/08-2026/06 | 433MHz<br>3641101XKN01A |  | ● | ● | ○ | 0   | 433MHz | Schrader | ● | ● |

|       |            |                 |                                     |  |   |   |   |     |        |             |   |   |
|-------|------------|-----------------|-------------------------------------|--|---|---|---|-----|--------|-------------|---|---|
| Haval | Dargo      | 2020/08-2026/06 | 433MHz<br>3641101BKN01A             |  | ● | ● | ○ | 0/A | 433MHz | SAT         | ● | ● |
| Haval | Dargo      | 2020/08-2026/06 | 433MHz<br>3641100XKR02A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | Dargo II   | 2023/03-2025/12 | 433MHz                              |  | ● | ● | ○ | 0/A | 433MHZ | Schrader    | ● | ● |
| Haval | Dargo PLUS | 2025/09-2026/06 | 433MHz                              |  | ● | ● | ○ | 0/A | 433MHZ | Schrader    | ● | ● |
| Haval | F7         | 2018/11-2023/12 | 433MHz<br>3641100BKRO2A             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| Haval | H1         | 2014/01-2021/12 | 433MHz                              |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H2         | 2014/01-2023/12 | 433MHz<br>3641100XKU00A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H6         | 2024/06-2026/06 | 433MHz<br>3641100XKV3AA             |  | ● | ● | ○ | 0/A | 433MHZ | Schrader    | ● | ● |
| Haval | H6         | 2023/05-2026/06 | 433MHz<br>3641100XKN02A             |  | ● | ● | ○ | 0/A | 433MHz | Dias        | ● | ● |
| Haval | H6         | 2020/08-2026/06 | 433MHz<br>3641101XKN01A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H6         | 2020/08-2026/06 | 433MHz<br>3641101BKN01A             |  | ● | ● | ○ | 0   | 433MHz | SAT         | ● | ● |
| Haval | H6         | 2019/01-2026/06 | 433MHz<br>3641100XKU00B             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H6         | 2017/01-2026/06 | 433MHz<br>3641100AKU00B             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| Haval | H6         | 2017/01-2021/12 | 433MHz Snap<br>in<br>3641100XKR02A  |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H6         | 2017/01-2021/12 | 433MHz Clamp<br>in<br>3641100BKRO2A |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| Haval | H6         | 2016/01-2019/12 | 433MHz<br>3641100XKZ16B             |  | ● | ● | ○ | 0   | 433MHz | Baolong     | ● | ● |
| Haval | H6         | 2013/01-2022/12 | 433MHz<br>3641100AKZ16A             |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Haval | H6         | 2011/01-2021/12 | 433MHz<br>3641100XKZ16A             |  | ● | ● | ○ | 0   | 433MHz | SAT         | ● | ● |
| Haval | H6 Coupe   | 2017/06-2022/12 | 433MHz                              |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H6 Coupe   | 2015/01-2017/05 | 433MHz                              |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H7         | 2023/01-2026/06 | 433MHz Snap<br>in                   |  | ● | ● | ○ | 0/A | 433MHZ | Schrader    | ● | ● |
| Haval | H7         | 2023/01-2026/06 | 433MHz Clamp<br>in                  |  | ● | ● | ○ | 0/A | 433MHz | Dias        | ● | ● |
| Haval | H7         | 2016/01-2022/12 | 433MHz<br>3641100XKU00B             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H7         | 2016/01-2022/12 | 433MHz<br>3641100XKU00A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H8         | 2013/01-2019/12 | 433MHz                              |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H9         | 2019/08-2024/08 | 433MHz<br>3641100XKR02A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H9         | 2019/08-2024/08 | 433MHz<br>3641101XKN01A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | H9         | 2014/01-2019/12 | 433MHz<br>3641100XKU00A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Haval | Jolion     | 2020/08-2026/06 | 433MHz<br>3641100BKRO2A             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| Haval | Jolion     | 2020/08-2026/06 | 433MHz<br>3641101XKN01A             |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |

|        |             |                 |                         |   |   |   |       |        |          |          |   |
|--------|-------------|-----------------|-------------------------|---|---|---|-------|--------|----------|----------|---|
| Haval  | Jolion      | 2020/08-2026/06 | 433MHz<br>3641100AKR02A | ● | ● | ○ | 0     | 433MHz | BHSENS   | ●        | ● |
| Haval  | Jolion      | 2020/08-2026/06 | 433MHz<br>3641101BKN01A | ● | ● | ○ | 0     | 433MHz | SAT      | ●        | ● |
| Haval  | Jolion      | 2020/08-2026/06 | 433MHz<br>3641100XKR02A | ● | ● | ○ | 0     | 433MHz | Schrader | ●        | ● |
| Holden | Acadia      | 2018/07-2020/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Astra H     | 2004/07-2010/12 | 433MHz                  | ● | ● | ● | 0/A   | 433MHz | Schrader | ●        | ● |
| Holden | Astra J     | 2014/01-2015/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Astra J     | 2009/01-2014/12 | 433MHz<br>13348393      | ● | ● | ● | 0     | 433MHz | Schrader | ●        | ● |
| Holden | Astra K     | 2016/07-2020/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Barina      | 2017/07-2019/12 | 433MHz                  | ● | ● | ○ | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Barina      | 2014/07-2017/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Barina      | 2013/07-2014/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Caprice     | 2013/07-2017/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Caprice     | 2013/07-2017/12 | 315MHz<br>13581558      | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Caprice     | 2010/07-2013/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Captiva     | 2012/07-2018/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Cascada     | 2014/07-2019/12 | 433MHz                  | ● | ● | ● | 0/A   | 433MHz | Schrader | ●        | ● |
| Holden | Cascada     | 2013/01-2014/12 | 433MHz                  | ● | ● | ● | 0     | 433MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2018/01-2021/12 | 315MHz<br>13516164      | ● | ● | ● | 0     | 315MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2016/07-2020/12 | 433MHz<br>13598773      | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2016/07-2019/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2016/07-2017/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2014/07-2016/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2011/07-2016/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Colorado    | 2007/10-2012/12 | 315MHz                  | ● | ● | ● | S     | 315MHz | Schrader | ●        | ● |
| Holden | Commodore   | 2018/01-2020/12 | 433MHz                  | ● | ● | ● | 0/S/A | 433MHz | Schrader | ●        | ● |
| Holden | Commodore   | 2013/06-2017/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Commodore   | 2010/01-2013/12 | 433MHz                  | ● | ● | ○ | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Equinox     | 2017/07-2020/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Equinox     | 2017/06-2020/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Spark       | 2012/07-2015/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Statesman   | 2014/01-2017/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Statesman   | 2013/01-2013/12 | 433MHz                  | ● | ● | ○ | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Statesman   | 2009/07-2012/12 | 433MHz                  | ○ | ● | ○ | S     | 433MHz | Schrader | ●        | ● |
| Holden | Trailblazer | 2016/07-2026/06 | 433MHz<br>13598773      | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Trailblazer | 2016/07-2020/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Trailblazer | 2015/07-2016/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Trax        | 2018/07-2020/12 | 433MHz                  | ● | ● | ○ | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Trax        | 2018/07-2020/12 | 315MHz                  | ● | ● | ○ | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Trax        | 2013/01-2018/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | Trax        | 2013/01-2018/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | UTE         | 2015/07-2017/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | UTE         | 2011/01-2015/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Holden | Volt        | 2012/07-2015/12 | 315MHz                  | ● | ● | ● | 0/S   | 315MHz | Schrader | ●        | ● |
| Holden | WM Caprice  | 2006/07-2012/12 | 433MHz                  | ● | ● | ● | 0/S   | 433MHz | Schrader | ●        | ● |
| Honda  | Accord      | 2013/01-2025/06 | Indirect                | ○ | ○ | ○ | A     | N/A    | N/A      | Indirect | ● |

|         |                   |                 |                              |        |   |   |   |     |        |             |          |   |
|---------|-------------------|-----------------|------------------------------|--------|---|---|---|-----|--------|-------------|----------|---|
| Honda   | Accord            | 2008/01-2012/12 | 315MHz                       |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ●        | ● |
| Honda   | City              | 2014/01-2023/12 | Indirect                     |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Honda   | Civic             | 2016/01-2025/06 | Indirect                     |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Honda   | Civic             | 2008/01-2014/12 | 315MHz<br>42753TR3A810M<br>1 |        | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Honda   | CR-V              | 2014/01-2025/06 | Indirect                     |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Honda   | CR-V              | 2012/01-2014/12 | 315MHz                       |        | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| Honda   | CR-V              | 2007/01-2011/12 | 315MHz<br>Alloy/Steel        |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ●        | ● |
| Honda   | CR-Z              | 2010/01-2021/12 | Indirect                     |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Honda   | CR-Z              | 2010/01-2017/12 | 315MHz                       |        | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Honda   | HR-V              | 2014/09-2025/06 | Indirect                     |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Honda   | HR-V              | 2014/01-2020/12 | 315MHz                       |        | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Honda   | Insight           | 2009/06-2021/12 | Indirect                     |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Honda   | Jazz              | 2014/01-2025/06 | Indirect                     |        | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Honda   | Jazz              | 2014/01-2023/12 | 433MHz                       |        | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Honda   | Legend            | 2015/01-2021/12 | 315MHz                       | Hybrid | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Honda   | NSX               | 2016/01-2021/06 | 433MHz                       |        | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Honda   | NSX               | 2016/01-2020/12 | Indirect                     |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Honda   | Odyssey           | 2021/01-2025/06 | 433MHz<br>42753T3RA02        |        | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Honda   | Odyssey           | 2017/01-2020/12 | 433MHz                       |        | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Honda   | Odyssey           | 2014/01-2017/12 | 315MHz                       |        | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| HSV     | Clubsport R8      | 2014/01-2019/12 | 433MHz                       |        | ● | ● | ○ | 0/S | 433MHz | Schrader    | ●        | ● |
| HSV     | G                 | 2014/01-2016/12 | 315MHz                       |        | ● | ● | ○ | 0/S | 315MHz | Schrader    | ●        | ● |
| HSV     | Grange            | 2014/01-2017/12 | 315MHz                       |        | ● | ● | ● | 0/S | 315MHz | Schrader    | ●        | ● |
| HSV     | Grange            | 2011/01-2013/12 | 315MHz                       |        | ○ | ● | ○ | S   | 315MHz | Schrader    | ●        | ● |
| HSV     | GTC               | 2014/01-2018/12 | 433MHz                       |        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| HSV     | GTS               | 2017/01-2019/12 | 433MHz                       |        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| HSV     | GTSR              | 2017/01-2019/12 | 433MHz                       |        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| HSV     | Maloo R8 LSA      | 2014/01-2019/12 | 433MHz                       |        | ● | ● | ○ | 0/S | 433MHz | Schrader    | ●        | ● |
| HSV     | Senator Signature | 2016/01-2019/12 | 433MHz                       |        | ● | ● | ○ | 0/S | 433MHz | Schrader    | ●        | ● |
| HSV     | Senator Signature | 2012/07-2017/12 | 315MHz                       |        | ● | ● | ○ | 0/S | 315MHz | Schrader    | ●        | ● |
| HSV     | Senator Signature | 2010/01-2012/12 | 315MHz                       |        | ● | ● | ○ | 0/S | 315MHz | Schrader    | ●        | ● |
| HSV     | SportsCat         | 2018/01-2020/12 | 315MHz                       |        | ● | ● | ● | 0/S | 315MHz | Schrader    | ●        | ● |
| Hummer  | H3                | 2005/04-2010/12 | 315MHz                       |        | ● | ● | ● | S   | 315MHz | Schrader    | ●        | ● |
| Hyundai | Accent            | 2014/01-2020/06 | 433MHz Lo<br>Line            | RB     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Accent            | 2011/04-2021/12 | 433MHz Hi<br>Line            | RB     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Accent            | 2011/01-2014/12 | 315MHz                       | RB     | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| Hyundai | Accent            | 2011/01-2014/12 | 433MHz<br>529331J000         | RB     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Accent            | 2006/01-2007/12 | 315MHz<br>529333E000         | MC     | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Hyundai | Accent            | 2005/01-2010/12 | 315MHz                       | MC     | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| Hyundai | Azera             | 2014/09-2017/02 | 433MHz                       | HG     | ● | ● | ○ | C   | 433MHz | TRW         | ●        | ● |
| Hyundai | Azera             | 2011/01-2014/08 | 433MHz                       | HG     | ● | ● | ○ | C   | 433MHz | TRW         | ●        | ● |
| Hyundai | Custin            | 2021/09-2026/06 | 433MHz                       |        | ● | ● | ○ | 0/A | 433MHz | Baolong     | ●        | ● |

|         |                   |                 |                      |         |   |   |   |     |        |             |   |   |
|---------|-------------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| Hyundai | Custo             | 2021/01-2026/06 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Baolong     | ● | ● |
| Hyundai | Elantra           | 2023/07-2026/06 | 433MHz<br>52940L1100 | CN7     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2020/10-2026/06 | 433MHz<br>52940L1100 | CN7A    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2020/01-2025/12 | 433MHz<br>52940L1100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2015/06-2020/06 | 433MHz<br>52933F2000 | AD      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2014/01-2018/12 | 433MHz               | MD/UD   | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| Hyundai | Elantra           | 2013/10-2019/12 | 315MHz Lo<br>Line    |         | ● | ● | ○ | 0/A | 315MHz | TRW         | ● | ● |
| Hyundai | Elantra           | 2012/01-2020/12 | 433MHz               | AD      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2010/01-2013/10 | 315MHz               |         | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Elantra           | 2010/01-2012/12 | 315MHz               | FD      | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Hyundai | Elantra           | 2007/01-2010/12 | 315MHz               | HD      | ● | ● | ○ | 0   | 315MHz | Lear        | ● | ● |
| Hyundai | Elantra<br>hybrid | 2024/01-2026/06 | 433MHz<br>52940L1100 | CN7 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra<br>hybrid | 2020/12-2023/12 | 433MHz<br>52940L1100 | CN7 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra N         | 2024/01-2026/06 | 433MHz<br>52940L8200 | CN7 N   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Elantra N         | 2024/01-2026/06 | 433MHz<br>52940CG100 | CN7 N   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Elantra N         | 2024/01-2026/06 | 433MHz<br>52933J5000 | CN7 N   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Elantra N         | 2024/01-2026/06 | 433MHz<br>52940L1100 | CN7 N   | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Elantra N         | 2022/01-2025/12 | 433MHz<br>52940L8200 |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Elantra N         | 2022/01-2025/12 | 433MHz<br>52940CG100 |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Equus             | 2013/03-2016/06 | 315MHz Hi<br>Line    | VI      | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Hyundai | Equus             | 2013/01-2019/12 | 433MHz               | VI New  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Equus             | 2008/01-2013/12 | 433MHz               | VI Old  | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| Hyundai | Genesis           | 2013/01-2020/06 | 433MHz               | DH      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis           | 2013/01-2019/12 | 433MHz<br>529332J100 | DH      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis           | 2008/09-2014/12 | 315MHz Conti         | BH      | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Hyundai | Genesis           | 2008/01-2014/12 | 315MHz TRW           | BH      | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Genesis           | 2007/01-2014/12 | 433MHz               | BH      | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| Hyundai | Genesis G70       | 2024/09-2026/06 | 433MHz<br>52940E2100 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2024/09-2026/06 | 433MHz<br>52940N1000 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2024/01-2026/06 | 433MHz<br>52933J5000 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2023/10-2026/06 | 433MHz<br>52940CG100 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2018/01-2023/12 | 433MHz<br>52933J5000 | IK      | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2018/01-2023/12 | 433MHz<br>52940CG100 | IK      | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G70       | 2018/01-2020/12 | 433MHz<br>52933D4100 | IK      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |

|         |                    |                 |                      |         |   |   |   |     |        |             |   |   |
|---------|--------------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| Hyundai | Genesis G70        | 2017/01-2017/12 | 433MHz               | IK      | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis G80        | 2024/10-2026/06 | 433MHz<br>52933D4100 | RG3     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2024/10-2026/06 | 433MHz<br>52940T6000 | RG3     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2024/10-2026/06 | 433MHz<br>52940T6100 | RG3     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2021/07-2024/12 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2021/01-2024/12 | 433MHz<br>52933D4100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2020/01-2022/12 | 433MHz               | DH      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2016/07-2020/01 | 433MHz<br>52933B1100 | DH      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2016/07-2019/12 | 433MHz               | DH      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80        | 2016/07-2019/12 | 433MHz<br>529332J100 | DH      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80<br>EV  | 2025/01-2026/06 | 433MHz<br>52940T6100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80<br>EV  | 2025/01-2025/12 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80<br>EV  | 2025/01-2025/12 | 433MHz<br>52933D2100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80<br>EV  | 2020/12-2024/12 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis G80<br>EV  | 2020/12-2024/12 | 433MHz<br>52933D2100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV60       | 2024/09-2026/06 | 433MHz<br>52940E2100 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis GV60       | 2021/12-2026/06 | 433MHz<br>52940CG100 |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Genesis GV60       | 2021/12-2025/12 | 433MHz<br>52933D2100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70       | 2024/09-2026/06 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70       | 2024/09-2026/06 | 433MHz<br>52940AR100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70       | 2021/01-2024/08 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70       | 2020/12-2024/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70<br>EV | 2025/01-2025/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV70<br>EV | 2022/11-2024/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV80       | 2025/01-2026/06 | 433MHz<br>52933D4100 | JX1     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV80       | 2025/01-2026/06 | 433MHz<br>52940T6000 | JX1     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV80       | 2021/07-2024/12 | 433MHz<br>52940T6000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV80       | 2020/01-2024/12 | 433MHz<br>52933D4100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis GV80       | 2019/09-2024/12 | 433MHz<br>52933D2100 | JX1     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Genesis Sedan      | 2009/01-2014/12 | 315MHz               | BH      | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Grandeur           | 2024/01-2025/12 | 433MHz               | GN7 HEV | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |

|         |              |                 |                      |            |   |   |   |     |        |             |          |   |
|---------|--------------|-----------------|----------------------|------------|---|---|---|-----|--------|-------------|----------|---|
| Hyundai | Grandeur     | 2024/01-2025/12 | 433MHz<br>52940N1000 | GN7 HEV    | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Hyundai | Grandeur GN7 | 2023/01-2024/12 | 433MHz               |            | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | H-1          | 2014/01-2024/12 | 433MHz               | HR         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i10          | 2016/01-2019/12 | 433MHz               | PA         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i10          | 2013/11-2020/06 | 433MHz<br>52933B2100 | IA         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Hyundai | i20          | 2021/01-2025/06 | 433MHz<br>52933C1100 | GB         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Hyundai | i20          | 2021/01-2022/12 | 433MHz<br>52933F2000 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i20          | 2014/10-2020/12 | 433MHz               | GB         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Hyundai | i20          | 2008/01-2014/05 | 433MHz<br>529331J000 | PB         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i20 N        | 2023/10-2026/06 | 433MHz               |            | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Hyundai | i20 N        | 2021/01-2026/06 | 433MHz<br>52933D4100 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i20 N        | 2021/01-2023/07 | 433MHz               |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Hyundai | i30          | 2025/01-2026/06 | 433MHz               | Pde        | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i30          | 2020/08-2024/12 | 433MHz               | CN7        | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i30          | 2017/01-2020/12 | Indirect             |            | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Hyundai | i30          | 2016/08-2024/12 | 433MHz<br>52933562C6 | PD/Pde     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i30          | 2016/08-2024/12 | 433MHz               | PD/Pde     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i30          | 2014/03-2019/12 | 433MHz               | GD         | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i30          | 2007/01-2016/12 | 433MHz               | FD/Fde     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i30 Fastback | 2017/01-2024/06 | 433MHz               |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i30 N        | 2025/01-2026/06 | 433MHz<br>52940L8200 | PDEN       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Hyundai | i30 N        | 2025/01-2026/06 | 433MHz<br>52933F2000 | PDEN       | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i30 N        | 2018/01-2024/12 | 433MHz<br>52940L8200 |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Hyundai | i30 N        | 2018/01-2024/12 | 433MHz<br>52933F2000 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | i40          | 2017/01-2019/12 | 433MHz               | IF         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | i40          | 2014/04-2020/12 | 433MHz               | VF         | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Hyundai | i40          | 2011/01-2014/03 | 433MHz               | VF         | ● | ● | ○ | 0   | 433MHz | TRW         | ●        | ● |
| Hyundai | i40          | 2011/01-2014/03 | 433MHz Second        | VF         | ● | ● | ○ | 0   | 433MHz | TRW         | ●        | ● |
| Hyundai | iLoad        | 2007/01-2022/12 | 433MHz               | FQ         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | iMax         | 2018/01-2019/12 | 433MHz<br>52933A5100 |            | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | iMax         | 2014/01-2022/12 | 433MHz<br>529334H100 | TQ         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Ioniq        | 2022/03-2022/12 | 433MHz<br>52940T6100 | AE         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Ioniq        | 2016/01-2023/12 | 433MHz               | AE         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Ioniq 5      | 2025/01-2025/12 | 433MHz<br>52940L1100 | NEG\NEi EV | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Hyundai | Ioniq 5      | 2025/01-2025/12 | 433MHz<br>52940L8200 | NEG\NEi EV | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Hyundai | Ioniq 5      | 2024/10-2026/05 | 433MHz<br>52940L1100 | NE EV      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Hyundai | Ioniq 5      | 2024/10-2026/05 | 433MHz<br>52940L8200 | NE EV      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |

|         |               |                 |                      |         |   |   |   |     |        |             |   |   |
|---------|---------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| Hyundai | Ioniq 5       | 2024/10-2026/05 | 433MHz<br>52940BE000 | NE EV   | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5       | 2022/01-2022/12 | 433MHz<br>52933D4100 |         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5       | 2021/10-2024/12 | 433MHz<br>52940L1100 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5       | 2021/10-2024/12 | 433MHz<br>52940L8200 |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Ioniq 5       | 2020/01-2021/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5N      | 2024/01-2026/06 | 433MHz<br>52940L1100 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5N      | 2024/01-2026/06 | 433MHz<br>52940L8200 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Ioniq 5N      | 2024/01-2026/06 | 433MHz<br>52933D4100 | NE EV N | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 5N      | 2023/11-2026/06 | 433MHz<br>52940T6100 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Ioniq 6       | 2023/01-2025/12 | 433MHz<br>52940E2100 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Ioniq 6       | 2021/01-2025/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Ioniq 9       | 2025/05-2026/06 | 433MHz<br>52940E2100 |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Ioniq 9       | 2025/05-2026/06 | 433MHz<br>52940BE000 |         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | ix35          | 2017/01-2019/12 | 433MHz               | EL      | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| Hyundai | ix35          | 2014/03-2016/12 | 433MHz               | EL      | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| Hyundai | Kona          | 2023/01-2026/06 | 433MHz               | SX2     | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona          | 2023/01-2026/06 | 433MHz<br>52940BE000 | SX2     | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona          | 2017/01-2023/12 | 433MHz               | OS      | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona electric | 2024/01-2026/06 | 433MHz               | SX2 EV  | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona electric | 2023/07-2026/06 | 433MHz<br>52940BE000 | SX2 EV  | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona electric | 2017/01-2024/12 | 433MHz               | OS EV   | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Kona N        | 2022/01-2025/12 | 433MHz               | OSN     | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| Hyundai | Nexo          | 2024/08-2025/12 | 433MHz<br>52940E2100 | FE      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Nexo          | 2024/08-2025/12 | 433MHz<br>52940L1100 | FE      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Nexo          | 2023/01-2025/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Nexo          | 2020/01-2022/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Nexo          | 2018/04-2025/12 | 433MHz               | FE      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Nexo          | 2018/04-2019/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Palisade      | 2025/06-2026/06 | 433MHz<br>52940BE000 | LX3     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Palisade      | 2025/06-2026/06 | 433MHz<br>52940E2100 | LX3     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Palisade      | 2025/01-2025/12 | 433MHz<br>52940BE000 | LX2     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Palisade      | 2023/01-2026/07 | 433MHz               | LX2     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Palisade      | 2023/01-2025/12 | 433MHz<br>52940E2100 | LX2     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Palisade      | 2018/01-2022/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe      | 2024/06-2026/06 | 433MHz<br>52940E2100 | MX5     | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |

|         |                 |                 |                      |             |   |   |   |     |        |             |   |   |
|---------|-----------------|-----------------|----------------------|-------------|---|---|---|-----|--------|-------------|---|---|
| Hyundai | Santa Fe        | 2024/01-2026/06 | 433MHz<br>52940AY200 | MX5/MX5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2024/01-2026/06 | 433MHz<br>52940Q3100 | MX5/MX5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2024/01-2024/12 | 433MHz<br>52940AY200 |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2024/01-2024/12 | 433MHz<br>52940E2100 |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2023/01-2024/12 | 433MHz<br>52940CG100 |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2021/01-2024/12 | 433MHz               | TMA         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2018/03-2024/12 | 433MHz               | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2018/03-2024/12 | 433MHz<br>52940Q3100 | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe        | 2017/04-2018/12 | 433MHz<br>52933B1100 | DM/DMI      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Santa Fe        | 2013/04-2017/12 | 433MHz<br>529333N100 | DM/DMI      | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Santa Fe        | 2009/06-2012/12 | 315MHz               | CM          | ● | ● | ○ | 0   | 315MHz | Lear        | ● | ● |
| Hyundai | Santa Fe        | 2006/01-2008/12 | 433MHz               | CM          | ● | ● | ○ | 0   | 433MHz | Lear        | ● | ● |
| Hyundai | Santa Fe hybrid | 2024/03-2024/12 | 433MHz<br>52940AY200 | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2024/03-2024/12 | 433MHz<br>52940E2100 | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2023/11-2024/03 | 433MHz<br>52940CG100 | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2023/10-2026/06 | 433MHz<br>52940CG100 | MX5/MX5A    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2023/10-2026/06 | 433MHz<br>52940AY200 | MX5/MX5A    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2023/10-2026/06 | 433MHz<br>52940Q3100 | MX5/MX5A    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2023/10-2026/06 | 433MHz<br>52940E2100 | MX5/MX5A    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Santa Fe hybrid | 2020/09-2023/10 | 433MHz<br>52933C1100 | TM/TMA      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Sonata          | 2024/01-2026/06 | 433MHz<br>52940L1100 | DN8         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Sonata          | 2023/07-2026/06 | 433MHz<br>52940T6100 | DN8         | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Sonata          | 2020/01-2024/12 | 433MHz               |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Sonata          | 2014/04-2019/12 | 433MHz Hi Line       | LF/LFA      | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Sonata          | 2011/01-2016/12 | 315MHz<br>529333N000 | YFC         | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Hyundai | Sonata          | 2011/01-2016/12 | 433MHz<br>529333N100 | YFC         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Sonata          | 2010/01-2010/12 | 315MHz               | YF          | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Sonata          | 2009/12-2014/05 | 315MHz<br>529332M000 | YF          | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Hyundai | Sonata N        | 2023/01-2026/06 | 433MHz<br>52940L1100 |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Sonata N        | 2023/01-2026/06 | 433MHz<br>52940Q3100 |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Starex          | 2021/01-2023/12 | 433MHz<br>52940CG100 |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |

|         |               |                 |                      |               |   |   |   |     |        |             |   |   |
|---------|---------------|-----------------|----------------------|---------------|---|---|---|-----|--------|-------------|---|---|
| Hyundai | Starex        | 2007/01-2021/03 | 433MHz               | TQ            | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Staria        | 2026/01-2026/06 | 433MHz<br>52940E2100 |               | ○ | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Hyundai | Staria        | 2023/01-2025/12 | 433MHz<br>52940E2100 |               | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Staria        | 2021/03-2025/12 | 433MHz               |               | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2024/10-2026/06 | 433MHz<br>52940BV100 | NX4/NX4E      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2024/10-2026/06 | 433MHz<br>52940L1100 | NX4/NX4E      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Tucson        | 2024/10-2026/06 | 433MHz<br>52940E2100 | NX4           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2024/01-2024/12 | 433MHz<br>52940BV100 | NX4           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2024/01-2024/12 | 433MHz<br>52940Q3100 | NX4E HEV/PHEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2024/01-2024/09 | 433MHz<br>52940E2100 | NX4           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2021/01-2024/12 | 433MHz<br>52940BV100 |               | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2021/01-2024/12 | 433MHz<br>52940Q3100 |               | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2021/01-2024/12 | 433MHz<br>52940L1100 |               | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Tucson        | 2021/01-2023/12 | 433MHz<br>52940Q3100 | NX4E HEV/PHEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2021/01-2021/09 | 433MHz Hi<br>Line    | TL            | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2015/05-2020/12 | 433MHz Hi<br>Line    | TL            | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2015/01-2015/12 | 433MHz               | TL/TLE        | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson        | 2014/09-2015/12 | 315MHz               | LM            | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Tucson        | 2014/06-2015/12 | 315MHz               | ix            | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Tucson        | 2010/01-2013/07 | 315MHz               | LM            | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| Hyundai | Tucson        | 2007/01-2010/12 | 315MHz<br>529333E000 |               | ● | ● | ○ | 0/A | 315MHz | TRW         | ● | ● |
| Hyundai | Tucson hybrid | 2024/07-2026/06 | 433MHz<br>52940BV100 | NX4 HEV       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson hybrid | 2024/07-2026/06 | 433MHz<br>52940L1100 | NX4 HEV       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Tucson hybrid | 2024/07-2026/06 | 433MHz<br>52940E2100 | NX4 HEV       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson hybrid | 2021/01-2024/06 | 433MHz<br>52940Q3100 |               | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Tucson hybrid | 2021/01-2024/06 | 433MHz<br>52940L1100 |               | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai | Tucson hybrid | 2020/06-2024/09 | 433MHz<br>52940BV100 |               | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Hyundai | Veloster      | 2019/01-2021/12 | 433MHz               |               | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Hyundai | Veloster      | 2019/01-2020/12 | 433MHz<br>529332V100 | FS            | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Veloster      | 2011/03-2019/06 | 433MHz               | FS            | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Hyundai | Veloster      | 2011/01-2019/12 | 315MHz               | FS            | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Hyundai | Venue         | 2023/01-2026/06 | 433MHz<br>52933D4100 | QX            | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|          |           |                 |                      |        |   |   |   |     |        |             |   |   |
|----------|-----------|-----------------|----------------------|--------|---|---|---|-----|--------|-------------|---|---|
| Hyundai  | Venue     | 2023/01-2026/06 | 433MHz<br>52940T6100 | QX     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai  | Venue     | 2022/01-2025/12 | 433MHz<br>52933D4100 | QXI    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai  | Venue     | 2022/01-2025/12 | 433MHz<br>52940T6100 | QXI    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Hyundai  | Venue     | 2019/01-2022/12 | 433MHz<br>52933D4100 | QX/QXI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| INEOS    | Grenadier | 2022/01-2026/06 | 433MHz               |        | ○ | ● | ○ | A   | 433MHz | Continental | ● | ● |
| Infiniti | EX Series | 2010/03-2015/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | EX Series | 2007/11-2011/03 | 315MHz<br>40700JKOOC |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | FX Series | 2010/12-2018/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | FX Series | 2010/12-2018/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | FX Series | 2008/05-2011/04 | 315MHz<br>40700JKOOC |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | FX Series | 2007/07-2010/08 | 315MHz<br>40700JK01B |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | G Series  | 2011/07-2014/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Infiniti | G Series  | 2010/03-2015/12 | 315MHz<br>407001LAOE |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | G Series  | 2006/08-2010/11 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | M Series  | 2010/08-2015/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | M Series  | 2010/05-2013/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | M Series  | 2008/01-2013/12 | 315MHz<br>407001AAOC |        | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Infiniti | Q30       | 2016/04-2020/12 | 433MHz               |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Infiniti | Q50       | 2014/01-2022/07 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Infiniti | Q50       | 2013/11-2021/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Infiniti | Q60       | 2017/01-2020/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Infiniti | Q60       | 2016/10-2020/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Infiniti | Q60       | 2013/09-2016/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | Q60       | 2013/07-2016/09 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | Q60       | 2013/07-2016/09 | 433MHz<br>407001AYOA |        | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Infiniti | Q70       | 2018/10-2021/12 | 433MHz<br>407003JAOA |        | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Infiniti | Q70       | 2014/11-2021/12 | 433MHz<br>407006WYOB |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | Q70       | 2013/07-2020/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | Q70       | 2013/07-2020/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX30      | 2016/04-2021/12 | 433MHz               |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Infiniti | QX50      | 2018/01-2019/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX70      | 2014/05-2019/12 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX70      | 2013/10-2014/04 | 433MHz<br>407001LLOD |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX70      | 2013/09-2019/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | QX80      | 2022/05-2023/12 | 315MHz<br>407006GPOA |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | QX80      | 2017/10-2023/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Infiniti | QX80      | 2014/09-2020/12 | 433MHz<br>407006WYOC |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX80      | 2013/10-2016/09 | 433MHz               |        | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Infiniti | QX80      | 2013/09-2017/09 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |

|        |        |                 |                       |      |   |   |   |     |        |                         |          |   |
|--------|--------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------------------|----------|---|
| Isuzu  | D-Max  | 2025/01-2026/06 | 433MHz                |      | ○ | ● | ○ | C   | 433MHz | Schrader                | ●        | ● |
| Isuzu  | D-Max  | 2020/01-2024/12 | 433MHz<br>8974993680  |      | ● | ● | ○ | 0/A | 433MHz | Schrader                | ●        | ● |
| Isuzu  | D-Max  | 2016/06-2021/12 | 433MHz                |      | ● | ● | ○ | 0   | 433MHz | Unknown<br>Manufacturer | ●        | ● |
| Isuzu  | D-Max  | 2007/01-2020/12 | Indirect              |      | ○ | ○ | ○ | S   | N/A    | N/A                     | Indirect | ● |
| Isuzu  | MU-X   | 2025/01-2025/12 | 433MHz                |      | ○ | ● | ○ | C   | 433MHz | Schrader                | ●        | ● |
| Isuzu  | MU-X   | 2021/01-2024/12 | 433MHz<br>8974993680  |      | ● | ● | ○ | 0   | 433MHz | Schrader                | ●        | ● |
| Isuzu  | MU-X   | 2017/01-2024/12 | 433MHz                |      | ● | ● | ○ | 0   | 433MHz | Baolong                 | ●        | ● |
| Jaguar | E-Pace | 2022/01-2026/06 | 433MHz<br>M8E21A159AA | X540 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | E-Pace | 2019/01-2022/12 | 433MHz                | X540 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | E-Pace | 2017/01-2018/12 | 433MHz                | X540 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Pace | 2022/01-2026/06 | 433MHz<br>M8E21A159AA | X761 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Pace | 2019/01-2022/12 | 433MHz                | X761 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Pace | 2015/01-2018/12 | 433MHz                | X761 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2021/01-2023/12 | 433MHz<br>M8E21A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2019/01-2026/06 | 433MHz<br>GX631A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2019/01-2021/06 | 433MHz<br>FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2016/05-2018/12 | 433MHz<br>FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2016/05-2018/12 | 433MHz<br>GX631A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2012/11-2016/04 | 315MHz<br>AH521A159CA | X152 | ● | ● | ○ | 0/A | 315MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2012/11-2016/04 | 433MHz<br>FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | F-Type | 2012/11-2016/04 | 433MHz<br>AH521A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | I-Pace | 2021/01-2026/06 | 433MHz<br>M8E21A159AA | X590 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | I-Pace | 2019/01-2023/12 | 433MHz<br>GX631A159AA | X590 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | I-Pace | 2017/01-2018/12 | 433MHz                | X590 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | S-Type | 1998/10-2011/08 | 315MHz                | X200 | ● | ● | ○ | 0/A | 315MHz | Continental             | ●        | ● |
| Jaguar | S-Type | 1998/10-2011/08 | 433MHz                | X200 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | X-Type | 2001/01-2009/12 | 315MHz                | X400 | ● | ● | ○ | 0/A | 315MHz | Continental             | ●        | ● |
| Jaguar | X-Type | 2001/01-2009/12 | 433MHz                | X400 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XE     | 2022/01-2026/06 | 433MHz<br>M8E21A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XE     | 2018/01-2022/12 | 433MHz<br>GX631A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XE     | 2016/01-2017/12 | 433MHz<br>GX631A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XE     | 2015/04-2016/12 | 433MHz<br>FW931A159AB | X760 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XF     | 2019/01-2026/06 | 433MHz<br>GX631A159AA | X260 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XF     | 2015/09-2018/12 | 433MHz                | X260 | ● | ● | ○ | 0/A | 433MHz | Continental             | ●        | ● |
| Jaguar | XF     | 2009/04-2015/08 | 315MHz                | X250 | ● | ● | ○ | 0/A | 315MHz | Continental             | ●        | ● |

|        |                   |                 |                       |      |   |   |   |     |        |             |          |   |
|--------|-------------------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|----------|---|
| Jaguar | XF                | 2007/01-2015/08 | 433MHz                | X250 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XJ                | 2016/01-2020/04 | 433MHz<br>GX631A159AA | X351 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XJ                | 2015/01-2015/12 | 433MHz<br>FW931A159AB | X351 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XJ                | 2010/01-2015/12 | 433MHz<br>AH521A159AA | X351 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XJ                | 2002/12-2009/12 | 433MHz                | X350 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XJ                | 2002/12-2009/12 | 315MHz                | X350 | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Jaguar | XK                | 2010/01-2015/12 | 315MHz                | X150 | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Jaguar | XK                | 2010/01-2015/12 | 433MHz                | X150 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XK                | 2006/01-2009/12 | 433MHz                | X150 | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jaguar | XK                | 2006/01-2009/12 | 315MHz                | X150 | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Jeep   | Avenger           | 2023/01-2026/12 | Indirect              |      | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Jeep   | Cherokee          | 2019/01-2023/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2019/01-2022/12 | 315MHz                |      | ● | ● | ○ | 0/A | 315MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2018/01-2018/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2018/01-2018/12 | 315MHz                |      | ● | ● | ○ | 0/A | 315MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2016/01-2017/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2013/01-2017/12 | 315MHz                |      | ● | ● | ● | 0/A | 315MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2013/01-2015/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | TRW         | ●        | ● |
| Jeep   | Cherokee          | 2008/01-2013/12 | 433MHz Clamp<br>in    |      | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Cherokee          | 2005/01-2007/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Commander         | 2008/01-2011/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Commander         | 2006/01-2007/12 | 315MHz                |      | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Jeep   | Commander         | 2006/01-2007/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2019/01-2026/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2019/01-2022/12 | 433MHz<br>53305555    |      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2017/01-2018/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2017/01-2018/12 | 433MHz<br>68105280AF  |      | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2013/01-2017/12 | 315MHz                |      | ● | ● | ● | 0/A | 315MHz | Schrader    | ●        | ● |
| Jeep   | Compass           | 2010/01-2015/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Compass           | 2007/01-2012/12 | 315MHz                |      | ● | ● | ● | 0/A | 315MHz | Continental | ●        | ● |
| Jeep   | Compass           | 2006/05-2010/12 | 433MHz VDO            |      | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Gladiator         | 2023/01-2026/12 | 315MHz                |      | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Jeep   | Gladiator         | 2021/01-2026/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Gladiator         | 2019/03-2021/12 | 433MHz<br>MRXAG4WA5   |      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2023/11-2026/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2023/01-2026/12 | 315MHz                |      | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2021/01-2026/12 | 433MHz Conti          |      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2018/01-2022/12 | 433MHz                |      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2016/01-2017/12 | 433MHz Conti          |      | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Jeep   | Grand<br>Cherokee | 2016/01-2017/12 | 433MHz                |      | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |

|      |                |                 |                   |  |   |   |   |     |        |             |   |   |
|------|----------------|-----------------|-------------------|--|---|---|---|-----|--------|-------------|---|---|
| Jeep | Grand Cherokee | 2010/05-2015/12 | 433MHz Snap in    |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Grand Cherokee | 2006/06-2010/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Grand Cherokee | 2006/01-2007/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Grand Cherokee | 2005/01-2007/12 | 433MHz Conti      |  | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Grand Cherokee | 2004/05-2005/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Grand Cherokee | 2001/01-2005/12 | 433MHz            |  | ● | ● | ○ | S   | 433MHz | Schrader    | ● | ● |
| Jeep | Grand Wagoneer | 2021/01-2023/12 | 433MHz 68339096AB |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Liberty        | 2010/01-2012/12 | 315MHz Snap in    |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Liberty        | 2007/01-2011/12 | 315MHz Clamp in   |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Liberty        | 2006/01-2012/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Liberty        | 2005/01-2008/12 | 315MHz            |  | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Liberty        | 2002/01-2004/12 | 433MHz            |  | ● | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Jeep | Patriot        | 2013/01-2017/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Patriot        | 2011/01-2017/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Patriot        | 2006/01-2012/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Patriot        | 2006/01-2010/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Renegade       | 2018/01-2026/12 | 433MHz            |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Renegade       | 2018/01-2025/12 | 315MHz            |  | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Renegade       | 2016/01-2017/12 | 433MHz 68252493AB |  | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Renegade       | 2014/07-2017/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Renegade       | 2014/07-2017/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Wagoneer       | 2021/01-2023/12 | 433MHz 68339096AB |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Wrangler       | 2022/01-2026/12 | 315MHz            |  | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Jeep | Wrangler       | 2021/07-2026/12 | 433MHz Conti      |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Jeep | Wrangler       | 2021/01-2022/12 | 433MHz            |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2019/01-2020/12 | 433MHz 68510379AA |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2018/01-2019/12 | 433MHz            |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2015/01-2017/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2013/01-2014/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2011/01-2012/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2010/01-2012/12 | 315MHz            |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2010/01-2012/12 | 433MHz Snap in    |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2007/01-2010/12 | 315MHz Clamp in   |  | ● | ● | ● | 0/A | 315MHz | Schrader    | ● | ● |
| Jeep | Wrangler       | 2006/06-2010/12 | 433MHz            |  | ● | ● | ● | 0/A | 433MHz | Schrader    | ● | ● |
| KGM  | Actyon         | 2023/01-2026/06 | 433MHz 4199036100 |  | ○ | ● | ○ | C   | 433MHz | BHSENS      | ● | ● |
| KGM  | Actyon         | 2023/01-2025/12 | 433MHz 4199035000 |  | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| KGM  | Korando        | 2023/01-2026/06 | 433MHz 4199037000 |  | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |

|     |               |                 |                      |       |   |   |   |     |        |             |   |   |
|-----|---------------|-----------------|----------------------|-------|---|---|---|-----|--------|-------------|---|---|
| KGM | Korando       | 2023/01-2023/12 | 433MHz<br>4199034000 |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KGM | Korando       | 2023/01-2023/12 | 433MHz C300          |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Korando E     | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| KGM | Korando E     | 2023/01-2026/06 | 433MHz<br>4199037000 |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Musso         | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| KGM | Musso         | 2023/01-2023/12 | 433MHz<br>4199035000 |       | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| KGM | Musso EV      | 2025/07-2026/06 | 433MHz<br>4199036100 |       | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| KGM | Musso Grand   | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ○ | ● | ○ | C   | 433MHz | BHSENS      | ● | ● |
| KGM | Musso Grand   | 2023/01-2026/06 | 433MHz<br>4199035000 |       | ○ | ● | ○ | C   | 433MHz | Huf/Beru    | ● | ● |
| KGM | Rexton        | 2023/01-2026/06 | 433MHz<br>4199035000 | Y450  | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Rexton        | 2023/01-2026/06 | 433MHz<br>4199037000 | Y450  | ● | ● | ○ | 0   | 433MHz | Huf/Beru    | ● | ● |
| KGM | Rexton Sports | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| KGM | Stavic        | 2023/01-2023/12 | 433MHz<br>4199034000 |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KGM | Stavic        | 2023/01-2023/12 | 315MHz               |       | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| KGM | Tivoli        | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| KGM | Tivoli        | 2023/01-2023/12 | 433MHz<br>4199037000 |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Torres        | 2023/01-2026/06 | 433MHz<br>4199037000 |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Torres        | 2023/01-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ● | ● |
| KGM | Torres EVX    | 2024/02-2026/06 | 433MHz<br>4199037000 |       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KGM | Torres EVX    | 2024/02-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ● | ● |
| KGM | Torres Hybrid | 2025/10-2026/06 | 433MHz<br>4199036100 |       | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ● | ● |
| KGM | Turismo       | 2023/01-2025/12 | 433MHz AJ            |       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KGM | XLV           | 2023/01-2025/12 | 433MHz               | XK    | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| KIA | Bongo         | 2020/01-2023/12 | 433MHz               |       | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Bongo         | 2014/01-2016/12 | 433MHz               |       | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Carens        | 2019/01-2019/12 | 433MHz               | RP    | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Carens        | 2012/01-2020/12 | 433MHz               | RP/UN | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | Carnival      | 2024/01-2026/06 | 433MHz               | KA4   | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | Carnival      | 2020/01-2023/12 | 433MHz               | KA4   | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | Carnival      | 2020/01-2023/12 | 433MHz<br>52933C1100 | KA4   | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | Carnival      | 2019/01-2020/12 | 433MHz               |       | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | Carnival      | 2016/01-2018/12 | 433MHz               | YP/VQ | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Carnival      | 2005/01-2014/12 | 315MHz               | YP    | ● | ● | ○ | 0   | 315MHz | Lear        | ● | ● |
| KIA | Ceed          | 2020/01-2020/12 | 433MHz               | CD    | ● | ● | ○ | 0/A | 433MHz | Pacific     | ● | ● |
| KIA | Ceed          | 2018/05-2019/12 | 433MHz               | CD    | ● | ● | ○ | 0/A | 433MHz | Pacific     | ● | ● |

|     |        |                 |                      |     |   |   |   |     |        |             |   |   |
|-----|--------|-----------------|----------------------|-----|---|---|---|-----|--------|-------------|---|---|
| KIA | Ceed   | 2017/04-2018/07 | 433MHz<br>52933B2100 | JD  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | Ceed   | 2012/03-2018/06 | 433MHz               | JD  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Ceed   | 2006/01-2012/09 | 433MHz               | ED  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Cerato | 2022/01-2025/06 | 433MHz               | BD  | ● | ● | ○ | 0/A | 433MHz | Pacific     | ● | ● |
| KIA | Cerato | 2019/01-2021/12 | 433MHz               | BD  | ● | ● | ○ | 0/A | 433MHz | Pacific     | ● | ● |
| KIA | Cerato | 2019/01-2019/12 | 315MHz               | YD  | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| KIA | Cerato | 2017/01-2018/12 | 315MHz               | YD  | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| KIA | Cerato | 2016/01-2018/12 | 433MHz<br>52933A7100 | YD  | ● | ● | ○ | 0   | 433MHz | TRW         | ● | ● |
| KIA | Cerato | 2015/01-2016/12 | 433MHz               | BD  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | Cerato | 2012/01-2014/12 | 315MHz               | YD  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| KIA | E-Niro | 2024/03-2026/06 | 433MHz<br>52940E2100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2023/01-2026/06 | 433MHz               | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2023/01-2026/06 | 433MHz<br>52940BV100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2023/01-2026/06 | 433MHz<br>52940T6100 | SG2 | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | E-Niro | 2023/01-2026/06 | 433MHz<br>52940CG100 | SG2 | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2022/05-2022/12 | 433MHz<br>52940BV100 | DE  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2022/04-2022/12 | 433MHz<br>52940CG100 | DE  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | E-Niro | 2021/06-2022/12 | 433MHz<br>52940T6100 | DE  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| KIA | EV3    | 2024/08-2026/06 | 433MHz               | SV  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV3    | 2024/08-2026/06 | 433MHz<br>52940L1100 | SV  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | EV3    | 2024/08-2026/06 | 433MHz<br>52940Q3100 | SV  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV5    | 2023/11-2026/06 | 433MHz<br>52940BE000 |     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | EV5    | 2023/11-2026/06 | 433MHz<br>52940E2100 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2025/01-2026/06 | 433MHz<br>52940L8200 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2025/01-2026/06 | 433MHz<br>52940L1100 |     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | EV6    | 2025/01-2026/06 | 433MHz<br>52940Q3100 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2025/01-2026/06 | 433MHz<br>52940E2100 |     | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2025/01-2026/06 | 433MHz<br>52940BE000 |     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA | EV6    | 2023/12-2024/12 | 433MHz<br>52940E2100 |     | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2021/03-2024/12 | 433MHz<br>52940CG100 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2021/03-2024/12 | 433MHz<br>52940BV100 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV6    | 2021/03-2024/12 | 433MHz<br>52940L8200 |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA | EV9    | 2024/05-2026/06 | 433MHz<br>52940BE000 |     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|     |           |                 |                      |        |   |   |   |     |        |             |          |   |
|-----|-----------|-----------------|----------------------|--------|---|---|---|-----|--------|-------------|----------|---|
| KIA | EV9       | 2024/05-2026/06 | 433MHz<br>52940E2100 |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | EV9       | 2023/07-2026/06 | 433MHz               |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | EV9       | 2023/07-2026/06 | 433MHz<br>52940CG100 |        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | K3        | 2022/01-2025/12 | 433MHz               | BD     | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | K3        | 2021/07-2021/12 | 433MHz               | BD     | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | K3        | 2012/01-2018/12 | 433MHz TRW           | YDC/YD | ● | ● | ○ | 0   | 433MHz | TRW         | ●        | ● |
| KIA | K4        | 2024/10-2026/06 | 433MHz<br>52940BE000 | CL4M   | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | K4        | 2024/10-2026/06 | 433MHz<br>52933D4100 | CL4M   | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | K4        | 2024/10-2026/06 | 433MHz<br>52940E2100 | CL4M   | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Magentis  | 2005/12-2012/12 | 315MHz               |        | ● | ● | ○ | 0   | 315MHz | Lear        | ●        | ● |
| KIA | Niro      | 2023/01-2026/06 | 433MHz<br>52940CG100 | SG2    | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Niro      | 2023/01-2026/06 | 433MHz<br>52940T6100 | SG2    | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Niro      | 2023/01-2026/06 | 433MHz<br>52940E2100 | SG2    | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Niro      | 2023/01-2026/06 | 433MHz<br>52940BV100 | SG2    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | Niro      | 2022/01-2022/12 | 433MHz<br>52940BV100 | DE     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Niro      | 2021/06-2022/12 | 433MHz<br>52940T6100 | DE     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Niro      | 2019/01-2021/12 | 433MHz<br>52940T6000 | DE     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Niro      | 2017/01-2022/12 | 433MHz               | DE     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Niro Plus | 2024/03-2026/06 | 433MHz<br>52940E2100 | DE     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Niro Plus | 2022/07-2026/06 | 433MHz<br>52940T6100 | DE     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Niro Plus | 2022/07-2026/06 | 433MHz<br>52933D4100 | DE     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Niro Plus | 2022/07-2026/06 | 433MHz<br>52940BV100 | DE     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Niro Plus | 2022/07-2026/06 | 433MHz<br>52940CG100 | DE     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Optima    | 2015/09-2022/12 | 433MHz               | JF/JFA | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Optima    | 2014/03-2019/12 | 433MHz               | JF     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Optima    | 2013/09-2015/12 | 315MHz               | TF/QF  | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| KIA | Optima    | 2010/07-2013/09 | 315MHz               | TF/QF  | ● | ● | ○ | 0/A | 315MHz | Continental | ●        | ● |
| KIA | Picanto   | 2017/01-2022/12 | Indirect             |        | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| KIA | Picanto   | 2016/01-2026/06 | 433MHz<br>52933D9100 | TA     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Picanto   | 2011/01-2017/12 | 433MHz<br>529333N100 | TA     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Pro Ceed  | 2025/01-2025/12 | 433MHz<br>52940J7000 | CD     | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | Pro Ceed  | 2025/01-2025/12 | 433MHz<br>52940BE000 | CD     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Pro Ceed  | 2025/01-2025/12 | 433MHz<br>52940E2100 | CD     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |

|     |             |                 |                      |         |   |   |   |     |        |             |          |   |
|-----|-------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|----------|---|
| KIA | Pro Ceed    | 2024/01-2024/12 | 433MHz<br>52940BE000 | CD      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Pro Ceed    | 2024/01-2024/12 | 433MHz<br>52940E2100 | CD      | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Pro Ceed    | 2023/01-2024/12 | 433MHz               | CD      | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | Pro Ceed    | 2022/01-2022/12 | 433MHz               | CD      | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | Pro Ceed    | 2018/05-2021/12 | 433MHz               | CD      | ● | ● | ○ | 0/A | 433MHz | Pacific     | ●        | ● |
| KIA | Pro Ceed    | 2012/03-2018/06 | 433MHz               | JD      | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Quoris      | 2012/06-2019/12 | 433MHz               |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Quoris      | 2012/06-2019/12 | 433MHz<br>52933C1100 |         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Rio         | 2017/01-2025/12 | 433MHz<br>529332J100 | SC      | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Rio         | 2017/01-2024/12 | 433MHz               | SC      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Rio         | 2017/01-2021/12 | 433MHz               | QB      | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Rio         | 2017/01-2021/12 | 433MHz<br>529332J100 | QB      | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Rio         | 2016/12-2020/06 | Indirect             |         | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| KIA | Rio         | 2014/03-2019/12 | 433MHz               | UB      | ● | ● | ○ | 0/A | 433MHz | TRW         | ●        | ● |
| KIA | Rio         | 2011/06-2017/12 | 315MHz               | UB      | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |
| KIA | Rondo       | 2014/03-2019/12 | 433MHz               |         | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Seltos      | 2023/08-2026/06 | 433MHz               | SP2     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Seltos      | 2019/01-2023/07 | 433MHz               | SP2     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2023/10-2026/06 | 433MHz<br>52940L1100 | MQ4     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2020/01-2023/09 | 433MHz<br>52940L1100 | MQ4     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2017/08-2018/12 | 433MHz               |         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2015/01-2017/07 | 433MHz               |         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2014/06-2015/12 | 315MHz               | XM/UM   | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| KIA | Sorento     | 2014/03-2019/12 | 433MHz               | UM      | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento     | 2009/01-2014/05 | 315MHz               | XM      | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| KIA | Sorento HEV | 2023/12-2026/06 | 433MHz<br>52940L1100 | MQ4 HEV | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Sorento HEV | 2020/01-2023/11 | 433MHz<br>52940L1100 | MQ4 HEV | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Soul        | 2019/01-2019/12 | 433MHz               | PS      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | Soul        | 2013/08-2018/12 | 433MHz               | PS      | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Soul        | 2009/01-2013/10 | 315MHz               | AM      | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| KIA | Soul EV     | 2019/01-2019/12 | 433MHz               | PS EV   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | Soul EV     | 2018/12-2025/06 | 433MHz<br>52933D4100 | SK3 EV  | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| KIA | Soul EV     | 2013/01-2018/12 | 433MHz               | PS EV   | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| KIA | Sportage    | 2024/10-2026/06 | 433MHz<br>52940E2100 | NQ5     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | Sportage    | 2021/09-2024/09 | 433MHz<br>52940L1100 | NQ5     | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Sportage    | 2021/01-2024/09 | 433MHz<br>52940BV100 | NQ5     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| KIA | Sportage    | 2015/11-2021/06 | 433MHz               | QL/QLE  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| KIA | Sportage    | 2014/06-2015/12 | 315MHz               | SL      | ● | ● | ○ | 0/A | 315MHz | TRW         | ●        | ● |
| KIA | Sportage    | 2010/01-2014/05 | 315MHz               | SL      | ● | ● | ○ | 0/A | 315MHz | TRW         | ●        | ● |
| KIA | Sportage    | 2009/01-2010/12 | 315MHz Lo<br>Line    | KM/SL   | ● | ● | ○ | 0   | 315MHz | TRW         | ●        | ● |

|             |                 |                 |                       |         |   |   |   |     |        |             |   |   |
|-------------|-----------------|-----------------|-----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| KIA         | Sportage        | 2008/01-2008/12 | 315MHz Lo Line        | KM      | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| KIA         | Sportage        | 2005/01-2007/12 | 315MHz Lo Line        | KM      | ● | ● | ○ | 0   | 315MHz | TRW         | ● | ● |
| KIA         | Sportage HEV    | 2024/11-2026/06 | 433MHz<br>52940E2100  | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA         | Sportage HEV    | 2024/11-2026/06 | 433MHz<br>52940L1100  | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| KIA         | Sportage HEV    | 2022/01-2024/10 | 433MHz<br>52940BV100  | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA         | Stinger         | 2018/01-2025/06 | 433MHz                | CK      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| KIA         | Stinger         | 2017/06-2017/12 | 433MHz                | CK      | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| KIA         | Tasman          | 2025/05-2026/06 | 433MHz<br>52940BE000  |         | ○ | ● | ○ | C   | 433MHz | Continental | ● | ● |
| Lamborghini | Aventador       | 2011/01-2023/12 | 433MHz                | LB834   | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Gallardo        | 2007/01-2014/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Huracan         | 2014/01-2024/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Murcielago      | 2002/01-2015/12 | 433MHz                | LB824   | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | One Off         | 2016/01-2020/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Reventon        | 2007/01-2010/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Sian            | 2020/01-2023/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Lamborghini | Urus            | 2018/01-2024/12 | 433MHz                |         | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Land Rover  | Defender        | 2026/01-2026/06 | 433MHz<br>M8E21A159AA | L663    | ● | ● | ○ | A   | 433MHz | Continental | ● | ● |
| Land Rover  | Defender        | 2020/01-2025/12 | 433MHz<br>M8E21A159AA | L663    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Defender        | 2020/01-2023/12 | 433MHz<br>GX631A159AA | L663    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Defender        | 2020/01-2023/12 | 433MHz<br>FW931A159AB | L663    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Defender        | 1997/01-2019/12 | 433MHz<br>BH521A159AA | L316    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2026/01-2026/06 | 433MHz<br>M8E21A159AA | L462    | ● | ● | ○ | A   | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2021/01-2025/12 | 433MHz<br>M8E21A159AA | L462    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2017/01-2022/12 | 433MHz<br>GX631A159AA | L462    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 433MHz<br>FW931A159AB | L319    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 433MHz<br>AH521A159AA | L319    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 315MHz<br>BH521A159CA | L319    | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 433MHz<br>BH521A159AA | L319    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 433MHz<br>GX631A159AA | L319    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2009/12-2016/12 | 315MHz<br>AH521A159CA | L319    | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2004/06-2009/11 | 433MHz                | L319    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2004/06-2009/11 | 315MHz                | L319    | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover  | Discovery       | 2002/01-2004/05 | 433MHz                | L318    | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Land Rover  | Discovery Sport | 2021/01-2026/06 | 433MHz<br>M8E21A159AA | L550    | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|            |                    |                 |                       |      |   |   |   |     |        |             |   |   |
|------------|--------------------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| Land Rover | Discovery Sport    | 2019/01-2022/12 | 433MHz<br>GX631A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Discovery Sport    | 2019/01-2022/12 | 433MHz<br>BH521A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Discovery Sport    | 2014/06-2018/12 | 433MHz<br>GX631A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Discovery Sport    | 2014/01-2018/12 | 433MHz<br>BH521A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 433MHz<br>FW931A159AB | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 315MHz<br>4H231A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 315MHz<br>AH521A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 433MHz<br>BH521A159AA | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 433MHz<br>GX631A159AA | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | FreeLander         | 2006/01-2014/12 | 315MHz<br>BH521A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2022/01-2026/06 | 433MHz<br>M8E21A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2022/01-2023/12 | 433MHz<br>GX631A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2020/02-2021/12 | 433MHz<br>M8E21A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2017/01-2021/12 | 433MHz<br>GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2016/01-2016/12 | 433MHz<br>GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2016/01-2016/12 | 433MHz<br>FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2013/01-2015/12 | 433MHz<br>FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2013/01-2015/12 | 315MHz<br>AH521A159CA | L405 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2013/01-2015/12 | 433MHz<br>GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2013/01-2015/12 | 433MHz<br>AH521A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2010/01-2012/12 | 315MHz<br>BH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2010/01-2012/12 | 433MHz<br>BH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2010/01-2012/12 | 433MHz<br>GX631A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2010/01-2012/12 | 433MHz<br>AH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2010/01-2012/12 | 315MHz<br>AH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2005/01-2009/12 | 315MHz                | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2005/01-2009/12 | 433MHz                | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover        | 2002/01-2004/12 | 433MHz                | L322 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Land Rover | Range Rover Evoque | 2021/07-2026/06 | 433MHz<br>M8E21A159AA | L551 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2019/01-2023/12 | 433MHz<br>GX631A159AA | L551 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|            |                    |                 |                       |      |   |   |   |     |        |             |   |   |
|------------|--------------------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| Land Rover | Range Rover Evoque | 2015/07-2018/12 | 433MHz<br>GX631A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2015/07-2018/12 | 433MHz<br>BH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2015/07-2018/12 | 315MHz<br>BH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2015/07-2017/12 | 433MHz<br>FW931A159AB | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2011/07-2016/12 | 433MHz<br>AH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2011/07-2015/06 | 433MHz<br>BH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2011/07-2015/06 | 315MHz<br>AH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2011/07-2015/06 | 315MHz<br>BH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 2011/07-2015/06 | 433MHz<br>FW931A159AB | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2022/10-2026/06 | 433MHz                | L461 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2021/01-2022/09 | 433MHz<br>M8E21A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2017/01-2022/09 | 433MHz<br>GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2017/01-2022/09 | 433MHz<br>FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2016/01-2016/12 | 433MHz<br>FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2016/01-2016/12 | 433MHz<br>GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2013/07-2015/12 | 433MHz<br>AH521A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2013/07-2015/12 | 433MHz<br>FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2013/07-2015/12 | 315MHz<br>AH521A159CA | L494 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2013/07-2015/12 | 433MHz<br>GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 433MHz<br>BH521A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 433MHz<br>AH521A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 315MHz<br>BH521A159CA | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 433MHz<br>GX631A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 315MHz<br>AH521A159CA | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2010/01-2013/06 | 433MHz<br>FW931A159AB | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2005/01-2009/12 | 315MHz                | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Sport  | 2005/01-2009/12 | 433MHz                | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Velar  | 2021/01-2026/06 | 433MHz<br>M8E21A159AA | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|            |                   |                 |                             |      |   |   |   |     |        |             |   |   |
|------------|-------------------|-----------------|-----------------------------|------|---|---|---|-----|--------|-------------|---|---|
| Land Rover | Range Rover Velar | 2019/01-2023/12 | 433MHz<br>GX631A159AA       | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Velar | 2017/01-2018/12 | 433MHz                      | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2022/01-2026/06 | 433MHz<br>M8E21A159AA       | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2022/01-2023/12 | 433MHz<br>GX631A159AA       | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2020/02-2021/12 | 433MHz<br>M8E21A159AA       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2017/01-2021/12 | 433MHz<br>GX631A159AA       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2016/01-2016/12 | 433MHz<br>GX631A159AA       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2016/01-2016/12 | 433MHz<br>FW931A159AB       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2013/01-2015/12 | 433MHz<br>FW931A159AB       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2013/01-2015/12 | 433MHz<br>GX631A159AA       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2013/01-2015/12 | 433MHz<br>AH521A159AA       | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2013/01-2015/12 | 315MHz<br>AH521A159CA       | L405 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2010/01-2012/12 | 433MHz<br>AH521A159AA       | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2010/01-2012/12 | 315MHz<br>BH521A159CA       | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2010/01-2012/12 | 433MHz<br>BH521A159AA       | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2010/01-2012/12 | 315MHz<br>AH521A159CA       | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2010/01-2012/12 | 433MHz<br>GX631A159AA       | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2005/01-2009/12 | 315MHz                      | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2005/01-2009/12 | 433MHz                      | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Land Rover | Range Rover Vogue | 2002/01-2004/12 | 433MHz                      | L322 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| LDV        | D90               | 2019/06-2026/06 | 433MHz                      |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | D90               | 2019/06-2026/06 | 433MHz<br>C00098945         |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | D90               | 2017/08-2019/05 | 433MHz                      |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | D90               | 2016/06-2020/12 | 433MHz<br>GC91B50           |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | D90 PRO           | 2020/04-2022/12 | 433MHz<br>C00030048         |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | D90 PRO           | 2016/06-2020/12 | 433MHz<br>C00047579         |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | Deliver 7         | 2023/01-2026/06 | 433MHz                      |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | Deliver 9         | 2025/01-2026/06 | 433MHz<br>C00495303 4-wheel |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| LDV        | Deliver 9         | 2025/01-2026/06 | 433MHz<br>C00495303 6-wheel |      | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |

|     |            |                 |                                 |  |   |   |   |     |        |      |   |   |
|-----|------------|-----------------|---------------------------------|--|---|---|---|-----|--------|------|---|---|
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00030048 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00047579 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00098945 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00030048 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00047579 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2024/04-2026/06 | 433MHz<br>C00098945 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2020/01-2024/12 | 433MHz<br>C00047579             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2019/01-2024/12 | 433MHz<br>C00030048             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | Deliver 9  | 2019/01-2024/12 | 433MHz<br>C00098945             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00030048 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00030048 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00047579 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00047579 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2020/01-2024/12 | 433MHz<br>C00030048             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 3 | 2020/01-2024/12 | 433MHz<br>C00047579             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00047579             |  | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| LDV | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00590676             |  | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| LDV | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00047579 6-<br>wheel |  | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| LDV | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00590676 6-<br>wheel |  | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| LDV | eDeliver 9 | 2025/01-2026/06 | 433MHz<br>C00495303             |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| LDV | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00030048 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |

|     |            |                 |                             |     |   |   |   |   |        |      |   |   |
|-----|------------|-----------------|-----------------------------|-----|---|---|---|---|--------|------|---|---|
| LDV | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00098945 6-wheel |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00495303 6-wheel |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | eDeliver 9 | 2020/08-2026/06 | 433MHz<br>C00098945         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | eDeliver 9 | 2020/01-2026/06 | 433MHz<br>C00030048         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | eT60       | 2021/03-2026/06 | 433MHz                      |     | ○ | ● | ○ | C | 433MHz | Dias | ● | ● |
| LDV | eTerraon9  | 2024/06-2026/06 | 433MHz<br>C00266242         |     | ○ | ● | ○ | C | 433MHz | Dias | ● | ● |
| LDV | G10        | 2018/08-2026/06 | 433MHz<br>C0030048          |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G10        | 2014/01-2026/06 | 433MHz<br>GC91B50           | LTR | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G10        | 2014/01-2026/06 | 433MHz<br>C00047579         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G10        | 2014/01-2026/06 | 433MHz<br>GC91B50           | PCR | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20        | 2019/04-2025/06 | 433MHz<br>C00047579         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20        | 2019/04-2025/06 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20        | 2019/04-2025/06 | 433MHz<br>C00098945         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20        | 2019/04-2025/06 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20 PLUS   | 2022/08-2025/06 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20 PLUS   | 2022/08-2025/06 | 433MHz<br>C00098945         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | G20 PLUS   | 2022/08-2025/06 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA5      | 2022/06-2025/06 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA5      | 2022/06-2025/06 | 433MHz<br>C00098945         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA5      | 2022/06-2025/06 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA7      | 2023/11-2025/12 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA7      | 2023/11-2025/12 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA9      | 2023/01-2026/06 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA9      | 2023/01-2026/06 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | MIFA9      | 2022/06-2022/12 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T60        | 2017/01-2026/06 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T60        | 2017/01-2026/06 | 433MHz<br>C00047579         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T60        | 2017/01-2026/06 | 433MHz<br>C00098945         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T60        | 2017/01-2026/06 | 433MHz<br>C00590676         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T70        | 2017/01-2025/12 | 433MHz                      |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| LDV | T70        | 2017/01-2025/12 | 433MHz<br>C00047579         |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |

|     |     |                 |                                 |     |   |   |   |   |        |          |   |   |
|-----|-----|-----------------|---------------------------------|-----|---|---|---|---|--------|----------|---|---|
| LDV | T70 | 2017/01-2025/12 | 433MHz<br>C00098945             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T70 | 2017/01-2025/12 | 433MHz<br>C00590676             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2025/01-2026/06 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2025/01-2026/06 | 433MHz<br>C00030048             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2025/01-2026/06 | 433MHz<br>C00098945             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2025/01-2026/06 | 433MHz<br>C00590676             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2021/03-2024/12 | 433MHz                          |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | T90 | 2021/01-2024/12 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2024/01-2026/06 | 433MHz<br>C00030048             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2022/01-2026/06 | 433MHz<br>C00406825             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2015/01-2026/06 | 433MHz<br>C00104713             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2015/01-2026/06 | 433MHz<br>GC91B50               | LTR | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2015/01-2026/06 | 433MHz<br>GC91B50               | PCR | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V80 | 2015/01-2022/12 | 433MHz<br>TP3040001             |     | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00030048 4-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00030048 6-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00047579 4-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00098945 4-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00047579 6-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00098945 6-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00495303 4-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2024/04-2026/06 | 433MHz<br>C00495303 6-<br>wheel |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2020/01-2024/12 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2020/01-2024/12 | 433MHz<br>C00098945             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |
| LDV | V90 | 2020/01-2024/12 | 433MHz<br>C00495303             |     | ● | ● | ○ | 0 | 433MHz | Dias     | ● | ● |

|           |           |                 |  |  |   |   |   |     |        |          |   |   |
|-----------|-----------|-----------------|--|--|---|---|---|-----|--------|----------|---|---|
| LDV       | V90       | 2019/01-2024/12 | 433MHz<br>C00030048                    |  | ● | ● | ○ | 0   | 433MHz | Dias     | ● | ● |
| LEAPMOTOR | B10       | 2025/04-2026/06 | 433MHz                                 |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| LEAPMOTOR | C10       | 2024/03-2026/06 | 433MHz                                 |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| LEAPMOTOR | T03       | 2020/09-2026/06 | 433MHz EV17C                           |  | ● | ● | ○ | 0   | 433MHz | BHSENS   | ● | ● |
| Lexus     | CT Series | 2013/12-2022/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | ES Series | 2018/06-2026/06 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | ES Series | 2012/06-2021/01 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | ES Series | 2006/01-2012/05 | 433MHz PMV-<br>107K/1019               |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | GS Series | 2012/01-2022/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | GS Series | 2005/01-2012/03 | 315MHz PMV-<br>107J/1017/C11<br>A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific  | ● | ● |
| Lexus     | GS Series | 2005/01-2011/12 | 433MHz PMV-<br>107K/1019               |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | GX Series | 2013/09-2019/08 | 315MHz PMV-<br>C010                    |  | ● | ● | ○ | 0   | 315MHz | Pacific  | ● | ● |
| Lexus     | IS Series | 2013/04-2023/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | IS Series | 2006/01-2021/01 | 433MHz PMV-<br>107K/1019               |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LC Series | 2017/01-2022/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LM Series | 2020/01-2021/05 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LS Series | 2017/10-2025/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LS Series | 2012/10-2017/09 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LS Series | 2006/08-2012/09 | 433MHz PMV-<br>107K/1019               |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LX Series | 2015/10-2021/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | LX Series | 2012/06-2024/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | NX Series | 2014/01-2024/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | RC Series | 2014/09-2023/01 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | RX Series | 2015/09-2025/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | RX Series | 2014/01-2021/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | SC Series | 2006/08-2010/12 | 315MHz PMV-<br>107J/1017/C11<br>A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific  | ● | ● |
| Lexus     | SC Series | 2006/08-2010/12 | 433MHz PMV-<br>107K/1019               |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lexus     | UX Series | 2018/01-2024/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific  | ● | ● |
| Lincoln   | Aviator   | 2019/05-2024/12 | 433MHz                                 |  | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| Lincoln   | Corsair   | 2019/05-2026/06 | 433MHz                                 |  | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |

|          |                     |                 |                         |           |   |   |   |     |        |             |   |   |
|----------|---------------------|-----------------|-------------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| Lotus    | 3-Eleven            | 2014/01-2019/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Lotus    | Eletre              | 2023/06-2026/06 | 433MHz                  |           | ● | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Lotus    | Elise               | 2008/01-2022/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Lotus    | Emeya               | 2024/06-2026/06 | 433MHz                  |           | ○ | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Lotus    | Emira               | 2023/01-2026/06 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Lotus    | Emira               | 2023/01-2026/06 | 433MHz<br>8891175852    |           | ○ | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Lotus    | Evora               | 2009/06-2021/12 | 433MHz                  | Eagle     | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Lotus    | Exige               | 2000/09-2022/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| LYNK_CO  | 01                  | 2020/01-2024/06 | 433MHz                  |           | ● | ● | ○ | A/O | 433MHz | Schrader    | ● | ● |
| LYNK_CO  | 08 EM-P             | 2023/09-2026/06 | 433MHz                  |           | ● | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| LYNK_CO  | 09 EM-P             | 2021/10-2026/06 | 433MHz                  |           | ● | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| LYNK_CO  | 09 MHEV             | 2021/01-2025/12 | 433MHz                  |           | ● | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Mahindra | Black Mahawk Pickup | 2019/01-2021/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Mahindra | Genio               | 2014/01-2023/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Mahindra | Pick-Up Dual Cab    | 2014/06-2023/12 | 433MHz                  |           | ○ | ● | ○ | S   | 433MHz | Schrader    | ● | ● |
| Mahindra | Scorpio             | 2017/12-2023/12 | 433MHz<br>1805BAA00791N |           | ○ | ● | ○ | C   | 433MHz | Huf/Beru    | ● | ● |
| Mahindra | Scorpio             | 2015/01-2023/12 | 433MHz<br>1805BA0131N   |           | ○ | ● | ○ | C   | 433MHz | Schrader    | ● | ● |
| Mahindra | Scorpio             | 2014/06-2023/12 | 433MHz                  | U202      | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Mahindra | Scorpio-N           | 2022/09-2026/06 | 433MHz                  |           | ● | ● | ○ | O/S | 433MHz | BHSENS      | ● | ● |
| Mahindra | XUV500              | 2014/01-2023/12 | 433MHz<br>1805BAA00791N |           | ○ | ● | ○ | S   | 433MHz | Huf/Beru    | ● | ● |
| Mahindra | XUV500              | 2013/01-2023/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Mahindra | XUV500              | 2011/10-2023/12 | 433MHz<br>1805BA0131N   |           | ○ | ● | ○ | S   | 433MHz | Schrader    | ● | ● |
| Maserati | 4200 GT/Coupe       | 2002/01-2007/12 | 433MHz                  |           | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Alfieri             | 2019/01-2019/12 | 433MHz                  | M165      | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Maserati | Coupe               | 2001/01-2007/12 | 433MHz                  | M138      | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Ghibli              | 2021/01-2023/12 | 433MHz                  | M156/M157 | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | Ghibli              | 2018/01-2026/06 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Continental | ● | ● |
| Maserati | Ghibli              | 2018/01-2020/12 | 433MHz                  | M156/M157 | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | Ghibli              | 2013/01-2017/12 | 433MHz                  | M156/M157 | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | GranCabrio          | 2017/01-2020/12 | 433MHz 314818           |           | ● | ● | ○ | O/A | 433MHz | Huf/Beru    | ● | ● |
| Maserati | GranCabrio          | 2015/07-2017/12 | 433MHz<br>05154876AA    |           | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | GranCabrio          | 2007/01-2017/12 | 433MHz 282189           |           | ● | ● | ○ | O/A | 433MHz | Huf/Beru    | ● | ● |
| Maserati | GranTurismo         | 2019/01-2025/12 | 433MHz                  | M156/M157 | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | GranTurismo         | 2017/01-2018/12 | 433MHz                  | M156/M157 | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |
| Maserati | GranTurismo         | 2014/01-2022/01 | 433MHz                  | M145      | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | GranTurismo         | 2008/01-2016/12 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Grecale             | 2024/01-2026/06 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Continental | ● | ● |
| Maserati | Grecale             | 2022/01-2023/12 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Continental | ● | ● |
| Maserati | Levante             | 2019/01-2026/06 | 433MHz<br>50554747      |           | ● | ● | ○ | O/A | 433MHz | Continental | ● | ● |
| Maserati | Levante             | 2018/01-2022/12 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |
| Maserati | Levante             | 2018/01-2018/12 | 433MHz<br>50554747      |           | ● | ● | ○ | O/A | 433MHz | Continental | ● | ● |
| Maserati | Levante             | 2015/01-2017/12 | 433MHz                  |           | ● | ● | ○ | O/A | 433MHz | Schrader    | ● | ● |

|          |              |                 |                                 |  |   |   |   |     |        |             |   |   |
|----------|--------------|-----------------|---------------------------------|--|---|---|---|-----|--------|-------------|---|---|
| Maserati | MC20         | 2020/01-2026/06 | 433MHz<br>68536975AA            |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Maserati | MC20         | 2020/01-2025/12 | 433MHz                          |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Maserati | Quattroporte | 2018/01-2026/06 | 433MHz<br>670002790             |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Maserati | Quattroporte | 2018/01-2022/12 | 433MHz<br>50554747              |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Maserati | Quattroporte | 2013/01-2017/12 | 433MHz<br>670002790             |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Maserati | Quattroporte | 2010/01-2013/12 | 433MHz 282189                   |  | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Quattroporte | 2010/01-2010/12 | 433MHz 248887                   |  | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Quattroporte | 2003/04-2010/12 | 433MHz 224549                   |  | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Maserati | Spyder       | 2001/07-2008/12 | 433MHz                          |  | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| MAXUS    | D90          | 2024/01-2026/06 | 433MHz                          |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90          | 2024/01-2026/06 | 433MHz<br>C00098945             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90          | 2019/06-2023/12 | 433MHz                          |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90          | 2019/06-2023/12 | 433MHz<br>C00098945             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90          | 2017/08-2019/05 | 433MHz                          |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90          | 2016/06-2020/12 | 433MHz<br>GC91B50               |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90 PRO      | 2020/04-2022/12 | 433MHz<br>C00030048             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | D90 PRO      | 2016/06-2020/12 | 433MHz<br>C00047579             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 7    | 2023/11-2026/06 | 433MHz<br>C00047579             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 7    | 2023/11-2026/06 | 433MHz<br>C00590676             |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 7    | 2023/01-2026/06 | 433MHz                          |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2025/01-2026/06 | 433MHz<br>C00495303 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2025/01-2026/06 | 433MHz<br>C00495303 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00030048 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00047579 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00098945 4-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00030048 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00047579 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS    | Deliver 9    | 2024/04-2026/06 | 433MHz<br>C00098945 6-<br>wheel |  | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |

|       |            |                 |                                 |     |   |   |   |     |        |      |   |   |
|-------|------------|-----------------|---------------------------------|-----|---|---|---|-----|--------|------|---|---|
| MAXUS | Deliver 9  | 2020/01-2024/12 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | Deliver 9  | 2019/01-2024/12 | 433MHz<br>C00030048             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | Deliver 9  | 2019/01-2024/12 | 433MHz<br>C00098945             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00030048 4-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00030048 6-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00047579 4-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2024/01-2026/06 | 433MHz<br>C00047579 6-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2020/01-2024/12 | 433MHz<br>C00030048             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 3 | 2020/01-2024/12 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00590676             |     | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00047579 6-<br>wheel |     | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 7 | 2023/11-2026/06 | 433MHz<br>C00590676 6-<br>wheel |     | ● | ● | ○ | 0/A | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2025/01-2026/06 | 433MHz<br>C00495303             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00030048 6-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00098945 6-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2024/12-2026/06 | 433MHz<br>C00495303 6-<br>wheel |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2020/01-2026/06 | 433MHz<br>C00030048             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eDeliver 9 | 2020/01-2026/06 | 433MHz<br>C00098945             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | eT60       | 2021/03-2026/06 | 433MHz                          |     | ○ | ● | ○ | C   | 433MHz | Dias | ● | ● |
| MAXUS | eTerra9    | 2024/06-2026/06 | 433MHz<br>C00266242             |     | ○ | ● | ○ | C   | 433MHz | Dias | ● | ● |
| MAXUS | G10        | 2018/08-2026/06 | 433MHz<br>C0030048              |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | G10        | 2014/01-2026/06 | 433MHz<br>GC91B50               | LTR | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |
| MAXUS | G10        | 2014/01-2026/06 | 433MHz<br>C00047579             |     | ● | ● | ○ | 0   | 433MHz | Dias | ● | ● |

|       |          |                 |                     |     |   |   |   |   |        |      |   |   |
|-------|----------|-----------------|---------------------|-----|---|---|---|---|--------|------|---|---|
| MAXUS | G10      | 2014/01-2026/06 | 433MHz<br>GC91B50   | PCR | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20      | 2019/04-2025/06 | 433MHz<br>C00047579 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20      | 2019/04-2025/06 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20      | 2019/04-2025/06 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20      | 2019/04-2025/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20 PLUS | 2022/08-2025/06 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20 PLUS | 2022/08-2025/06 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | G20 PLUS | 2022/08-2025/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA5    | 2022/06-2025/06 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA5    | 2022/06-2025/06 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA5    | 2022/06-2025/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA7    | 2023/11-2025/12 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA7    | 2023/11-2025/12 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA9    | 2023/01-2026/06 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA9    | 2023/01-2026/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | MIFA9    | 2022/06-2022/12 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T60      | 2017/01-2026/06 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T60      | 2017/01-2026/06 | 433MHz<br>C00047579 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T60      | 2017/01-2026/06 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T60      | 2017/01-2026/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T70      | 2017/01-2025/12 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T70      | 2017/01-2025/12 | 433MHz<br>C00047579 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T70      | 2017/01-2025/12 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T70      | 2017/01-2025/12 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2025/01-2026/06 | 433MHz<br>C00047579 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2025/01-2026/06 | 433MHz<br>C00030048 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2025/01-2026/06 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2025/01-2026/06 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2021/03-2024/12 | 433MHz              |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2021/01-2024/12 | 433MHz<br>C00047579 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2021/01-2024/12 | 433MHz<br>C00098945 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |
| MAXUS | T90      | 2021/01-2024/12 | 433MHz<br>C00590676 |     | ● | ● | ○ | 0 | 433MHz | Dias | ● | ● |

|         |            |                 |                                 |           |   |   |   |     |        |             |   |   |
|---------|------------|-----------------|---------------------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| MAXUS   | V80        | 2024/01-2026/06 | 433MHz<br>C00030048             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V80        | 2022/01-2026/06 | 433MHz<br>C00406825             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V80        | 2015/01-2026/06 | 433MHz<br>C00104713             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V80        | 2015/01-2026/06 | 433MHz<br>GC91B50               | LTR       | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V80        | 2015/01-2026/06 | 433MHz<br>GC91B50               | PCR       | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V80        | 2015/01-2022/12 | 433MHz<br>TP3040001             |           | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00030048 4-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00030048 6-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00047579 4-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00098945 4-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00047579 6-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00098945 6-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00495303 4-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2024/04-2026/06 | 433MHz<br>C00495303 6-<br>wheel |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2020/01-2024/12 | 433MHz<br>C00047579             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2020/01-2024/12 | 433MHz<br>C00098945             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2020/01-2024/12 | 433MHz<br>C00495303             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| MAXUS   | V90        | 2019/01-2024/12 | 433MHz<br>C00030048             |           | ● | ● | ○ | 0   | 433MHz | Dias        | ● | ● |
| Maybach | Landulet   | 2015/01-2019/12 | 433MHz                          |           | ● | ● | ○ | 0/S | 433MHz | Schrader    | ● | ● |
| Maybach | Landulet   | 2008/10-2014/12 | 433MHz                          | Ma009-127 | ● | ● | ○ | 0/S | 433MHz | Huf/Beru    | ● | ● |
| Maybach | Maybach 57 | 2002/02-2013/12 | 433MHz                          | Ma007     | ● | ● | ○ | 0/S | 433MHz | Huf/Beru    | ● | ● |
| Maybach | Maybach 62 | 2002/02-2013/12 | 433MHz                          | Ma007     | ● | ● | ○ | 0/S | 433MHz | Huf/Beru    | ● | ● |
| Maybach | S Series   | 2021/01-2024/12 | 433MHz                          | 223       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Maybach | S Series   | 2021/01-2024/12 | 315MHz                          | 223       | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Maybach | S Series   | 2021/01-2024/12 | 433MHz<br>A0009058413           | 223       | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Maybach | S Series   | 2021/01-2024/12 | 315MHz<br>A0009058513           | 223       | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Maybach | S Series   | 2015/01-2021/12 | 433MHz                          |           | ● | ● | ○ | 0/S | 433MHz | Schrader    | ● | ● |
| Mazda   | 6e         | 2025/01-2026/06 | 433MHz                          |           | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|       |         |                 |                       |  |   |   |   |     |        |             |          |   |
|-------|---------|-----------------|-----------------------|--|---|---|---|-----|--------|-------------|----------|---|
| Mazda | BT-50   | 2021/01-2026/06 | 433MHz                |  | ○ | ● | ○ | S   | 433MHz | Schrader    | ●        | ● |
| Mazda | BT-50   | 2018/01-2020/12 | 433MHz<br>F2GT1A180DB |  | ● | ● | ○ | O/S | 433MHz | Schrader    | ●        | ● |
| Mazda | BT-50   | 2012/01-2018/12 | 433MHz                |  | ● | ● | ○ | O/S | 433MHz | Schrader    | ●        | ● |
| Mazda | BT-50   | 2006/08-2009/12 | 315MHz                |  | ○ | ● | ○ | S   | 315MHz | Schrader    | ●        | ● |
| Mazda | CX-3    | 2021/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-3    | 2018/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-3    | 2015/01-2018/02 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | CX-30   | 2020/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-4    | 2016/01-2019/12 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | CX-5    | 2021/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-5    | 2019/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-5    | 2017/01-2018/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-5    | 2012/01-2017/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | CX-5    | 2011/11-2023/12 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | CX-60   | 2022/03-2026/06 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | CX-7    | 2011/01-2012/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-7    | 2006/01-2010/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-70   | 2024/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-8    | 2021/01-2022/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-8    | 2017/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-80   | 2024/01-2026/06 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | CX-9    | 2020/01-2025/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-9    | 2018/01-2019/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-9    | 2016/01-2017/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | CX-9    | 2013/01-2016/12 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | CX-9    | 2007/01-2012/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-90   | 2023/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | CX-90   | 2023/01-2026/06 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | Mazda 2 | 2021/01-2023/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 2 | 2019/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 2 | 2015/01-2025/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | Mazda 2 | 2014/06-2019/12 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | Mazda 2 | 2011/01-2014/05 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 3 | 2019/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 3 | 2019/01-2026/06 | 433MHz                |  | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mazda | Mazda 3 | 2014/01-2019/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | Mazda 3 | 2011/01-2013/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 3 | 2010/01-2010/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 5 | 2011/01-2017/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 6 | 2021/01-2025/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 6 | 2017/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 6 | 2014/01-2018/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | Mazda 6 | 2011/01-2013/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | Mazda 6 | 2008/01-2010/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | MX-30   | 2020/05-2023/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | MX-5    | 2024/01-2026/06 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | MX-5    | 2021/01-2023/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | MX-5    | 2018/01-2020/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |
| Mazda | MX-5    | 2010/05-2018/12 | Indirect              |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mazda | MX-5    | 2010/03-2015/12 | 315MHz                |  | ● | ● | ○ | A   | 315MHz | Continental | ●        | ● |

|          |               |                 |                                    |     |   |   |   |     |        |             |   |   |
|----------|---------------|-----------------|------------------------------------|-----|---|---|---|-----|--------|-------------|---|---|
| Mazda    | MX-5          | 2006/01-2010/02 | 315MHz                             |     | ● | ● | ○ | A   | 315MHz | Continental | ● | ● |
| McLaren  | 540C          | 2015/01-2022/12 | 433MHz RDE011                      |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 570S          | 2015/01-2022/12 | 433MHz RDE011                      |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 600LT         | 2018/01-2022/12 | 433MHz RDE011                      |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 620R          | 2019/12-2021/12 | 433MHz RDE011                      |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 625C          | 2015/01-2018/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 625C          | 2015/01-2018/12 | 433MHz<br>F11001648001             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 650S          | 2014/01-2018/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 650S          | 2014/01-2018/12 | 433MHz<br>F11001648001             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 675LT         | 2015/01-2018/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 675LT         | 2015/01-2018/12 | 433MHz<br>F11001648001             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 720S          | 2023/01-2023/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 720S          | 2017/01-2022/12 | 433MHz                             |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 750S          | 2023/01-2025/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 765LT         | 2023/01-2023/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | 765LT         | 2021/07-2022/12 | 433MHz                             |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Artura        | 2021/01-2025/12 | 433MHz                             |     | ○ | ● | ○ | C   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Elva          | 2020/01-2025/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | GT            | 2023/01-2025/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | GT            | 2020/01-2021/12 | 433MHz 4. OL<br>V8 Hybrid +<br>DCT |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | GT            | 2019/01-2022/12 | 433MHz                             |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | MP4-12C       | 2011/01-2014/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | P1            | 2016/01-2020/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | P1            | 2013/01-2015/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Senna         | 2022/01-2025/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Senna         | 2020/01-2021/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Senna         | 2018/01-2019/12 | 433MHz                             |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Senna         | 2017/01-2017/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Speedtail     | 2019/01-2021/12 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Sports Series | 2015/01-2022/06 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| McLaren  | Super Series  | 2011/03-2021/06 | 433MHz                             |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | A Class       | 2025/06-2026/06 | 433MHz<br>A0009058821              | 177 | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | A Class       | 2025/06-2026/06 | 315MHz<br>A0009058921              | 177 | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | A Class       | 2018/06-2026/06 | 433MHz                             | 177 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | A Class       | 2018/06-2026/06 | 315MHz<br>A0009054204              | 177 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | A Class       | 2014/04-2018/05 | 433MHz                             | 176 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | A Class       | 2012/01-2014/03 | 433MHz                             | 176 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | AMG           | 2013/01-2018/06 | 433MHz                             |     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | AMG GT        | 2023/06-2026/06 | 315MHz<br>A0009058513              | 192 | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | AMG GT        | 2023/06-2026/06 | 433MHz<br>A0009058413              | 192 | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | AMG GT        | 2022/01-2026/06 | 433MHz                             | 192 | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | AMG GT        | 2018/11-2023/12 | 433MHz                             | 290 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | AMG GT        | 2018/11-2023/12 | 315MHz                             | 290 | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |

|          |           |                 |                       |         |   |   |   |     |        |             |   |   |
|----------|-----------|-----------------|-----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| Mercedes | AMG GT    | 2014/01-2023/12 | 433MHz                | C190    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | B Class   | 2025/11-2026/06 | 433MHz<br>A0009058821 |         | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | B Class   | 2025/11-2026/06 | 315MHz<br>A0009058921 |         | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | B Class   | 2019/02-2026/06 | 433MHz<br>A0009054104 | 247     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | B Class   | 2019/02-2026/06 | 315MHz                | 247     | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | B Class   | 2011/11-2019/01 | 433MHz                | 246     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2022/09-2026/06 | 433MHz<br>A0009058413 | 206     | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2022/09-2026/06 | 315MHz<br>A0009058513 | 206     | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2021/06-2026/06 | 433MHz                | 206     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2018/06-2023/12 | 433MHz<br>A0009053907 | C205    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2018/06-2021/12 | 433MHz                |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2014/09-2018/05 | 433MHz                |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2007/04-2020/12 | 433MHz                | W205    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | C Class   | 2007/01-2014/08 | 433MHz                |         | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Citan     | 2021/09-2026/06 | 433MHz<br>A4204012400 |         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Mercedes | Citan     | 2012/01-2023/12 | 433MHz                | 415     | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Mercedes | CL Class  | 2010/01-2015/12 | 433MHz                | 216     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CL Class  | 2006/10-2010/12 | 315MHz                |         | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | CL Class  | 2000/01-2007/12 | 315MHz<br>A0008223406 |         | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | CLA Class | 2025/11-2026/06 | 433MHz<br>A0009058821 | 178/174 | ○ | ● | ○ | C   | 433MHz | BHSENS      | ● | ● |
| Mercedes | CLA Class | 2025/11-2026/06 | 315MHz<br>A0009058921 | 178/174 | ○ | ● | ○ | C   | 315MHz | BHSENS      | ● | ● |
| Mercedes | CLA Class | 2019/05-2026/06 | 433MHz                | 118     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | CLA Class | 2019/05-2026/06 | 315MHz<br>A0009054204 | 118     | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | CLA Class | 2014/06-2019/04 | 433MHz                | 117     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLA Class | 2012/12-2014/05 | 433MHz                | 117     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLC Class | 2008/01-2018/06 | 433MHz                | 216     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLE Class | 2023/06-2026/06 | 315MHz<br>A0009058513 | 236     | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | CLE Class | 2023/06-2026/06 | 433MHz<br>A0009058413 | 236     | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | CLE Class | 2022/01-2024/12 | 433MHz                | 236     | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | CLK Class | 2006/01-2011/12 | 315MHz                |         | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | CLK Class | 2002/01-2012/12 | 433MHz                | 209     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2018/01-2026/06 | 433MHz                | 257     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2018/01-2026/06 | 315MHz                | 257     | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2018/01-2019/12 | 433MHz                | C218    | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2011/01-2017/12 | 433MHz<br>A0009050030 | 218     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2009/07-2017/12 | 433MHz                | 218     | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | CLS Class | 2006/01-2011/12 | 315MHz                | 219     | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | CLS Class | 2004/09-2011/12 | 433MHz<br>A0025408017 | 219     | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | E Class   | 2025/01-2026/06 | 433MHz<br>A0009058821 | 214     | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |

|          |           |                 |                       |            |   |   |   |     |        |             |   |   |
|----------|-----------|-----------------|-----------------------|------------|---|---|---|-----|--------|-------------|---|---|
| Mercedes | E Class   | 2025/01-2026/06 | 315MHz<br>A0009058921 | 214        | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | E Class   | 2023/10-2026/06 | 315MHz<br>A0009058513 | 214        | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2023/10-2026/06 | 433MHz<br>A0009058413 | 214        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2016/01-2023/12 | 433MHz                | W213/BR238 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2016/01-2023/12 | 315MHz                | 213        | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2014/06-2018/12 | 433MHz                | W212       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2009/07-2014/05 | 433MHz                | W212/C207  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | E Class   | 2006/01-2010/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | E Class   | 2005/06-2011/10 | 433MHz                | W211       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | E Class   | 1999/01-2005/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | EQA       | 2020/01-2026/06 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | EQA       | 2020/01-2026/06 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | EQA Class | 2025/11-2026/06 | 433MHz<br>A0009058821 |            | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | EQA Class | 2025/11-2026/06 | 315MHz<br>A0009058921 |            | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | EQB       | 2022/01-2026/06 | 315MHz                |            | ● | ● | ○ | 0   | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | EQB       | 2021/01-2026/06 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | EQB Class | 2025/11-2026/06 | 433MHz<br>A0009058821 |            | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | EQB Class | 2025/11-2026/06 | 315MHz<br>A0009058921 |            | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | EQC       | 2019/01-2026/06 | 433MHz                | 293        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | EQC       | 2019/01-2026/06 | 315MHz                | 293        | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Mercedes | EQE       | 2022/09-2026/06 | 433MHz<br>A0009058413 | 295        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | EQE       | 2022/09-2026/06 | 315MHz<br>A0009058513 | 295        | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | EQE       | 2022/01-2026/06 | 433MHz                | 295        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | EQE       | 2022/01-2026/06 | 315MHz                | 295        | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | EQS       | 2022/09-2026/06 | 433MHz<br>A0009058413 | 297        | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | EQS       | 2022/09-2026/06 | 315MHz<br>A0009058513 | 297        | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | EQS       | 2021/01-2026/06 | 433MHz                | 297        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | EQS       | 2021/01-2026/06 | 315MHz                | 297        | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | EQV       | 2024/01-2026/06 | 433MHz<br>A0009057205 |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | G Class   | 2025/11-2026/06 | 433MHz<br>A0009058821 |            | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | G Class   | 2025/11-2026/06 | 315MHz<br>A0009058921 |            | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | G Class   | 2024/06-2026/06 | 433MHz<br>A0009054104 | 465        | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | G Class   | 2024/06-2026/06 | 315MHz<br>A0009054204 | 465        | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | G Class   | 2018/06-2026/06 | 433MHz                | 463        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | G Class   | 2018/06-2026/06 | 315MHz                | 463        | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Mercedes | G Class   | 2007/04-2018/05 | 433MHz                | G463/461   | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GL Class  | 2013/01-2019/06 | 433MHz                | X166       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GL Class  | 2009/06-2012/12 | 433MHz                | X164       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GL Class  | 2006/04-2009/09 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|          |            |                 |                       |           |   |   |   |     |        |             |   |   |
|----------|------------|-----------------|-----------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| Mercedes | GL Class   | 2006/01-2010/12 | 315MHz                |           | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | GLA Class  | 2025/11-2026/06 | 433MHz<br>A0009058821 |           | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | GLA Class  | 2025/11-2026/06 | 315MHz<br>A0009058921 |           | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | GLA Class  | 2020/01-2026/06 | 433MHz                | H247      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLA Class  | 2020/01-2026/06 | 315MHz<br>A0009054204 |           | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | GLA Class  | 2013/12-2020/06 | 433MHz                | X156      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GLB Class  | 2025/11-2026/06 | 433MHz<br>A0009058821 |           | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | GLB Class  | 2025/11-2026/06 | 315MHz<br>A0009058921 |           | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | GLB Class  | 2019/01-2026/06 | 433MHz                | 247       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLB Class  | 2019/01-2026/06 | 315MHz                | 247       | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | GLB Class  | 2019/01-2019/12 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLC Class  | 2022/09-2026/06 | 315MHz<br>A0009058513 | 254       | ● | ● | ○ | A/0 | 315MHz | Schrader    | ● | ● |
| Mercedes | GLC Class  | 2022/09-2026/06 | 433MHz<br>A0009058413 | 254       | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | GLC Class  | 2022/06-2026/06 | 433MHz                | 254       | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |
| Mercedes | GLC Class  | 2022/01-2026/06 | 315MHz                | 254       | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Mercedes | GLC Class  | 2016/09-2022/12 | 433MHz<br>A0009053907 | C253      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GLC Class  | 2015/01-2019/07 | 433MHz                | X253      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GLE Class  | 2025/10-2026/06 | 433MHz<br>A0009058821 |           | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | GLE Class  | 2025/10-2026/06 | 315MHz<br>A0009058921 |           | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | GLE Class  | 2019/01-2019/12 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLE Class  | 2018/10-2026/06 | 433MHz                | V167      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLE Class  | 2018/01-2026/06 | 315MHz                | W167      | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | GLE Class  | 2015/04-2019/11 | 433MHz                | X166/C292 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GLK Class  | 2008/01-2015/09 | 433MHz                | X204      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GLS Class  | 2025/06-2026/06 | 433MHz<br>A0009058821 |           | ● | ● | ○ | 0   | 433MHz | BHSENS      | ● | ● |
| Mercedes | GLS Class  | 2025/06-2026/06 | 315MHz<br>A0009058921 |           | ● | ● | ○ | 0   | 315MHz | BHSENS      | ● | ● |
| Mercedes | GLS Class  | 2020/01-2026/06 | 315MHz                |           | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | GLS Class  | 2019/07-2026/06 | 433MHz                | X167      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLS Class  | 2019/01-2019/12 | 433MHz<br>36106798872 |           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | GLS Class  | 2015/01-2019/06 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | GT         | 2014/01-2022/12 | 433MHz                | GT        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | M Class    | 2010/01-2014/12 | 433MHz                | W166      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | M Class    | 2005/01-2011/05 | 433MHz                | W164      | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | M Class    | 2005/01-2009/12 | 315MHz                |           | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | Marco Polo | 2014/01-2022/12 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | ML Class   | 2011/06-2019/12 | 433MHz                | W166      | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | R Class    | 2010/01-2018/12 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | R Class    | 2006/01-2009/12 | 433MHz                |           | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | S Class    | 2022/09-2026/06 | 433MHz<br>A0009058413 | 223       | ● | ● | ○ | A/0 | 433MHz | Schrader    | ● | ● |

|          |                   |                 |                       |            |   |   |   |     |        |             |   |   |
|----------|-------------------|-----------------|-----------------------|------------|---|---|---|-----|--------|-------------|---|---|
| Mercedes | S Class           | 2022/09-2026/06 | 315MHz<br>A0009058513 | 223        | ● | ● | ○ | A/O | 315MHz | Schrader    | ● | ● |
| Mercedes | S Class           | 2022/01-2026/06 | 315MHz                | 223        | ● | ● | ○ | 0/A | 315MHz | Schrader    | ● | ● |
| Mercedes | S Class           | 2021/06-2026/06 | 433MHz                | 223        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | S Class           | 2018/01-2020/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | S Class           | 2009/06-2020/12 | 433MHz                | W222/C217  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | S Class           | 2005/12-2013/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | S Class           | 2005/10-2009/05 | 433MHz                | W221       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | S Class           | 2000/01-2006/12 | 315MHz<br>A0008223406 |            | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | S Class           | 1999/07-2005/09 | 433MHz                | W220       | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | SL Class          | 2021/09-2026/06 | 433MHz                | 232        | ● | ● | ○ | A/O | 433MHz | Schrader    | ● | ● |
| Mercedes | SL Class          | 2021/09-2026/06 | 315MHz                | 232        | ● | ● | ○ | A/O | 315MHz | Schrader    | ● | ● |
| Mercedes | SL Class          | 2021/09-2026/06 | 433MHz<br>A0009058413 | 232        | ● | ● | ○ | A/O | 433MHz | Schrader    | ● | ● |
| Mercedes | SL Class          | 2021/09-2026/06 | 315MHz<br>A0009058513 | 232        | ● | ● | ○ | A/O | 315MHz | Schrader    | ● | ● |
| Mercedes | SL Class          | 2012/07-2019/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | SL Class          | 2005/05-2012/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | SL Class          | 2005/05-2012/06 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | SL Class          | 2000/01-2005/04 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ● | ● |
| Mercedes | SL Class          | 2000/01-2005/04 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | SLC Class         | 2016/01-2020/06 | 433MHz                | R172       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | SLK Class         | 2004/01-2021/12 | 433MHz                | R171, R172 | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | SLR Class         | 2008/01-2010/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | SLR Class         | 2008/01-2009/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | SLR Class         | 2000/01-2007/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | SLR McLaren       | 2008/01-2009/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | SLR McLaren       | 2004/01-2011/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | SLS Class         | 2010/01-2019/06 | 433MHz                | 197        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Sprinter          | 2024/06-2026/06 | 433MHz<br>A0009052816 |            | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ● | ● |
| Mercedes | Sprinter          | 2024/06-2026/06 | 433MHz 6-<br>wheel    |            | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| Mercedes | Sprinter          | 2018/01-2026/06 | 433MHz<br>A0009054104 |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | Sprinter          | 2018/01-2020/12 | 433MHz<br>A0009050030 |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Sprinter          | 2010/01-2018/12 | 433MHz                |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Sprinter          | 2007/01-2014/12 | 315MHz                |            | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| Mercedes | Sprinter          | 2006/06-2011/10 | 433MHz                | W906       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | Sprinter<br>Combi | 2011/11-2018/09 | 433MHz                | 906        | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | V Class           | 2024/01-2026/06 | 433MHz<br>A0009057205 |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | V Class           | 2014/01-2026/06 | 433MHz                | W447       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Valente           | 2015/01-2023/12 | 433MHz                | VS20       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Valente           | 2003/01-2014/12 | 433MHz                | 447        | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | Viano             | 2003/07-2014/05 | 433MHz<br>A0025409517 | W639       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Mercedes | Vito              | 2024/01-2026/06 | 433MHz<br>A0009057205 |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ● | ● |
| Mercedes | Vito              | 2014/07-2026/06 | 433MHz                | W447       | ● | ● | ○ | 0/A | 433MHz | Schrader    | ● | ● |
| Mercedes | Vito              | 2003/05-2014/06 | 433MHz                | W639       | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

|          |             |                 |                       |     |   |   |   |     |        |             |          |   |
|----------|-------------|-----------------|-----------------------|-----|---|---|---|-----|--------|-------------|----------|---|
| Mercedes | X Class     | 2017/01-2020/12 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| MG       | Cyberster   | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| MG       | Cyberster   | 2023/11-2026/06 | 433MHz<br>11082920    |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | eHS         | 2019/11-2026/06 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| MG       | EXTENDER    | 2017/01-2023/12 | 433MHz<br>C00047579   |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | EXTENDER    | 2017/01-2023/12 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | GS          | 2016/09-2020/12 | Indirect              |     | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| MG       | HS          | 2020/07-2026/06 | 433MHz<br>10718213    |     | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| MG       | HS          | 2019/01-2021/12 | 433MHz<br>10290600    |     | ● | ● | ○ | 0/A | 433MHz | Baolong     | ●        | ● |
| MG       | IM5         | 2024/04-2026/06 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | IM6         | 2023/06-2025/12 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | MG QS       | 2025/01-2026/06 | 433MHz<br>10718213    |     | ● | ● | ○ | 0   | 433MHz | Baolong     | ●        | ● |
| MG       | MG QS       | 2025/01-2026/06 | 433MHz<br>11205327    |     | ● | ● | ○ | 0   | 433MHz | BHSENS      | ●        | ● |
| MG       | MG3         | 2022/01-2026/06 | 433MHz<br>11082920    |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | MG3         | 2013/09-2023/12 | Indirect              |     | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| MG       | MG4 EV      | 2022/09-2026/06 | 433MHz                |     | ● | ● | ○ | 0   | 433MHz | Dias        | ●        | ● |
| MG       | MG6         | 2012/01-2019/12 | Indirect              |     | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| MG       | U9          | 2025/08-2026/06 | 433MHz<br>C00266242   |     | ○ | ● | ○ | C   | 433MHz | Dias        | ●        | ● |
| MG       | ZS          | 2017/01-2026/06 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Baolong     | ●        | ● |
| MG       | ZS          | 2017/01-2023/12 | Indirect              |     | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Mini     | Aceman      | 2024/05-2026/06 | 433MHz                |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Aceman      | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A   | 315MHz | Huf/Beru    | ●        | ● |
| Mini     | Cabrio      | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Cabrio      | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A   | 315MHz | Huf/Beru    | ●        | ● |
| Mini     | Clubman     | 2015/07-2024/06 | 433MHz                |     | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mini     | Clubman     | 2014/07-2014/12 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Clubman     | 2007/08-2016/12 | 433MHz<br>36236781847 |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Clubman     | 2007/01-2013/12 | Indirect              |     | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Mini     | Clubvan     | 2012/07-2015/12 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Convertible | 2015/01-2023/12 | 433MHz<br>Continental |     | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mini     | Convertible | 2014/07-2015/12 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Convertible | 2009/01-2014/06 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Cooper      | 2023/11-2026/06 | 433MHz                | J01 | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Cooper      | 2023/11-2025/12 | 315MHz                |     | ● | ● | ○ | A   | 315MHz | Huf/Beru    | ●        | ● |
| Mini     | Countryman  | 2023/11-2026/06 | 433MHz                |     | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Countryman  | 2023/11-2026/06 | 315MHz                |     | ● | ● | ○ | A   | 315MHz | Huf/Beru    | ●        | ● |
| Mini     | Countryman  | 2015/07-2024/06 | 433MHz<br>Continental |     | ● | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Mini     | Countryman  | 2014/07-2018/12 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Countryman  | 2009/01-2014/06 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Coupe       | 2014/07-2015/12 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Coupe       | 2011/07-2014/06 | 433MHz                |     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini     | Mini        | 2024/07-2026/06 | 433MHz                |     | ○ | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |

|            |                       |                 |                       |         |   |   |   |      |        |             |          |   |
|------------|-----------------------|-----------------|-----------------------|---------|---|---|---|------|--------|-------------|----------|---|
| Mini       | Mini                  | 2017/01-2022/12 | 433MHz                |         | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Mini                  | 2014/01-2016/12 | 433MHz                |         | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Mini                  | 2013/12-2024/06 | 433MHz<br>Continental | F55/F56 | ● | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| Mini       | Mini                  | 2009/01-2015/12 | 433MHz<br>OYGTSSRE4D  |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Mini                  | 2006/03-2013/11 | 433MHz<br>Continental | R56     | ● | ● | ○ | 0*/A | 433MHz | Continental | ●        | ● |
| Mini       | Paceman               | 2014/07-2018/06 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Paceman               | 2009/01-2014/06 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Roadster              | 2014/05-2015/12 | 433MHz                |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Mini       | Roadster              | 2011/01-2014/12 | 433MHz<br>36106856227 |         | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Mitsubishi | ASX                   | 2026/01-2026/06 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | ASX                   | 2021/01-2025/12 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | ASX                   | 2019/03-2023/12 | 315MHz<br>4250C276    |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | ASX                   | 2014/01-2020/12 | 433MHz                | GA0     | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | ASX                   | 2012/07-2019/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Eclipse Cross         | 2021/11-2025/12 | 315MHz<br>4250G326    |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Eclipse Cross         | 2017/01-2021/10 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Eclipse Cross<br>PHEV | 2021/12-2026/06 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Eclipse Cross<br>PHEV | 2020/12-2021/11 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Express               | 2020/01-2022/12 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Orange      | ●        | ● |
| Mitsubishi | i-MiEV                | 2010/10-2013/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | L200                  | 2014/01-2024/06 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Lancer                | 2014/01-2019/12 | 315MHz<br>4250B975    |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Lancer<br>Sportback   | 2014/01-2019/12 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Mirage                | 2018/01-2022/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Mirage                | 2014/04-2021/08 | 433MHz                | A00     | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Mirage                | 2014/01-2017/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Outlander             | 2022/01-2026/06 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Outlander             | 2019/01-2021/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Outlander             | 2019/01-2020/12 | Indirect              |         | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Mitsubishi | Outlander             | 2014/01-2020/12 | 433MHz                | CW0/GF0 | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Outlander             | 2014/01-2020/12 | 433MHz<br>4250C275    |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Outlander             | 2014/01-2018/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Outlander<br>PHEV     | 2021/01-2026/06 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Outlander<br>PHEV     | 2019/01-2020/12 | Indirect              |         | ○ | ○ | ○ | S    | N/A    | N/A         | Indirect | ● |
| Mitsubishi | Outlander<br>PHEV     | 2019/01-2020/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Outlander<br>PHEV     | 2014/01-2020/12 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |
| Mitsubishi | Outlander<br>PHEV     | 2014/01-2018/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Pajero                | 2016/01-2023/12 | 315MHz                |         | ● | ● | ○ | 0    | 315MHz | Continental | ●        | ● |
| Mitsubishi | Pajero                | 2014/01-2022/11 | 433MHz                |         | ● | ● | ○ | 0    | 433MHz | Continental | ●        | ● |

|            |              |                 |                      |  |   |   |   |     |        |             |   |   |
|------------|--------------|-----------------|----------------------|--|---|---|---|-----|--------|-------------|---|---|
| Mitsubishi | Pajero       | 2014/01-2015/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Mitsubishi | Pajero Sport | 2022/11-2026/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Mitsubishi | Pajero Sport | 2022/04-2022/10 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Mitsubishi | Triton       | 2023/01-2026/06 | 315MHz<br>4250G122   |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Mitsubishi | Triton       | 2014/03-2024/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Mitsubishi | Triton       | 2014/01-2023/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Mitsubishi | Triton       | 2014/01-2023/12 | 433MHz<br>4250C275   |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| NIO        | EC7          | 2022/12-2024/12 | 433MHz               |  | ○ | ● | ○ | C   | 433MHz | Continental | ● | ● |
| Nissan     | 350Z         | 2007/01-2010/12 | 315MHz<br>40700JA01C |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | 350Z         | 2007/01-2010/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | 350Z         | 2002/06-2006/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | 370Z         | 2014/09-2022/06 | 433MHz<br>407006WYOB |  | ● | ● | ○ | 0/A | 433MHz | Pacific     | ● | ● |
| Nissan     | 370Z         | 2011/07-2022/09 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan     | 370Z         | 2010/03-2022/06 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | 370Z         | 2009/10-2011/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan     | 370Z         | 2008/10-2010/02 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | Almera       | 2013/01-2023/01 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Altima       | 2012/06-2018/10 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Ariya        | 2024/01-2026/06 | 433MHz               |  | ● | ● | ○ | 0*  | 433MHz | Continental | ● | ● |
| Nissan     | GT-R         | 2022/09-2026/06 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | GT-R         | 2022/09-2026/06 | 433MHz<br>407006GP1A |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan     | GT-R         | 2020/05-2025/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan     | GT-R         | 2020/05-2022/08 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | GT-R         | 2013/11-2022/08 | 433MHz<br>4070062BOA |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan     | GT-R         | 2011/06-2020/04 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan     | GT-R         | 2010/11-2020/04 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | GT-R         | 2008/12-2011/05 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan     | GT-R         | 2008/03-2010/12 | 315MHz<br>40700JA00C |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | GT-R         | 2008/03-2009/12 | 315MHz<br>40700JA01C |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | Juke         | 2022/01-2026/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Juke         | 2019/10-2021/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Juke         | 2014/05-2019/09 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan     | Juke         | 2013/01-2014/10 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | Juke         | 2012/03-2012/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | Juke         | 2011/07-2012/02 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Nissan     | Juke         | 2010/07-2020/12 | 315MHz<br>407001LAOE |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan     | Juke         | 2010/07-2012/03 | 315MHz<br>407001AAOB |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan     | Leaf         | 2020/02-2025/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Leaf         | 2018/01-2020/01 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Leaf         | 2014/11-2017/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan     | Leaf         | 2014/05-2016/02 | 433MHz<br>407006WYOB |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan     | Leaf         | 2013/01-2018/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |

|        |            |                 |                      |  |   |   |   |     |        |             |   |   |
|--------|------------|-----------------|----------------------|--|---|---|---|-----|--------|-------------|---|---|
| Nissan | Leaf       | 2010/10-2012/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan | Maxima     | 2012/08-2015/03 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan | Maxima     | 2012/01-2015/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Nissan | Maxima     | 2010/08-2011/12 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Maxima     | 2007/04-2010/07 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Maxima     | 2006/06-2007/03 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Micra      | 2013/06-2020/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Murano     | 2015/01-2021/06 | 433MHz<br>407006WYOA |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Murano     | 2004/01-2015/12 | 433MHz<br>407001AYOA |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan | Murano     | 2004/01-2014/09 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan | Navara     | 2022/06-2026/06 | 433MHz<br>407006LYOA |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Navara     | 2016/06-2023/10 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Navara     | 2004/10-2016/05 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan | Pathfinder | 2021/03-2026/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | Pathfinder | 2018/08-2021/06 | 433MHz<br>407009DJOA |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | Pathfinder | 2012/09-2019/02 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | Pathfinder | 2011/11-2012/08 | 315MHz<br>407003ANOA |  | ● | ● | ○ | 0   | 315MHz | Continental | ● | ● |
| Nissan | Pathfinder | 2010/09-2012/08 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Pathfinder | 2008/05-2009/05 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Pathfinder | 2006/09-2010/08 | 315MHz<br>40700JAO1B |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Pathfinder | 2004/08-2007/07 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Pathfinder | 1996/01-2005/12 | 315MHz<br>40700CD001 |  | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Nissan | Patrol     | 2022/11-2026/06 | 433MHz               |  | ● | ● | ○ | 0*  | 433MHz | Pacific     | ● | ● |
| Nissan | Patrol     | 2019/01-2026/06 | 433MHz<br>407005ZCOA |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Patrol     | 2017/05-2021/08 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan | Patrol     | 2015/11-2022/10 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Patrol     | 2011/09-2017/04 | 315MHz               |  | ● | ● | ○ | 0   | 315MHz | Pacific     | ● | ● |
| Nissan | Patrol     | 2010/01-2016/06 | 433MHz<br>407001LLOD |  | ● | ● | ○ | 0   | 433MHz | Pacific     | ● | ● |
| Nissan | Primera    | 2002/01-2009/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Nissan | Pulsar     | 2014/01-2018/12 | 433MHz<br>407003VUOA |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | Pulsar     | 2014/01-2018/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | Qashqai    | 2021/05-2026/06 | 433MHz<br>40700E1B6A |  | ● | ● | ○ | 0*  | 433MHz | Continental | ● | ● |
| Nissan | Qashqai    | 2021/05-2026/06 | 433MHz               |  | ● | ● | ○ | 0*  | 433MHz | Continental | ● | ● |
| Nissan | Qashqai    | 2016/11-2021/12 | 433MHz<br>407004CBOB |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Nissan | Qashqai    | 2013/12-2017/07 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Nissan | Sunny      | 2020/01-2023/12 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | X-Trail    | 2025/10-2026/06 | 433MHz<br>407006UAOB |  | ● | ● | ○ | C   | 433MHz | Continental | ● | ● |
| Nissan | X-Trail    | 2021/06-2026/06 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | X-Trail    | 2017/05-2022/04 | 433MHz<br>407004CBOB |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Nissan | X-Trail    | 2014/02-2017/04 | 433MHz               |  | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |

|               |           |                 |                      |          |   |   |   |     |        |             |          |   |
|---------------|-----------|-----------------|----------------------|----------|---|---|---|-----|--------|-------------|----------|---|
| Nissan        | Z         | 2022/05-2024/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Nissan        | Z         | 2022/03-2026/06 | 315MHz               |          | ● | ● | ○ | 0   | 315MHz | Pacific     | ●        | ● |
| Nissan        | Z         | 2022/01-2023/12 | 433MHz<br>407006UAOA |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Opel/Vauxhall | Astra_J   | 2011/10-2014/05 | 433MHz               |          | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Opel/Vauxhall | Corsa     | 2020/01-2024/12 | Indirect             | F/Mk5    | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Opel/Vauxhall | Corsa     | 2006/05-2014/11 | 433MHz               | GM S4400 | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| Opel/Vauxhall | Corsa     | 2006/05-2014/11 | 433MHz               |          | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| Opel/Vauxhall | Grandland | 2017/01-2024/12 | Indirect             |          | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Opel/Vauxhall | Insignia  | 2008/01-2011/08 | 433MHz               | GM G3700 | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Opel/Vauxhall | Zafira    | 2011/07-2019/09 | 433MHz               | B        | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Opel/Vauxhall | Zafira    | 2011/07-2019/09 | 433MHz               |          | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 1007      | 2004/01-2011/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 107       | 2005/03-2014/07 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 108       | 2014/01-2021/12 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 2008      | 2013/02-2024/12 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 207       | 2013/10-2016/12 | 433MHz               | A7       | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 207       | 2005/11-2013/09 | 433MHz               | A7       | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 208       | 2012/01-2024/12 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 3008      | 2016/06-2024/12 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 3008      | 2013/09-2019/12 | 433MHz               |          | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 3008      | 2008/11-2013/08 | 433MHz               | T84      | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 307       | 2007/03-2008/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 307       | 2001/01-2007/02 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 308       | 2020/01-2024/12 | Indirect             |          | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 308       | 2013/06-2019/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 308       | 2007/05-2013/05 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 4008      | 2012/04-2018/01 | 433MHz               |          | ● | ● | ○ | S   | 433MHz | Continental | ●        | ● |
| Peugeot       | 407       | 2003/01-2012/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 408       | 2012/07-2019/03 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 5008      | 2017/01-2025/12 | Indirect             |          | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 5008      | 2013/09-2022/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 5008      | 2009/09-2013/08 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 508       | 2017/07-2024/12 | Indirect             | R83      | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Peugeot       | 508       | 2013/10-2022/12 | 433MHz               |          | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 508       | 2010/09-2013/09 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 607       | 2004/10-2012/12 | 433MHz               | Z8       | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 607       | 1999/09-2004/09 | 433MHz               | 6042/Z8  | ○ | ● | ○ | C   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | 807       | 2004/10-2016/12 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Peugeot       | 807       | 2002/02-2004/09 | 433MHz               |          | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Boxer     | 2023/01-2026/06 | 433MHz               | X2/50    | ● | ● | ● | 0/A | 433MHz | Continental | ●        | ● |
| Peugeot       | Boxer     | 2023/01-2026/06 | 433MHz<br>46862334   |          | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Boxer     | 2013/12-2024/12 | 433MHz<br>05154876AA | X2/50    | ● | ● | ● | 0/A | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Boxer     | 2006/02-2013/11 | Indirect             |          | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Peugeot       | Boxer     | 2006/01-2013/11 | 433MHz<br>1612474480 |          | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Expert    | 2016/03-2024/12 | Indirect             |          | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Peugeot       | Expert    | 2014/01-2016/02 | 433MHz               | G9       | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Expert    | 2006/10-2013/12 | 433MHz               | G9       | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot       | Partner   | 2018/07-2024/12 | Indirect             |          | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |

|          |             |                 |                       |                     |   |   |   |     |        |             |          |   |
|----------|-------------|-----------------|-----------------------|---------------------|---|---|---|-----|--------|-------------|----------|---|
| Peugeot  | Partner     | 2014/06-2018/06 | 433MHz                | B9                  | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot  | Partner     | 2008/01-2014/05 | 433MHz                | B9                  | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot  | RCZ         | 2013/10-2017/06 | 433MHz                | T75                 | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Peugeot  | RCZ         | 2009/12-2013/09 | 433MHz                | T75                 | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Polestar | Polestar 2  | 2020/07-2024/12 | Indirect              |                     | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Polestar | Polestar 4  | 2023/04-2026/06 | 433MHz                |                     | ○ | ● | ○ | C   | 433MHz | BHSENS      | ●        | ● |
| Polestar | Polestar 4  | 2023/04-2026/06 | 433MHz<br>8889081697  |                     | ○ | ● | ○ | C   | 433MHz | Schrader    | ●        | ● |
| Porsche  | 718 Boxster | 2017/01-2026/12 | 433MHz                | 982                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 718 Cayman  | 2017/01-2026/12 | 433MHz                | 982C                | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2019/01-2024/12 | 433MHz                | 992                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2017/01-2020/12 | 433MHz                | 991                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2014/01-2016/12 | 433MHz                | 991T                | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2012/02-2016/12 | 433MHz                | 991                 | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2009/01-2012/12 | 433MHz                | 997                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 911         | 2004/01-2008/12 | 433MHz                | 997                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 918 Spyder  | 2013/01-2015/12 | 433MHz                |                     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | 960         | 2015/09-2019/06 | 433MHz                | 714                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Boxster     | 2012/01-2016/12 | 433MHz                | 981                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Boxster     | 2009/01-2012/12 | 433MHz                | 987                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Boxster     | 2004/01-2008/12 | 433MHz                | 987                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Carrera GT  | 2003/01-2011/12 | 433MHz                | GT                  | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne     | 2017/09-2023/12 | 433MHz                | 9YA                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne     | 2014/11-2017/08 | 433MHz                | 92A                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne     | 2011/01-2014/07 | 433MHz                | 92A                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne     | 2006/12-2010/12 | 433MHz                | 9PA                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne     | 2002/01-2006/12 | 433MHz<br>95536166100 | 9PA                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayenne S   | 2010/01-2014/05 | 433MHz                | 4. 8L               | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayman      | 2025/06-2026/12 | 433MHz                | CT4-2               | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayman      | 2019/10-2025/05 | 433MHz                | CT4-2               | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Cayman      | 2009/01-2016/12 | 433MHz                | 987C/981C/GT4<br>-1 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Macan       | 2014/01-2023/12 | 433MHz                | P0416/95B           | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Mission E   | 2019/01-2020/12 | 433MHz                |                     | ○ | ● | ○ | C   | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Panamera    | 2017/09-2023/12 | 433MHz                | 970/971             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Panamera    | 2013/09-2017/08 | 433MHz                | 970                 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Panamera    | 2009/01-2014/02 | 433MHz                |                     | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Porsche  | Taycan      | 2019/01-2023/12 | 433MHz<br>9J11907275  |                     | ● | ● | ○ | 0   | 433MHz | Huf/Beru    | ●        | ● |
| Renault  | Alaskan     | 2018/01-2019/12 | 433MHz                | U60A                | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Renault  | Arkana      | 2021/04-2026/06 | 433MHz                |                     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Renault  | Austral     | 2020/01-2023/12 | 433MHz                |                     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Renault  | Captur      | 2022/03-2024/12 | 433MHz                |                     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Renault  | Captur      | 2013/01-2019/12 | 433MHz<br>407005642R  |                     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Renault  | Captur      | 2013/01-2016/12 | 433MHz                | J87                 | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Renault  | Clio III    | 2005/01-2014/05 | 433MHz                | X85                 | ● | ● | ● | 0   | 433MHz | Schrader    | ●        | ● |
| Renault  | Clio IV     | 2016/01-2019/12 | Indirect              |                     | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Renault  | Clio IV     | 2014/11-2016/02 | 433MHz<br>407005642R  |                     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Renault  | Clio IV     | 2013/01-2015/12 | 433MHz                |                     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |

|             |               |                 |                      |             |   |   |   |     |        |             |   |   |
|-------------|---------------|-----------------|----------------------|-------------|---|---|---|-----|--------|-------------|---|---|
| Renault     | Duster        | 2025/01-2026/06 | 433MHz<br>407009BFBE |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Duster        | 2025/01-2026/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Fluence       | 2015/01-2017/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Fluence       | 2010/01-2017/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Kadjar        | 2016/01-2021/05 | 433MHz               |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Renault     | Kangoo II     | 2017/06-2019/12 | 433MHz<br>407005642R |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Kangoo II     | 2007/10-2021/12 | 433MHz               | X61         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Kangoo III    | 2020/01-2024/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Kangoo III    | 2019/12-2026/06 | 433MHz<br>407004CBOB |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Kangoo Z.E.   | 2017/01-2022/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Koleos        | 2024/01-2026/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Koleos        | 2016/08-2023/12 | 433MHz               |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Renault     | Koleos        | 2014/01-2016/07 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Koleos        | 2013/01-2016/07 | 433MHz<br>407003VUOA |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Koleos        | 2010/06-2016/07 | 315MHz               |             | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Renault     | Koleos        | 2010/01-2016/07 | 433MHz<br>407001AYOA | H45         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Koleos        | 2010/01-2013/12 | 315MHz<br>407001AAOB |             | ● | ● | ○ | 0   | 315MHz | Schrader    | ● | ● |
| Renault     | Laguna II     | 2000/12-2009/04 | 433MHz               | X74         | ● | ● | ● | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Laguna III    | 2009/05-2012/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Latitude      | 2009/05-2015/12 | 433MHz               | L43         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Master        | 2009/11-2022/08 | 433MHz               | X62         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Megane E-TECH | 2021/02-2026/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Megane I      | 1997/01-2003/12 | 433MHz               | B32/X95/X64 | ● | ● | ● | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Megane II     | 2005/01-2009/12 | 433MHz               | B32/X84     | ● | ● | ● | 0   | 433MHz | Continental | ● | ● |
| Renault     | Megane III    | 2010/01-2017/06 | 433MHz               | X95         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Megane IV     | 2021/02-2024/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Megane IV     | 2021/02-2023/12 | 433MHz<br>407004CBOA |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Renault     | Megane IV     | 2017/06-2021/01 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Scenic I      | 1997/01-2003/12 | 433MHz               | J64         | ● | ● | ● | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Scenic II     | 2003/01-2009/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Scenic III    | 2009/01-2016/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Talisman      | 2015/01-2020/12 | 433MHz<br>407004CBOA |             | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Renault     | Trafic        | 2022/01-2025/12 | 433MHz<br>407004CBOB |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Trafic        | 2021/10-2025/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Trafic        | 2014/01-2021/09 | 433MHz               | X82         | ● | ● | ○ | 0   | 433MHz | Schrader    | ● | ● |
| Renault     | Zoe           | 2021/01-2022/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Zoe           | 2018/04-2020/12 | 433MHz<br>407004CBOA |             | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Renault     | Zoe           | 2016/01-2019/09 | 433MHz               | X10         | ● | ● | ○ | 0   | 433MHz | Continental | ● | ● |
| Rivian      | EDV           | 2022/01-2026/06 | 433MHz               |             | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| Rivian      | R1S           | 2022/01-2026/06 | 433MHz               |             | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| Rivian      | R1T           | 2022/01-2026/06 | 433MHz               |             | ○ | ● | ○ | A   | 433MHz | BHSENS      | ● | ● |
| Rolls Royce | Cullinan      | 2024/08-2026/06 | 315MHz               |             | ○ | ● | ○ | A   | 315MHz | Schrader    | ● | ● |
| Rolls Royce | Cullinan      | 2018/01-2026/06 | 433MHz               |             | ○ | ● | ○ | A   | 433MHz | Schrader    | ● | ● |

|             |                              |                 |                       |                    |   |   |   |     |        |          |          |   |
|-------------|------------------------------|-----------------|-----------------------|--------------------|---|---|---|-----|--------|----------|----------|---|
| Rolls Royce | Dawn                         | 2016/01-2023/12 | 433MHz                | RR6                | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Ghost                        | 2024/12-2026/06 | 315MHz<br>36106887146 |                    | ○ | ● | ○ | A   | 315MHz | Schrader | ●        | ● |
| Rolls Royce | Ghost                        | 2020/08-2026/06 | 433MHz<br>36106887147 |                    | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Rolls Royce | Ghost                        | 2020/01-2024/06 | 433MHz<br>36106877937 | RR21               | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Ghost                        | 2014/04-2021/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Ghost                        | 2009/12-2014/03 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Phantom                      | 2025/06-2026/06 | 315MHz                |                    | ○ | ● | ○ | A   | 315MHz | Schrader | ●        | ● |
| Rolls Royce | Phantom                      | 2017/01-2026/06 | 433MHz<br>MRXAG5SP4   | RR11/RR02/RR1<br>2 | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Rolls Royce | Phantom                      | 2012/01-2017/12 | 433MHz                | RR01               | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Phantom                      | 2007/01-2022/12 | 433MHz<br>36106798872 |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Phantom                      | 2003/02-2018/12 | 433MHz<br>OYGTSSRE4TC |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Phantom<br>Drophead<br>Coupe | 2007/01-2018/12 | 433MHz                | RR02               | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Spectre                      | 2023/08-2026/06 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Spectre                      | 2023/08-2026/06 | 315MHz                |                    | ○ | ● | ○ | A   | 315MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Wraith                       | 2013/05-2023/12 | 433MHz<br>36106874830 | RR5                | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Rolls Royce | Wraith                       | 2013/01-2022/12 | 433MHz                | RR5                | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Saab        | 9-3                          | 2013/01-2015/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-3                          | 2009/06-2012/12 | 433MHz                | YS3F               | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-3                          | 2006/10-2009/05 | 433MHz                | YS3F               | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-3                          | 2003/01-2006/09 | 433MHz                | YS3F               | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-3X                         | 2007/07-2014/04 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-4X                         | 2011/01-2014/06 | 433MHz                |                    | ● | ● | ● | 0/A | 433MHz | Schrader | ●        | ● |
| Saab        | 9-5                          | 2009/10-2013/12 | 433MHz                | YS3G               | ● | ● | ● | 0/A | 433MHz | Schrader | ●        | ● |
| Saab        | 9-5                          | 2006/11-2009/09 | 433MHz                | YE3E               | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-5                          | 2002/07-2006/10 | 433MHz                | YE3E               | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Saab        | 9-7X                         | 2007/01-2011/12 | 433MHz                |                    | ○ | ● | ○ | S   | 433MHz | Schrader | ●        | ● |
| Seat        | Arona                        | 2017/03-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Seat        | Ateca                        | 2016/09-2023/12 | Indirect              |                    | ○ | ○ | ○ | S   | N/A    | N/A      | Indirect | ● |
| Seat        | Ibiza                        | 2010/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Seat        | Leon                         | 2010/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Seat        | Tarraco                      | 2018/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Fabia                        | 2015/01-2021/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Fabia                        | 2013/10-2014/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Fabia                        | 2013/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Karoq                        | 2017/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Kodiaq                       | 2016/11-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Kodiaq                       | 2016/01-2023/06 | 433MHz                |                    | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Octavia                      | 2015/01-2023/12 | 433MHz                |                    | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Octavia                      | 2013/01-2023/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Octavia                      | 2012/10-2014/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Praktik                      | 2013/01-2015/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Rapid                        | 2017/01-2020/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda       | Rapid                        | 2015/05-2022/12 | 433MHz                |                    | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda       | Rapid                        | 2012/01-2016/12 | Indirect              |                    | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |

|           |               |                 |                      |      |   |   |   |     |        |          |          |   |
|-----------|---------------|-----------------|----------------------|------|---|---|---|-----|--------|----------|----------|---|
| Skoda     | Rapid         | 2012/01-2015/04 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda     | Roomster      | 2013/01-2020/06 | Indirect             |      | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda     | Roomster      | 2006/01-2018/12 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda     | Scala         | 2019/01-2023/12 | Indirect             |      | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda     | Superb        | 2017/01-2023/12 | 433MHz               |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Skoda     | Superb        | 2013/01-2021/12 | Indirect             |      | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda     | Superb        | 2008/03-2015/04 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Skoda     | Yeti          | 2014/01-2019/12 | Indirect             |      | ○ | ○ | ○ | A   | N/A    | N/A      | Indirect | ● |
| Skoda     | Yeti          | 2009/06-2018/12 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Smart     | Forfour       | 2005/01-2023/12 | 433MHz               | A453 | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Smart     | Fortwo        | 2014/03-2023/12 | 433MHz               | A453 | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Smart     | Fortwo        | 2007/01-2019/12 | 433MHz               | A451 | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Actyon        | 2023/01-2026/06 | 433MHz<br>4199036100 |      | ○ | ● | ○ | C   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Actyon        | 2018/07-2022/12 | 433MHz Q200          |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Actyon        | 2012/08-2021/12 | 433MHz QJ            |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Actyon Sports | 2012/10-2019/12 | 433MHz               |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Chairman      | 2014/01-2019/12 | 433MHz<br>4199034000 |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Korando       | 2020/01-2023/12 | 433MHz<br>4199034000 |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Korando       | 2019/05-2026/06 | 433MHz<br>4199037000 |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Korando       | 2018/01-2023/12 | 433MHz C300          |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Korando       | 2010/11-2019/12 | 433MHz C200          |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Korando E     | 2021/01-2026/06 | 433MHz<br>4199036100 |      | ● | ● | ○ | 0   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Korando E     | 2021/01-2026/06 | 433MHz<br>4199037000 |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | LUVi          | 2015/01-2019/12 | 433MHz X100          |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Musso         | 2023/01-2026/06 | 433MHz<br>4199036100 |      | ○ | ● | ○ | A   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Musso         | 2018/06-2023/12 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Musso         | 2016/01-2018/05 | 433MHz               |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Musso EV      | 2025/07-2026/06 | 433MHz<br>4199036100 |      | ○ | ● | ○ | A   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Musso Grand   | 2021/01-2026/06 | 433MHz<br>4199036100 |      | ○ | ● | ○ | C   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Musso Grand   | 2021/01-2026/06 | 433MHz<br>4199035000 |      | ○ | ● | ○ | C   | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Nomad         | 2013/07-2019/10 | 433MHz               |      | ○ | ● | ○ | A   | 433MHz | Schrader | ●        | ● |
| Ssangyong | Rexton        | 2023/01-2026/06 | 433MHz<br>4199035000 | Y450 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Rexton        | 2019/09-2026/06 | 433MHz<br>4199037000 | Y450 | ● | ● | ○ | 0   | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Rexton        | 2017/03-2022/12 | 433MHz Y400          |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Rexton        | 2012/07-2017/12 | 433MHz Y290          |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Rexton Sports | 2022/01-2026/06 | 433MHz<br>4199036100 |      | ● | ● | ○ | 0   | 433MHz | BHSENS   | ●        | ● |
| Ssangyong | Rexton Sports | 2018/01-2021/12 | 433MHz<br>4199035000 |      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ●        | ● |
| Ssangyong | Rexton Sports | 2012/07-2017/12 | 433MHz<br>4199034000 |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |
| Ssangyong | Rodius        | 2013/02-2022/12 | 433MHz AJ            |      | ● | ● | ○ | 0/A | 433MHz | Schrader | ●        | ● |

|           |               |                 |                      |             |   |   |   |     |        |             |          |   |
|-----------|---------------|-----------------|----------------------|-------------|---|---|---|-----|--------|-------------|----------|---|
| Ssangyong | Rodius        | 2005/05-2013/01 | 433MHz AJ            |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Ssangyong | Stavic        | 2014/01-2023/12 | 433MHz<br>4199034000 |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Ssangyong | Stavic        | 2014/01-2023/12 | 315MHz               |             | ● | ● | ○ | 0/A | 315MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Tivoli        | 2021/07-2026/06 | 433MHz<br>4199036100 |             | ● | ● | ○ | 0   | 433MHz | BHSENS      | ●        | ● |
| Ssangyong | Tivoli        | 2019/05-2023/12 | 433MHz               |             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Tivoli        | 2016/01-2019/04 | 433MHz               |             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Tivoli        | 2015/01-2020/06 | 433MHz X100          |             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Torres        | 2022/01-2026/06 | 433MHz<br>4199037000 |             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Torres        | 2022/01-2026/06 | 433MHz<br>4199036100 |             | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ●        | ● |
| Ssangyong | Torres EVX    | 2024/02-2026/06 | 433MHz<br>4199037000 |             | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Ssangyong | Torres EVX    | 2024/02-2026/06 | 433MHz<br>4199036100 |             | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ●        | ● |
| Ssangyong | Torres Hybrid | 2025/10-2026/06 | 433MHz<br>4199036100 |             | ● | ● | ○ | 0/A | 433MHz | BHSENS      | ●        | ● |
| Ssangyong | Turismo       | 2014/01-2025/12 | 433MHz AJ            |             | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Ssangyong | XLV           | 2016/01-2025/12 | 433MHz               | XK          | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Subaru    | BRZ           | 2022/01-2026/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Subaru    | BRZ           | 2014/01-2026/06 | 433MHz ZC            | ZC          | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Subaru    | BRZ           | 2011/11-2020/12 | 315MHz               |             | ● | ● | ○ | 0   | 315MHz | Pacific     | ●        | ● |
| Subaru    | Crosstrek     | 2023/01-2026/06 | 433MHz               | HR3         | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Forester      | 2018/01-2026/06 | 433MHz               | FM5/PF3     | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Forester      | 2014/01-2017/12 | 433MHz               | FM5/PF3     | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Impreza       | 2016/09-2026/06 | 433MHz               | HR3         | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Impreza       | 2014/01-2017/09 | 433MHz               | 55A/MF1/ZR1 | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Impreza       | 2013/07-2022/12 | 315MHz               |             | ● | ● | ○ | 0   | 315MHz | Schrader    | ●        | ● |
| Subaru    | Legacy        | 2018/01-2019/12 | 433MHz               | EZ5         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Legacy        | 2014/01-2017/12 | 433MHz               | EZ5         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Levorg        | 2021/03-2026/06 | 433MHz               | VN          | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Levorg        | 2015/01-2021/06 | 433MHz VM            |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Libery        | 2018/01-2021/12 | 433MHz               |             | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Libery        | 2014/01-2017/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Outback       | 2018/01-2026/06 | 433MHz               | BS/BT       | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | Outback       | 2018/01-2019/12 | 433MHz               | EZ5         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Outback       | 2014/01-2017/12 | 433MHz               | EZ5         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | Solterra      | 2023/01-2026/06 | 315MHz               |             | ● | ● | ○ | 0   | 315MHz | Pacific     | ●        | ● |
| Subaru    | Solterra      | 2022/06-2026/06 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Subaru    | Tribeca       | 2017/01-2020/12 | 433MHz               |             | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | WRX           | 2022/01-2026/06 | 433MHz<br>MRXSHR3    |             | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | WRX           | 2019/01-2021/12 | 433MHz               |             | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | WRX           | 2014/01-2018/12 | 433MHz XK            |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | XV            | 2018/01-2023/12 | 433MHz               | GT          | ● | ● | ○ | A/0 | 433MHz | Schrader    | ●        | ● |
| Subaru    | XV            | 2018/01-2019/12 | 433MHz               | HR3         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Subaru    | XV            | 2012/01-2017/12 | 433MHz               | MF1         | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Suzuki    | Across        | 2020/01-2025/12 | 433MHz               |             | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Suzuki    | Alto          | 2014/06-2020/12 | 433MHz               | YC5         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki    | Alto          | 2014/01-2015/06 | Indirect             |             | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Suzuki    | APV           | 2014/01-2025/06 | 433MHz               | YC5/YRA     | ○ | ● | ○ | C   | 433MHz | Continental | ●        | ● |

|        |              |                 |                       |             |   |   |   |     |        |             |          |   |
|--------|--------------|-----------------|-----------------------|-------------|---|---|---|-----|--------|-------------|----------|---|
| Suzuki | Baleno       | 2016/01-2026/06 | 433MHz                | YR          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Baleno       | 2016/01-2022/12 | 433MHz<br>4313052S01  |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Celerio      | 2014/01-2026/06 | 433MHz                | YLA         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Celerio      | 2014/01-2025/06 | Indirect              |             | ○ | ○ | ○ | S   | N/A    | N/A         | Indirect | ● |
| Suzuki | Fronx        | 2023/01-2026/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Fronx        | 2023/01-2026/12 | 433MHz<br>4313961M00  |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Grand Vitara | 2023/01-2025/12 | 315MHz<br>4313054J21  |             | ● | ● | ○ | 0   | 315MHz | Schrader    | ●        | ● |
| Suzuki | Grand Vitara | 2014/01-2025/12 | 433MHz                | YT4         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Grand Vitara | 2005/01-2014/12 | 315MHz                |             | ● | ● | ○ | 0/S | 315MHz | Schrader    | ●        | ● |
| Suzuki | Ignis        | 2021/02-2026/06 | 433MHz                | MF          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Ignis        | 2016/01-2026/06 | 433MHz                | YJ          | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Jimny        | 2021/02-2026/06 | 433MHz                |             | ● | ● | ○ | A/O | 433MHz | Continental | ●        | ● |
| Suzuki | Jimny        | 2014/01-2021/01 | 433MHz                | YR7/YW5     | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Kizashi      | 2021/01-2025/12 | 315MHz                |             | ● | ● | ○ | 0   | 315MHz | Schrader    | ●        | ● |
| Suzuki | Kizashi      | 2009/01-2019/12 | 433MHz                | YW1         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Kizashi      | 2009/01-2019/12 | 315MHz                |             | ● | ● | ○ | 0   | 315MHz | Continental | ●        | ● |
| Suzuki | S-Cross      | 2021/09-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | S-Cross      | 2013/01-2025/12 | 433MHz<br>4313961M00  |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Splash       | 2013/09-2019/12 | 433MHz                | YV1/YV4/YV5 | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Swace        | 2020/10-2025/12 | 433MHz<br>4260702070  |             | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Suzuki | Swace        | 2019/09-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Pacific     | ●        | ● |
| Suzuki | Swift        | 2021/02-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Swift        | 2013/08-2025/12 | 433MHz                | YP6/YP7/YS  | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Swift Sport  | 2020/02-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Swift Sport  | 2017/01-2020/01 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | SX4          | 2013/01-2025/12 | 433MHz                | YY1, YY3    | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | SX4          | 2006/01-2014/12 | 315MHz                |             | ● | ● | ○ | 0/S | 315MHz | Schrader    | ●        | ● |
| Suzuki | SX4 S-Cross  | 2021/09-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | SX4 S-Cross  | 2013/01-2025/12 | 433MHz                | YAA         | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Vitara       | 2021/02-2025/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Suzuki | Vitara       | 2013/09-2025/12 | 433MHz                | YFA/YG4/YH4 | ● | ● | ○ | 0   | 433MHz | Continental | ●        | ● |
| Tata   | Xenon XT     | 2016/01-2021/12 | 433MHz                |             | ● | ● | ○ | 0   | 433MHz | Schrader    | ●        | ● |
| Tesla  | Model 3      | 2021/01-2026/06 | 2.4GHz                |             | ○ | ● | ○ | A   | 2.4GHz | Sysgration  | ●        | ● |
| Tesla  | Model 3      | 2018/01-2021/12 | 433MHz<br>107481200B  |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Tesla  | Model 3      | 2016/01-2020/12 | 433MHz                |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Tesla  | Model S      | 2021/01-2026/06 | 2.4GHz                |             | ○ | ● | ○ | A   | 2.4GHz | Sysgration  | ●        | ● |
| Tesla  | Model S      | 2014/12-2021/01 | 433MHz                |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Tesla  | Model S      | 2014/12-2021/01 | 433MHz<br>107481200B  |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Tesla  | Model S      | 2012/01-2014/11 | 433MHz                |             | ○ | ● | ○ | A   | 433MHz | Baolong     | ●        | ● |
| Tesla  | Model X      | 2021/01-2026/06 | 2.4GHz                |             | ○ | ● | ○ | A   | 2.4GHz | Sysgration  | ●        | ● |
| Tesla  | Model X      | 2016/01-2019/12 | 433MHz<br>Baolong     |             | ○ | ● | ○ | A   | 433MHz | Baolong     | ●        | ● |
| Tesla  | Model X      | 2015/09-2021/12 | 433MHz<br>107481200B  |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |
| Tesla  | Model X      | 2014/10-2023/12 | 433MHz<br>Continental |             | ○ | ● | ○ | A   | 433MHz | Continental | ●        | ● |

|        |                    |                 |  |  |   |   |   |     |        |            |   |   |
|--------|--------------------|-----------------|--|--|---|---|---|-----|--------|------------|---|---|
| Tesla  | Model Y            | 2020/01-2026/06 | 2.4GHz                                 |  | ○ | ● | ○ | A   | 2.4GHz | Sysgration | ● | ● |
| Tesla  | Roadster           | 2010/01-2012/12 | 433MHz<br>Baolong                      |  | ○ | ● | ○ | A   | 433MHz | Baolong    | ● | ● |
| Tesla  | Roadster           | 2008/01-2010/12 | 433MHz Huf                             |  | ○ | ● | ○ | A   | 433MHz | Huf/Beru   | ● | ● |
| Toyota | 86                 | 2012/04-2023/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Aurion<br>(H Line) | 2014/01-2020/12 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Aurion<br>(L Line) | 2016/05-2021/05 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Auris              | 2022/10-2024/12 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Avalon             | 2018/06-2026/06 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Avensis            | 2008/10-2019/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | bZ4X               | 2022/03-2026/06 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | C-HR               | 2018/02-2021/05 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | C-HR               | 2017/01-2019/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | C-HR               | 2016/01-2026/06 | 433MHz PMV-<br>C215                    |  | ● | ● | ○ | 0/A | 433MHz | Pacific    | ● | ● |
| Toyota | Camry              | 2018/08-2021/01 | 315MHz PMV-<br>C015/E000               |  | ● | ● | ○ | 0   | 315MHz | Pacific    | ● | ● |
| Toyota | Camry              | 2016/01-2026/06 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0/A | 433MHz | Pacific    | ● | ● |
| Toyota | Camry              | 2014/01-2021/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Camry              | 2006/01-2011/09 | 315MHz PMV-<br>107J/1017/C11<br>A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific    | ● | ● |
| Toyota | Camry Hybrid       | 2012/06-2017/09 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Coaster            | 2008/01-2019/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Corolla            | 2019/04-2026/06 | 315MHz PMV-<br>C015/E000               |  | ● | ● | ○ | 0   | 315MHz | Pacific    | ● | ● |
| Toyota | Corolla            | 2019/01-2026/06 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Corolla            | 2013/01-2021/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Corolla Cross      | 2020/07-2026/06 | 433MHz PMV-<br>E100                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | FJ Cruiser         | 2014/06-2023/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Fortuner           | 2005/12-2023/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | GR Supra           | 2019/01-2026/06 | 433MHz                                 |  | ● | ● | ○ | 0   | 433MHz | Huf/Beru   | ● | ● |
| Toyota | Granvia            | 2019/01-2022/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Hiace              | 2004/08-2022/12 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |
| Toyota | Highlander         | 2014/01-2019/11 | 433MHz PMV-<br>C210                    |  | ● | ● | ○ | 0   | 433MHz | Pacific    | ● | ● |

|        |                    |                 |                                |  |   |   |   |     |        |         |   |   |
|--------|--------------------|-----------------|--------------------------------|--|---|---|---|-----|--------|---------|---|---|
| Toyota | Hilux              | 2015/01-2023/07 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Innova             | 2015/11-2021/01 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Kluger             | 2020/01-2022/10 | 433MHz PMV-C215                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Kluger             | 2016/11-2019/12 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Kluger             | 2007/01-2011/12 | 315MHz PMV-107J/1017/C11A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Land Cruiser       | 2021/04-2026/06 | 433MHz PMV-E100 soft bottom    |  | ● | ● | ○ | 0/A | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser       | 2017/01-2021/01 | 433MHz PMV-C215 hard bottom    |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser       | 2015/10-2025/12 | 433MHz PMV-C215 soft bottom    |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser       | 2012/01-2016/01 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser       | 2005/01-2013/08 | 433MHz PMV-107K/1019           |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser Prado | 2017/10-2025/12 | 433MHz PMV-C215                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Land Cruiser Prado | 2013/08-2017/11 | 315MHz PMV-C010                |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Land Cruiser Prado | 2009/01-2017/09 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Previa             | 2016/05-2020/12 | 315MHz PMV-C010                |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Previa             | 2007/01-2020/12 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Prius              | 2019/01-2025/12 | 433MHz PMV-C215                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Prius              | 2014/05-2022/01 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Prius              | 2003/08-2015/12 | 315MHz PMV-107J/1017/C11A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Prius C            | 2015/11-2021/01 | 315MHz PMV-C010                |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Prius C            | 2014/03-2022/12 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | RAV4               | 2018/01-2026/06 | 433MHz PMV-C215                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | RAV4               | 2012/01-2023/12 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | RAV4               | 2005/11-2011/12 | 433MHz PMV-107K/1019           |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |
| Toyota | Rukus              | 2014/01-2019/12 | 315MHz PMV-107J/1017/C11A/1037 |  | ● | ● | ○ | 0   | 315MHz | Pacific | ● | ● |
| Toyota | Tarago             | 2016/05-2021/12 | 433MHz PMV-C210                |  | ● | ● | ○ | 0   | 433MHz | Pacific | ● | ● |

|            |               |                 |                    |           |   |   |   |      |        |             |          |   |
|------------|---------------|-----------------|--------------------|-----------|---|---|---|------|--------|-------------|----------|---|
| Toyota     | Tarago        | 2016/05-2020/12 | 315MHz PMV-C010    |           | ● | ● | ○ | 0    | 315MHz | Pacific     | ●        | ● |
| Toyota     | Urban Cruiser | 2007/06-2020/12 | 433MHz PMV-C210    |           | ● | ● | ○ | 0    | 433MHz | Pacific     | ●        | ● |
| Toyota     | Vellfire      | 2020/01-2021/05 | 433MHz PMV-C215    |           | ● | ● | ○ | 0    | 433MHz | Pacific     | ●        | ● |
| Toyota     | Yaris         | 2011/01-2023/12 | 433MHz PMV-C210    |           | ● | ● | ○ | 0    | 433MHz | Pacific     | ●        | ● |
| Toyota     | Yaris Cross   | 2021/07-2025/12 | 433MHz PMV-E100    |           | ● | ● | ○ | 0    | 433MHz | Pacific     | ●        | ● |
| Volkswagen | Amarok        | 2023/01-2023/12 | 433MHz F2GZ1A189B  |           | ● | ● | ○ | 0/A  | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Amarok        | 2014/03-2026/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Arteon        | 2017/01-2023/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Caddy         | 2020/11-2026/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Caddy         | 2014/01-2020/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | California    | 2019/11-2022/12 | 433MHz             |           | ○ | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Caravelle     | 2019/11-2023/12 | 433MHz             |           | ○ | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Caravelle     | 2015/01-2019/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | CC            | 2018/01-2023/06 | 433MHz MQB         |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | CC            | 2011/06-2020/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Crafter       | 2018/03-2026/12 | 433MHz 2N0907275A  |           | ● | ● | ○ | 0/A  | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Crafter       | 2014/07-2023/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Crafter       | 2006/04-2014/06 | 433MHz             | VN830     | ● | ● | ○ | 0*/A | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Crafter       | 2006/01-2016/12 | 433MHz Continental |           | ○ | ● | ○ | A    | 433MHz | Continental | ●        | ● |
| Volkswagen | EOS           | 2014/01-2015/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Golf          | 2012/01-2021/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Golf          | 2009/01-2023/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Jetta         | 2013/01-2019/12 | 433MHz             |           | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Multivan      | 2019/10-2024/12 | 433MHz             |           | ○ | ● | ○ | A    | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Multivan      | 2015/01-2019/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Multivan      | 2004/03-2015/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | New Beetle    | 2011/08-2020/06 | 433MHz             |           | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Passat        | 2014/09-2023/12 | 433MHz             | B8        | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Passat        | 2012/01-2021/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Passat        | 2010/01-2015/12 | 433MHz             | B6/VW471  | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Passat        | 2005/01-2011/12 | 433MHz             | VW451     | ● | ● | ○ | 0/A  | 433MHz | Continental | ●        | ● |
| Volkswagen | Passat CC     | 2014/09-2019/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Passat CC     | 2008/03-2016/12 | 433MHz 3AA907275   |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Phaeton       | 2010/06-2019/12 | 433MHz             | Vh67      | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Phaeton       | 2001/12-2007/05 | 433MHz             | VW611     | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Polo          | 2017/09-2023/12 | 433MHz             |           | ● | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Polo          | 2009/01-2023/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Santana       | 2014/09-2023/12 | 433MHz             |           | ○ | ● | ○ | A    | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Scirocco      | 2008/06-2018/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | Scirocco      | 2008/01-2019/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | T-ROC         | 2017/11-2023/12 | Indirect           |           | ○ | ○ | ○ | A    | N/A    | N/A         | Indirect | ● |
| Volkswagen | T5            | 2014/03-2019/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Tiguan        | 2016/01-2023/12 | 433MHz             | VW376/5N2 | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Tiguan        | 2012/01-2018/12 | 433MHz             |           | ● | ● | ○ | 0/A  | 433MHz | Huf/Beru    | ●        | ● |

|            |                   |                 |                    |            |   |   |   |     |        |             |          |   |
|------------|-------------------|-----------------|--------------------|------------|---|---|---|-----|--------|-------------|----------|---|
| Volkswagen | Touareg           | 2014/08-2023/12 | 433MHz             | 7P5/7P6108 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Touareg           | 2012/01-2014/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Touareg           | 2007/01-2011/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Touareg           | 2002/02-2007/12 | 433MHz             | 7L         | ● | ● | ○ | A   | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Touran            | 2015/01-2023/12 | 433MHz             | VW378      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Volkswagen | Transporter       | 2015/01-2019/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volkswagen | Transporter       | 2014/03-2023/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volkswagen | Up!               | 2011/08-2018/12 | 433MHz             | VW120      | ● | ● | ○ | 0/A | 433MHz | Huf/Beru    | ●        | ● |
| Volvo      | C30               | 2011/01-2014/03 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C30               | 2006/01-2014/03 | 433MHz<br>31445474 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C30               | 2006/01-2010/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C30 Electric      | 2011/01-2013/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C40               | 2022/01-2024/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo      | C70               | 2011/01-2014/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C70               | 2008/01-2010/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C70               | 2006/01-2014/12 | 433MHz<br>31445474 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | C70               | 2006/01-2007/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | ES90              | 2025/02-2026/06 | 433MHz<br>32134419 |            | ○ | ● | ○ | C   | 433MHz | BHSENS      | ●        | ● |
| Volvo      | EX30              | 2023/06-2026/06 | 433MHz             |            | ○ | ● | ○ | C   | 433MHz | Schrader    | ●        | ● |
| Volvo      | EX90              | 2023/09-2026/06 | 433MHz             |            | ○ | ● | ○ | C   | 433MHz | BHSENS      | ●        | ● |
| Volvo      | S40               | 2011/01-2014/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S40               | 2003/01-2014/12 | 433MHz<br>31445474 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S40               | 2003/01-2010/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S60               | 2019/04-2024/12 | 433MHz<br>31362304 |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo      | S60               | 2019/01-2024/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo      | S60               | 2010/01-2020/12 | 433MHz<br>31302096 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S60               | 2010/01-2019/12 | 433MHz<br>31445474 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S60               | 2001/01-2010/12 | 315MHz<br>31200923 |            | ● | ● | ○ | A   | 315MHz | Schrader    | ●        | ● |
| Volvo      | S60               | 2000/07-2010/02 | 433MHz<br>31329981 |            | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| Volvo      | S80               | 2013/01-2019/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo      | S80               | 2010/01-2016/12 | 433MHz<br>31302096 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S80               | 2007/01-2009/12 | 433MHz<br>31302096 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S80               | 2006/01-2017/01 | 433MHz<br>31341893 |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | S80               | 1999/01-2007/12 | 315MHz<br>31200923 |            | ● | ● | ○ | A   | 315MHz | Schrader    | ●        | ● |
| Volvo      | S90               | 2016/05-2024/12 | 433MHz<br>31362304 |            | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo      | S90               | 2016/01-2023/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo      | V40               | 2015/01-2020/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo      | V40               | 2012/01-2021/12 | 433MHz             |            | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo      | V40 Cross Country | 2017/01-2021/12 | Indirect           |            | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |

|       |                   |                 |                      |  |   |   |   |     |        |             |          |   |
|-------|-------------------|-----------------|----------------------|--|---|---|---|-----|--------|-------------|----------|---|
| Volvo | V40 Cross Country | 2012/01-2017/12 | 433MHz<br>31445474   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V50               | 2016/01-2018/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | V50               | 2011/01-2016/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V50               | 2004/01-2014/12 | 433MHz<br>31445474   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V50               | 2003/01-2010/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V60               | 2019/01-2023/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | V60               | 2017/11-2024/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo | V60               | 2011/01-2022/12 | 433MHz<br>31341893   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V60               | 2008/01-2014/06 | 433MHz<br>31302096   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V60 Cross Country | 2019/01-2024/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | V60 Cross Country | 2015/01-2018/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V70               | 2007/01-2016/12 | 433MHz<br>31445474   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | V90               | 2016/01-2023/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | V90               | 2015/01-2022/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo | V90 Cross Country | 2016/01-2023/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | XC40              | 2018/01-2019/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo | XC40              | 2017/01-2024/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | XC60              | 2017/01-2024/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | XC60              | 2008/01-2017/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | XC70              | 2010/01-2014/06 | 433MHz<br>31302096   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | XC70              | 2008/01-2018/12 | 433MHz               |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | XC70              | 2008/01-2009/12 | 433MHz<br>31302096   |  | ● | ● | ○ | 0/A | 433MHz | Continental | ●        | ● |
| Volvo | XC90              | 2016/01-2024/12 | Indirect             |  | ○ | ○ | ○ | A   | N/A    | N/A         | Indirect | ● |
| Volvo | XC90              | 2015/01-2022/12 | 433MHz<br>31362304   |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| Volvo | XC90              | 2003/01-2016/12 | 315MHz<br>31200923   |  | ● | ● | ○ | 0/A | 315MHz | Schrader    | ●        | ● |
| Volvo | XC90              | 2002/01-2018/05 | 433MHz<br>31329981   |  | ● | ● | ○ | 0/A | 433MHz | Schrader    | ●        | ● |
| ZEEKR | 001               | 2023/01-2026/06 | 433MHz<br>8894215959 |  | ● | ● | ○ | A   | 433MHz | BHSENS      | ●        | ● |
| ZEEKR | 001               | 2021/01-2024/06 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| ZEEKR | 001FR             | 2023/10-2024/12 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | BHSENS      | ●        | ● |
| ZEEKR | 007               | 2023/12-2025/06 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| ZEEKR | 009               | 2024/04-2026/06 | 433MHz<br>8894215959 |  | ● | ● | ○ | A   | 433MHz | BHSENS      | ●        | ● |
| ZEEKR | 009               | 2022/11-2024/12 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| ZEEKR | 7X                | 2024/09-2026/06 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| ZEEKR | MIX               | 2024/10-2026/06 | 433MHz               |  | ○ | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |
| ZEEKR | X                 | 2023/04-2026/06 | 433MHz               |  | ● | ● | ○ | A   | 433MHz | Schrader    | ●        | ● |