

MX-Sensor_V2.90 Function List For KR Market (Note:For reference only)

NOTES:

● This function is supported. ○ This function is not supported. Mark explaining (Red:New, Yellow: Modify)

Special Declaration:

- 1). If the "Relearn Type" of MX-Sensor is only OBD type, and the "OBD-II Function" has not been released for the moment, you can just do the clone for relearning the MX-Sensor.
- 2). All the Automatic Relearn Procedure for MX-Sensor, the drive speed should be controlled between 16 mph (25 km/h) and 64 mph (100 km/h).

| Make | Model | Year Range | Feature | Model code | OBD-II Function | Programming Status | TireType/ Pressure Selection | Relearn Type (A=Automatic, S=Stationary, 0=OBD, 0*=OBD partially supported, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|-------|-----------------|--------------------|------------|-----------------|--------------------|------------------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Abarth | 500C | 2010/01-2019/06 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Acura | NSX | 2016/06-2020/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 알파 로메오 | 기우리아 | 2020/01-2026/06 | 433MHz | 952 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| Alpina | B3 | 2022/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| Alpina | B3 | 2022/07-2026/06 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | B3 | 2022/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B3 | 2014/03-2019/06 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| Alpina | B3 | 2009/09-2014/03 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B3 | 2006/03-2009/08 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B4 | 2020/09-2023/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B4 | 2014/03-2020/07 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| Alpina | B5 | 2021/11-2024/06 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | B5 | 2021/11-2024/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| Alpina | B5 | 2021/11-2024/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B5 | 2017/01-2024/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | B5 | 2014/03-2016/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B5 | 2010/02-2014/02 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B5 | 2005/01-2014/12 | 433MHz 36236798726 | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B6 | 2014/03-2018/06 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B6 | 2010/12-2014/02 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B6 | 2006/03-2010/11 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B7 | 2015/07-2022/07 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | B7 | 2015/07-2022/07 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | B7 | 2010/09-2014/02 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B7 | 2006/01-2010/08 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | B8 | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | B8 | 2021/01-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | D3 | 2022/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| Alpina | D3 | 2022/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | D3 | 2009/09-2014/02 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | D3 | 2005/06-2009/08 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|--------------|---------------------|-----------------|-----------------------|-------|---|---|---|------|--------|-------------|----------|---|
| Alpina | D4 | 2022/02-2026/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | D4 | 2020/09-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | D4 | 2020/09-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| Alpina | D4 | 2020/09-2026/06 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | D4 | 2014/03-2020/07 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| Alpina | D5 | 2021/11-2024/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | D5 | 2017/01-2024/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | D5 | 2014/03-2016/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | D5 | 2011/09-2014/12 | 433MHz 36236798726 | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | D5 | 2010/02-2014/02 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | XB7 | 2022/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| Alpina | XB7 | 2022/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | XB7 | 2020/01-2022/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | XB7 | 2020/01-2022/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | XD3 | 2017/08-2024/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Alpina | XD3 | 2017/08-2024/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | XD3 | 2014/04-2017/06 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | XD3 | 2010/09-2014/03 | 433MHz | F25 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| Alpina | XD3 | 2010/09-2014/02 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Alpina | XD4 | 2018/09-2024/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Alpina | XD4 | 2018/01-2024/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| Aston Martin | DB11 | 2016/01-2026/06 | 433MHz | VH500 | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Aston Martin | DBS | 2018/01-2026/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Aston Martin | DBS | 2007/01-2015/12 | 433MHz | V12 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | DBS Superleggera | 2018/01-2022/12 | 433MHz | VH500 | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Aston Martin | DBX | 2020/04-2026/06 | 433MHz Huf | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | Rapide | 2010/01-2021/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | Rapide S | 2010/01-2019/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | Vanquish | 2012/01-2020/12 | 433MHz | AM310 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | Vanquish | 2005/01-2021/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Aston Martin | Vantage | 2010/01-2025/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A3 | 2012/06-2023/12 | 433MHz | 8L | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A4 | 2012/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A4 | 2008/08-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | A5 | 2019/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A5 | 2006/12-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | A6 | 2018/01-2023/12 | 433MHz | 4G | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A6 | 2005/01-2018/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A6 | 2002/01-2021/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | A7 | 2012/01-2021/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | A7 | 2010/09-2023/12 | 433MHz 5Q0907275 | 4G | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A8 | 2017/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A8 | 2010/11-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | A8 | 2009/01-2019/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 아우디 | e-tron | 2018/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | Q2 | 2020/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|-------------|-------------------|-----------------|-----------------------|----------|---|---|---|------|--------|-------------|----------|---|
| 아우디 | Q3 | 2020/01-2023/12 | 433MHz | 8U | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | Q5 | 2017/01-2023/12 | 433MHz | 8R | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | Q5 | 2008/01-2017/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | Q7 | 2015/01-2023/12 | 433MHz MLB | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | Q7 | 2013/01-2019/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 아우디 | Q7 | 2005/09-2015/12 | 433MHz | 4L/AU716 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | Q8 | 2018/01-2023/12 | 433MHz | 4M | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | R8 | 2015/04-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | R8 | 2013/01-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | R8 | 2009/06-2024/12 | 433MHz 7PP907275F | AU714 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | RS5 | 2017/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | RS5 | 2010/01-2016/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | S6 | 2018/01-2019/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | S6 | 2005/01-2012/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | S6 | 2002/01-2017/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 아우디 | S7 | 2012/01-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | S8 | 2017/10-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | S8 | 2010/01-2017/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 아우디 | S8 | 2009/11-2017/10 | 433MHz | D4 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | SQ5 | 2017/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | SQ5 | 2012/01-2017/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 아우디 | TT | 2014/02-2023/12 | 433MHz | AU334 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 아우디 | TTS | 2016/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BAIC HUANSU | S6 | 2015/11-2019/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | BAIC | ● | ● |
| 벤틀리 | 벤틀가 | 2016/01-2023/12 | 433MHz 5Q0907275 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 벤틀리 | Continental GT | 2022/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 벤틀리 | Continental GT | 2005/06-2023/12 | 433MHz BY634 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 벤틀리 | 플라잉 스퍼 | 2019/01-2026/12 | 433MHz 5Q0907275 | | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| 벤틀리 | 플라잉 스퍼 | 2011/01-2019/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 벤틀리 | 물산 | 2001/01-2020/12 | 433MHz 7PP907275F | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 1 Series | 2019/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 1 Series | 2019/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 1 Series | 2014/01-2024/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | 1 Series | 2010/09-2013/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 1 Series | 2008/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | 2 Series | 2019/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 2 Series | 2019/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 2 Series | 2014/03-2024/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | 2 Series | 2012/11-2014/02 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 2019/03-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 2019/03-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 2019/03-2026/06 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 3 Series | 2019/03-2026/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|-------------|-----------------|-----------------------|-------------|---|---|---|------|--------|-------------|----------|---|
| BMW | 3 Series | 2014/03-2022/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | 3 Series | 2010/10-2014/03 | 433MHz | F30/F31/F34 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 2009/09-2013/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 2005/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | 3 Series | 2005/01-2009/08 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 1999/01-2002/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 3 Series | 1998/01-2003/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 4 Series | 2020/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 4 Series | 2020/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 4 Series | 2020/07-2026/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | 4 Series | 2020/07-2026/06 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 4 Series | 2013/07-2021/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | 5 Series | 2023/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 5 Series | 2023/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 5 Series | 2016/11-2024/12 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 5 Series | 2016/11-2024/12 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | 5 Series | 2014/03-2017/12 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 5 Series | 2010/09-2014/02 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 5 Series | 2003/05-2013/12 | 433MHz 36236798726 | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 5 Series | 1998/08-2004/05 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 6 Series | 2014/04-2018/12 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 6 Series | 2011/01-2014/03 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 6 Series | 2003/08-2012/10 | 433MHz | E63/E64 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 6 Series GT | 2017/07-2024/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | 6 Series GT | 2017/07-2024/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 7 Series | 2022/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 7 Series | 2022/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | 7 Series | 2015/06-2022/12 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | 7 Series | 2015/06-2022/12 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 7 Series | 2014/03-2015/05 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 7 Series | 2010/09-2014/02 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 7 Series | 2006/01-2010/08 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | 7 Series | 2002/01-2005/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | 8 Series | 2018/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | 8 Series | 2018/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | i3 | 2022/01-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | i3 | 2013/01-2022/06 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | i4 | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | i4 | 2021/01-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | i5 | 2023/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | i5 | 2023/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | i7 | 2022/07-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | i7 | 2022/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|-----|-------|-----------------|-----------------------|-----|---|---|---|------|--------|-------------|---------------|---|
| BMW | i8 | 2013/01-2022/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | iX | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | iX | 2021/01-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | iX1 | 2022/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | iX1 | 2022/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | iX2 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | iX2 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | iX3 | 2017/08-2025/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | iX3 | 2017/08-2025/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | M2 | 2022/12-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | M2 | 2022/12-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | M2 | 2014/11-2021/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | M3 | 2020/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | M3 | 2020/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | M3 | 2014/01-2019/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | M4 | 2021/07-2026/06 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | M4 | 2021/07-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | M4 | 2014/03-2021/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | M5 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | M5 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | M5 | 2014/03-2017/12 | 433MHz 36106874830 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | M5 | 2010/09-2014/03 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | M6 | 2014/03-2018/12 | 433MHz | F12 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | M6 | 2011/06-2015/12 | 433MHz 36106856227 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | M8 | 2019/01-2025/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | M8 | 2019/01-2024/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | 모터사이클 | 2010/01-2019/12 | 433MHz | | ○ | ○ | ○ | | 433MHz | Schrader | Activate Only | ● |
| BMW | X1 | 2022/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X1 | 2022/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X1 | 2015/08-2023/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | X1 | 2014/03-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X1 | 2009/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | X1 | 2008/09-2014/02 | 433MHz | E84 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X2 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X2 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X2 | 2016/01-2023/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | X3 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X3 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X3 | 2017/01-2025/12 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | X3 | 2017/01-2025/12 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | X3 | 2014/04-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X3 | 2010/11-2014/03 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X3 | 2003/03-2011/07 | 433MHz | E83 | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X3 | 2003/01-2010/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |

| | | | | | | | | | | | | |
|-----|-------------------|-----------------|-------------------------|-----|---|---|---|------|--------|-------------|----------|---|
| BMW | X4 | 2018/04-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | X4 | 2018/04-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | X4 | 2014/01-2018/12 | 433MHz 36106790054 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X4 | 2013/05-2018/03 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X5 | 2023/04-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X5 | 2023/04-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X5 | 2018/08-2023/03 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | X5 | 2018/08-2023/03 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | X5 | 2013/08-2018/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | X5 | 2010/10-2013/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X5 | 2010/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | X5 | 1999/10-2007/09 | 433MHz | E53 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X6 | 2023/01-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X6 | 2023/01-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X6 | 2019/08-2023/12 | 433MHz Schrader | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | X6 | 2019/08-2023/12 | 315MHz Schrader | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | X6 | 2014/08-2019/07 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| BMW | X6 | 2010/10-2014/07 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X6 | 2008/01-2014/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | X6 | 2007/12-2010/09 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| BMW | X7 | 2022/08-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | X7 | 2022/08-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | X7 | 2018/12-2022/07 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| BMW | X7 | 2018/12-2022/07 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| BMW | XM | 2022/12-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | XM | 2022/12-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | Z4 | 2018/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| BMW | Z4 | 2018/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| BMW | Z4 | 2014/03-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BMW | Z4 | 2009/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| BMW | Z4 | 2006/01-2014/02 | 433MHz 36106790054 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| BYD | ATTO 3 | 2025/10-2026/06 | 433MHz SA3HE3609200G | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| BYD | ATTO 3 | 2025/01-2026/06 | 433MHz SA3HE3609200E | | ● | ● | ○ | 0 | 433MHz | SAT | ● | ● |
| BYD | ATTO 3 | 2025/01-2026/06 | 433MHz EUEA3609200B | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| BYD | Sea Lion 07 EV | 2024/05-2026/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| BYD | SEAL EV | 2024/08-2026/06 | 433MHz | | ● | ● | ○ | A/0 | 433MHz | BHSENS | ● | ● |
| BYD | SEAL EV | 2024/08-2026/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| BYD | SEALION 7 EV | 2024/05-2026/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 캐딜락 | ATS | 2017/07-2019/12 | 433MHz Snap in | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2017/07-2019/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2017/07-2019/12 | 315MHz 20964159 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|----------|-----------------|--------------------|--|---|---|---|-------|--------|----------|---|---|
| 캐딜락 | ATS | 2017/07-2019/12 | 315MHz 13598772 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2015/07-2017/12 | 433MHz Snap in | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2015/07-2017/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2012/07-2017/12 | 315MHz 13581558 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2012/07-2017/12 | 315MHz 20964159 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | ATS | 2012/07-2015/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS-V | 2017/01-2019/06 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | ATS-V | 2015/07-2016/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | BLS | 2007/07-2014/12 | 433MHz | | ● | ● | ○ | A/O | 433MHz | Schrader | ● | ● |
| 캐딜락 | BLS | 2006/01-2007/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 캐딜락 | Celestiq | 2025/07-2026/06 | 433MHz 13542523 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | Celestiq | 2025/07-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | Celestiq | 2025/07-2026/06 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | Celestiq | 2024/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT4 | 2025/03-2026/06 | 433MHz 13538566 | | ● | ● | ○ | 0/S/A | 433MHz | Baolong | ● | ● |
| 캐딜락 | CT4 | 2019/05-2026/06 | 433MHz 13530661 | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT4 | 2019/05-2026/06 | 433MHz 13554170 | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2023/10-2026/06 | 433MHz 13556202 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2023/10-2026/06 | 315MHz 13538759 | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2023/10-2026/06 | 433MHz 13554170 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2021/07-2023/12 | 433MHz Snap in | | ● | ● | ○ | 0/S/A | 433MHz | Baolong | ● | ● |
| 캐딜락 | CT5 | 2020/07-2023/12 | 315MHz 13538759 | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2019/11-2023/12 | 433MHz 13530661 | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT5 | 2019/11-2023/12 | 433MHz 13554170 | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT6 | 2018/07-2020/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CT6 | 2016/07-2021/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT6 | 2016/07-2018/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CT6 | 2016/01-2016/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CT6 | 2016/01-2016/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2017/07-2019/12 | 433MHz 13598787 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2017/07-2019/12 | 315MHz 13598786 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2016/01-2017/12 | 315MHz 13598786 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2015/07-2017/12 | 433MHz 13598787 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2013/09-2015/12 | 433MHz 20925925 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|--------|-----------------|--------------------|--|---|---|---|-------|--------|----------|---|---|
| 캐딜락 | CTS | 2013/09-2015/12 | 315MHz 13598786 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2013/09-2014/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2013/09-2014/12 | 315MHz Snap in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2013/09-2014/12 | 315MHz Clamp in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2008/07-2013/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2008/07-2013/12 | 315MHz Snap in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2008/07-2013/12 | 315MHz Clamp in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2008/07-2013/12 | 433MHz 20925925 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2007/01-2008/12 | 315MHz Snap in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2007/01-2008/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2005/07-2007/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | CTS | 2003/07-2007/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | DTS | 2009/01-2011/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | DTS | 2007/07-2008/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | DTS | 2005/07-2007/12 | 315MHz 25920615 | | ○ | ● | ○ | S | 315MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2017/06-2020/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2017/06-2020/12 | 433MHz 13528563 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2016/07-2017/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2014/01-2016/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2013/07-2014/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | 에스컬레이드 | 2010/07-2013/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | Lyriq | 2024/07-2026/06 | 315MHz 13549918 | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | Lyriq | 2023/07-2026/06 | 315MHz | | ● | ● | ○ | A/0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | Lyriq | 2022/06-2026/06 | 433MHz 13530661 | | ● | ● | ○ | A/0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | SRX | 2011/07-2016/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | SRX | 2009/07-2016/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | SRX | 2008/07-2009/12 | 433MHz Snap in | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | SRX | 2003/07-2006/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2023/07-2025/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2023/07-2025/12 | 433MHz 13538761 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2021/07-2023/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2021/07-2023/12 | 315MHz 13512346 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2020/07-2021/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT4 | 2018/07-2022/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT5 | 2021/07-2024/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT5 | 2021/07-2024/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|---------|-----------------|--------------------|--|---|---|---|-----|--------|----------|---|---|
| 캐딜락 | XT5 | 2016/07-2021/12 | 315MHz 13589597 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT5 | 2016/07-2021/12 | 433MHz 13516165 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT5 | 2016/07-2021/12 | 315MHz 13516164 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 캐딜락 | XT6 | 2021/07-2025/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT6 | 2021/07-2025/12 | 433MHz 13554187 | | ● | ● | ● | 0/S | 433MHz | Baolong | ● | ● |
| 캐딜락 | XT6 | 2019/06-2021/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 캐딜락 | XT6 | 2019/06-2021/12 | 315MHz 13516164 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | Alpheon | 2013/07-2015/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | Alpheon | 2013/01-2013/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | Alpheon | 2010/08-2012/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 아베오 | 2018/01-2019/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 아베오 | 2013/07-2017/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 아베오 | 2007/07-2011/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 쉐보레 | 아베오 | 2006/07-2007/12 | 315MHz | | ○ | ● | ○ | S | 315MHz | Schrader | ● | ● |
| 쉐보레 | Bolt | 2018/07-2021/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | Bolt | 2016/07-2024/06 | 433MHz 13516165 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | Bolt | 2016/07-2018/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2019/07-2024/12 | 315MHz | | ● | ● | ● | 0 | 315MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2019/07-2024/12 | 433MHz Clamp in | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2019/07-2024/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2016/07-2024/12 | 433MHz 13516165 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2016/07-2019/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2016/07-2019/12 | 315MHz 13598786 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2011/07-2016/12 | 315MHz 20964159 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2010/07-2016/12 | 433MHz Snap in | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 카마로 | 2009/01-2016/12 | 315MHz 22854866 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 캡티바 | 2012/07-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 캡티바 | 2011/07-2018/12 | 315MHz Snap in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2024/07-2026/06 | 433MHz 13542523 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2024/01-2026/06 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2024/01-2026/06 | 433MHz 13554170 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2019/07-2022/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2019/07-2022/12 | 433MHz 13512347 | | ● | ● | ● | 0 | 433MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2018/07-2020/12 | 433MHz | | ● | ● | ● | 0 | 433MHz | Schrader | ● | ● |
| 쉐보레 | 콜로라도 | 2016/07-2019/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 코벳 | 2018/07-2019/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 쉐보레 | 코벳 | 2013/07-2018/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 쉐보레 | 코벳 | 2009/07-2013/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|--------|-----------------|-------------------------------|--|---|---|---|-----|--------|----------|---|---|
| 쉐보레 | 코벳 | 2009/07-2013/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 크루즈 | 2016/07-2020/06 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 크루즈 | 2013/07-2016/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 에쿠노스 | 2021/07-2024/12 | 433MHz 13540606 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 에쿠노스 | 2021/07-2023/12 | 315MHz 13512346 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 에쿠노스 | 2017/07-2021/12 | 433MHz MRXAG6SP4 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 에쿠노스 | 2017/06-2023/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2019/07-2020/12 | 315MHz 13516164 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2017/01-2020/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2017/01-2020/06 | 315MHz 13598772 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2015/01-2016/12 | 315MHz Limited 23445327 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2013/03-2016/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2013/03-2016/12 | 433MHz 13598773 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2013/03-2016/12 | 315MHz Limited | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2008/07-2013/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2006/07-2007/12 | 315MHz Clamp in 15268606 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 임팔라 | 2005/01-2008/12 | 315MHz Clamp in | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2021/07-2025/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2021/07-2025/12 | 433MHz 13554187 | | ● | ● | ● | 0/S | 433MHz | Baolong | ● | ● |
| 쉐보레 | 말리브 | 2016/07-2024/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2012/07-2016/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2012/07-2016/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2011/07-2012/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2008/07-2012/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 말리브 | 2007/07-2008/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 몬테 카를로 | 2006/07-2007/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 올랜도 | 2013/07-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 스파크 | 2018/07-2022/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 스파크 | 2017/07-2022/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 스파크 | 2014/07-2017/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 스파크 | 2012/07-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 타호 | 2021/07-2024/12 | 433MHz 13545366 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 타호 | 2020/05-2026/06 | 433MHz 13530661 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 타호 | 2020/05-2023/12 | 433MHz 13528563 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 타호 | 2017/07-2020/12 | 433MHz 13528563 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트레버스 | 2016/07-2026/06 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트레버스 | 2024/07-2026/06 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|---------|---------------|-----------------|--------------------|-------|---|---|---|-----|--------|-------------|----------|---|
| 쉐보레 | 트래버스 | 2023/07-2024/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트래버스 | 2021/07-2023/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트래버스 | 2017/07-2023/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트랙스 | 2018/07-2025/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 트랙스 | 2018/07-2022/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 트랙스 | 2013/01-2018/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 쉐보레 | 트랙스 | 2013/01-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 볼트 | 2018/07-2019/12 | 433MHz 13512347 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 볼트 | 2016/07-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 쉐보레 | 볼트 | 2015/10-2016/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 크라이슬러 | 200 | 2015/01-2016/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 크라이슬러 | 300 | 2016/01-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300 | 2010/01-2015/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300 | 2009/01-2017/12 | 433MHz Clamp in | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300 | 2005/01-2007/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 크라이슬러 | 300C | 2018/01-2021/06 | 433MHz 18 inch | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300C | 2018/01-2021/06 | 433MHz 20 inch | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300C | 2009/06-2017/12 | 433MHz 18 inch | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300C | 2009/06-2017/12 | 433MHz 20 inch | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 300C | 2005/06-2009/05 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 크라이슬러 | 300M | 2002/01-2004/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 크로스파이어 | 2003/01-2008/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 그랜드 보예저 | 2018/01-2020/03 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 그랜드 보예저 | 2011/01-2017/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 퍼시피카 | 2018/01-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 크라이슬러 | 퍼시피카 | 2016/01-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 크라이슬러 | 퍼시피카 | 2006/01-2008/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 크라이슬러 | 퍼시피카 | 2004/01-2005/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 크라이슬러 | 퍼시피카 | 2003/01-2005/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 크라이슬러 | 퍼시피카 | 2003/01-2003/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 크라이슬러 | PT 크루저 | 2007/08-2010/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| Citroen | C4 | 2010/08-2024/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| Citroen | C4 Cactus | 2014/05-2021/04 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Citroen | C5 | 2000/12-2004/07 | 433MHz | X40 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Citroen | C5 Aircross | 2017/09-2025/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Citroen | C8 | 2005/10-2015/12 | 433MHz | V3 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Citroen | DS3 | 2015/01-2022/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| Citroen | DS3 | 2009/01-2019/12 | 433MHz | | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |
| Citroen | DS4 | 2014/02-2020/07 | 433MHz | B81 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Citroen | DS4 | 2010/12-2014/01 | 433MHz | B75 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Citroen | DS4 Crossback | 2016/01-2020/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Citroen | DS5 | 2014/02-2018/11 | 433MHz | X2/50 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Citroen | DS5 | 2011/06-2014/01 | 433MHz | B81 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Citroen | DS7 | 2018/01-2024/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| Citroen | DS7 | 2017/03-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Daewoo | ALPHEON | 2011/01-2017/12 | 433MHz | | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-------|----------------|-----------------|------------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| Dodge | Caliber | 2007/01-2012/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| Dodge | Caliber | 2006/01-2012/12 | 433MHz | | ● | ● | ● | 0 | 433MHz | Schrader | ● | ● |
| Dodge | Nitro | 2006/11-2008/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Schrader | ● | ● |
| Dodge | Nitro | 2006/06-2012/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| Dodge | Ram 1500 | 2024/01-2024/12 | 433MHz 68378369AB | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| Dodge | Ram 1500 | 2020/01-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| Dodge | Ram 1500 | 2018/01-2026/12 | 433MHz DT | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Dodge | Ram 2500 | 2024/11-2026/12 | 433MHz Schrader | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Dodge | Ram 2500 | 2019/01-2025/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| Dodge | Ram 3500 | 2019/01-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| Dodge | Ram ProMaster | 2022/01-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 페라리 | 296GTB | 2022/01-2022/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 458 이탈리아 | 2009/01-2015/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 458 Spider | 2009/01-2020/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 488 | 2015/01-2021/12 | 433MHz | F142 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 488 Spider | 2015/01-2019/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 575M 마라넬로 | 2002/01-2006/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 595 GTB/GTO | 2004/01-2011/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 599 GTB | 2004/01-2014/12 | 433MHz | F141 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 599 GTO | 2004/01-2012/12 | 433MHz | F141 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 612 스카클리 에티 | 2004/01-2011/12 | 433MHz | F137 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 812 Superfast | 2017/01-2024/12 | 315MHz 314821 | | ● | ● | ○ | A | 315MHz | Huf | ● | ● |
| 페라리 | 812 Superfast | 2017/01-2018/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 페라리 | 812 Superfast | 2016/01-2021/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 캘리포니아 | 2008/01-2019/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Daytona SP3 | 2022/01-2023/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 엔조 | 2002/01-2006/12 | 433MHz | F140 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | F12 벨리네타 | 2012/10-2023/12 | 433MHz 282189 | F151/F152 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | F12 tdf | 2015/01-2021/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | F430 | 2007/07-2009/10 | 433MHz 282189 | F131E | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | F430 | 2004/09-2007/06 | 433MHz | F131E | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | F8 Tributo | 2019/01-2023/12 | 433MHz 282189 | F151/F152 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | FF | 2011/01-2020/01 | 433MHz | F151 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | FXX | 2005/01-2006/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | GTC4 루쏘 | 2016/01-2020/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | GTC4 루쏘 | 2016/01-2020/12 | 433MHz 314818 | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | GTC4 Lusso T | 2017/01-2021/12 | 433MHz F11001495001 | | ● | ● | ○ | C | 433MHz | Huf/Beru | ● | ● |
| 페라리 | GTC4 Lusso T | 2017/01-2021/12 | 433MHz F11001648001 | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | GTC4 Lusso T | 2017/01-2021/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | 라 페라리 | 2013/01-2020/12 | 433MHz 282189 | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Monza SP1/SP2 | 2019/01-2025/12 | 433MHz | F151/F152 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Portofino | 2017/10-2023/12 | 433MHz F11001648001 | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Portofino | 2016/01-2023/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Portofino | 2016/01-2023/12 | 433MHz 314818 | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | Purosangue | 2022/01-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| 페라리 | Roma | 2020/01-2025/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|------|----------------|-----------------|--------------------|--|---|---|---|-------|--------|-------------|----------|---|
| 페라리 | SF90 | 2020/01-2025/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | SF90 | 2020/01-2025/12 | 433MHz 314818 | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | SF90 Spider | 2020/01-2025/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | SF90 Stradale | 2020/01-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 페라리 | SF90 xx Spider | 2023/01-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| Fiat | 500 | 2014/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Fiat | 500C | 2013/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Fiat | 500L | 2012/01-2020/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Fiat | 500X | 2014/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Fiat | Freemont | 2014/07-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| Fiat | Freemont | 2011/01-2014/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 포드 | Bronco | 2024/10-2026/06 | 433MHz PR3Z1A189M | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | Bronco | 2021/01-2026/06 | 315MHz 81C3A8189CA | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | Bronco | 2021/01-2026/06 | 315MHz ML3T1A180BA | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | Bronco | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | Bronco | 2021/01-2023/12 | 433MHz JX7Z1A189A | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | Bronco Sport | 2024/11-2026/06 | 433MHz PR3Z1A189M | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | Bronco Sport | 2020/10-2025/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | Bronco Sport | 2020/10-2024/11 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 에스케이프 | 2014/01-2019/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 에스케이프 | 2012/05-2013/12 | 433MHz | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| 포드 | Everest | 2015/01-2018/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 엑스피디션 | 2025/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 엑스피디션 | 2023/01-2024/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 엑스피디션 | 2019/01-2021/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 엑스피디션 | 2017/09-2024/12 | 315MHz HC3Z1A189A | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | 엑스피디션 | 2002/03-2004/12 | 433MHz | | ● | ● | ○ | S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2020/01-2020/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2018/01-2019/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2016/01-2017/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2015/05-2015/12 | 433MHz F2GZ1A189B | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2010/11-2015/12 | 315MHz Schrader | | ● | ● | ● | S | 315MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2010/11-2015/05 | 433MHz BB5Z1A189A | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2006/01-2010/12 | 433MHz | | ● | ● | ○ | S | 433MHz | Schrader | ● | ● |
| 포드 | 익스플로러 | 2004/01-2005/12 | 433MHz | | ● | ● | ○ | S | 433MHz | Schrader | ● | ● |
| 포드 | 쿠가 | 2014/01-2019/12 | 433MHz | | ● | ● | ● | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | 몬데오 | 2019/06-2022/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 몬데오 | 2017/09-2019/05 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 몬데오 | 2015/01-2017/08 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 몬데오 | 2007/01-2015/06 | 433MHz Clamp in | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 포드 | 무스탕 | 2024/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-------|----------------|-----------------|----------------------|------------|---|---|---|-------|--------|-------------|----------|---|
| 포드 | 무스탕 | 2024/01-2026/06 | 433MHz PR3Z1A189M | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | 무스탕 | 2020/01-2023/12 | 433MHz | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | 무스탕 | 2014/07-2019/12 | 433MHz | | ● | ● | ● | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | Mustang Mach-E | 2024/07-2026/06 | 433MHz PR3Z1A189M | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | Mustang Mach-E | 2021/01-2024/12 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | Mustang Mach-E | 2020/10-2026/06 | 315MHz FR3Z1A189A | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 포드 | Mustang Mach-E | 2020/01-2025/01 | 433MHz | | ● | ● | ○ | 0/S/A | 433MHz | Schrader | ● | ● |
| 포드 | 레인저 | 2024/01-2026/06 | 433MHz Hi Line | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 레인저 | 2024/01-2026/06 | 433MHz Lo Line | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 레인저 | 2018/01-2023/12 | 433MHz Hi Line | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 포드 | 타우러스 | 2013/01-2020/12 | 433MHz | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| Geely | Monjaro | 2022/01-2025/06 | 433MHz 8889081697 | | ● | ● | ○ | C | 433MHz | Schrader | ● | ● |
| Geely | Tugella L | 2025/09-2026/06 | 433MHz 6608252653 | | ● | ● | ○ | C | 433MHz | Schrader | ● | ● |
| Geely | Tugella L | 2021/01-2025/12 | 433MHz 8889081697 | | ● | ● | ○ | C | 433MHz | Schrader | ● | ● |
| GMC | Canyon | 2023/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2023/07-2026/06 | 433MHz 13538761 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2023/07-2026/06 | 433MHz 13542523 | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2023/07-2026/06 | 315MHz 13538759 | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| GMC | Sierra | 2021/07-2023/12 | 433MHz 13530661 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2021/07-2023/12 | 315MHz 13538759 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC | Sierra | 2021/07-2023/12 | 433MHz 13542523 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2021/07-2023/12 | 433MHz 13516165 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2020/07-2021/12 | 433MHz 13530661 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2020/07-2021/12 | 315MHz 13538759 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| GMC | Sierra | 2020/07-2021/12 | 433MHz 13542523 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| GMC | Sierra | 2017/07-2021/12 | 433MHz 13516165 | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 혼다 | 아코드 | 2015/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 혼다 | 아코드 | 2013/01-2015/12 | 433MHz | 2GA/2GB/QE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 씨빅 | 2013/01-2025/06 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 혼다 | CR-V | 2014/01-2025/06 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 혼다 | CR-Z | 2011/01-2013/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 혼다 | HR-V | 2014/09-2025/06 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 혼다 | 인사이트 | 2010/01-2013/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 혼다 | Legend | 2015/01-2016/12 | 315MHz | Hybrid | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |

| | | | | | | | | | | | | |
|----|--------------|-----------------|-----------------------|---------|---|---|---|-----|--------|-------------|----------|---|
| 혼다 | NSX | 2016/01-2021/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | NSX | 2016/01-2020/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 혼다 | 오디세이 | 2021/01-2025/06 | 433MHz 42753T3RA02 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 오디세이 | 2017/01-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 오디세이 | 2015/01-2016/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 혼다 | 오디세이 | 2014/01-2017/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 혼다 | 파이롯 | 2023/01-2025/06 | 433MHz 42753T3RA02 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 파이롯 | 2018/01-2023/12 | 433MHz 42753T6NA01 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 파이롯 | 2016/01-2017/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 혼다 | 파이롯 | 2009/01-2015/12 | 315MHz Alloy | | ● | ● | ○ | 0/A | 315MHz | Pacific | ● | ● |
| 혼다 | 파이롯 | 2009/01-2015/12 | 315MHz Steel | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 홈머 | H2 | 2007/07-2008/12 | 315MHz 13598771 | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 현대 | 엑센트 | 2015/01-2019/12 | 433MHz Hi Line | RB | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 엑센트 | 2015/01-2018/12 | 433MHz Lo Line | RB | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Alsan | 2018/01-2018/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Alsan | 2014/01-2017/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Avante | 2021/01-2026/06 | 433MHz 52933F2000 | CN7 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Avante | 2021/01-2026/06 | 433MHz 52940L8200 | CN7 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Avante | 2021/01-2026/06 | 433MHz 5294003100 | CN7 | ● | ● | ○ | 0 | 433MHz | Baolong | ● | ● |
| 현대 | Avante | 2016/01-2020/12 | 433MHz | AD | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Avante | 2014/01-2016/12 | 433MHz | MD | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | Avante | 2012/01-2016/12 | 433MHz 529333X305 | JK | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | Avante | 2011/01-2013/12 | 433MHz | MD | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 아제라 | 2023/01-2026/06 | 433MHz 52940N1000 | GN7 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 아제라 | 2023/01-2026/06 | 433MHz 52940T6100 | GN7 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 아제라 | 2020/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 아제라 | 2017/03-2019/12 | 433MHz | IG | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 아제라 | 2014/09-2017/02 | 433MHz | HG | ● | ● | ○ | C | 433MHz | TRW | ● | ● |
| 현대 | 아제라 | 2011/01-2014/08 | 433MHz | HG | ● | ● | ○ | C | 433MHz | TRW | ● | ● |
| 현대 | Azera hybrid | 2024/01-2026/06 | 433MHz | GN7 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Azera hybrid | 2024/01-2026/06 | 433MHz 52940N1000 | GN7 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 엘란트라 | 2013/10-2019/12 | 315MHz Lo Line | | ● | ● | ○ | 0/A | 315MHz | TRW | ● | ● |
| 현대 | Elantra GT | 2021/01-2021/12 | 433MHz | PD | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Elantra GT | 2017/06-2020/12 | 433MHz | PD | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 엘란트라 N | 2024/01-2026/06 | 433MHz 52940L8200 | CN7 N | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 엘란트라 N | 2024/01-2026/06 | 433MHz 52940CG100 | CN7 N | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 엘란트라 N | 2024/01-2026/06 | 433MHz 52933J5000 | CN7 N | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----|-------------------|-----------------|----------------------|--------|---|---|---|-----|--------|-------------|---|---|
| 현대 | 엘란트라 N | 2024/01-2026/06 | 433MHz 52940L1100 | CN7 N | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 엘란트라 N | 2022/01-2026/06 | 433MHz 52940L8200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 엘란트라 N | 2022/01-2026/06 | 433MHz 52940CG100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | EQ900 | 2016/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 에쿠스 | 2013/01-2019/12 | 433MHz | VI New | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 에쿠스 | 2008/01-2013/12 | 433MHz | VI Old | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 제네시스 | 2013/01-2016/12 | 315MHz Lo Line | BK | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 현대 | 제네시스 | 2013/01-2016/12 | 433MHz | DH | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 제네시스 | 2013/01-2016/12 | 315MHz Hi Line | BK | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 현대 | 제네시스 | 2007/01-2014/12 | 433MHz | BH | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 제네시스 | 2007/01-2007/12 | 315MHz | BH | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 현대 | Genesis Coupe | 2014/01-2016/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis Coupe | 2012/01-2013/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G70 | 2024/09-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2024/09-2026/06 | 433MHz 52940N1000 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2024/01-2026/06 | 433MHz 52933J5000 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2023/10-2026/06 | 433MHz 52940CG100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2018/01-2023/12 | 433MHz 52933J5000 | IK | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2018/01-2023/12 | 433MHz 52940CG100 | IK | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G70 | 2018/01-2020/12 | 433MHz 52933D4100 | IK | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G70 | 2017/01-2017/12 | 433MHz | IK | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G80 | 2024/10-2026/06 | 433MHz 52933D4100 | RG3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2024/10-2026/06 | 433MHz 52940T6000 | RG3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2024/10-2026/06 | 433MHz 52940T6100 | RG3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2021/07-2024/12 | 433MHz 52940T6000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2021/01-2024/12 | 433MHz 52933D4100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2020/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2020/01-2022/12 | 433MHz | DH | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2016/07-2020/01 | 433MHz 52933B1100 | DH | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2016/07-2019/12 | 433MHz | DH | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 | 2016/07-2019/12 | 433MHz 529332J100 | DH | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 EV | 2025/01-2026/06 | 433MHz 52940T6000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 EV | 2025/01-2026/06 | 433MHz 52933D2100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 EV | 2025/01-2026/06 | 433MHz 52940T6100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|----|-----------------|-----------------|----------------------|-------------|---|---|---|-----|--------|-------------|---|---|
| 현대 | Genesis G80 EV | 2020/12-2024/12 | 433MHz 52940T6000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G80 EV | 2020/12-2024/12 | 433MHz 52933D2100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G90 | 2024/09-2026/06 | 433MHz 52940E2100 | RS4 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G90 | 2022/01-2026/06 | 433MHz 52940CG100 | RS4 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Genesis G90 | 2022/01-2026/06 | 433MHz 52940T6000 | RS4 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Genesis G90 | 2017/01-2024/12 | 433MHz | HI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis G90 | 2016/01-2016/12 | 433MHz | HI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV60 | 2026/01-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis GV60 | 2024/09-2025/12 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Genesis GV60 | 2021/12-2025/12 | 433MHz 52940CG100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Genesis GV60 | 2021/12-2025/12 | 433MHz 52933D2100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 | 2024/09-2026/06 | 433MHz 52940T6000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 | 2024/09-2026/06 | 433MHz 52940AR100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 | 2021/01-2024/08 | 433MHz 52940T6000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 | 2020/12-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 EV | 2025/01-2026/06 | 433MHz | JK1 EV (PE) | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 EV | 2025/01-2025/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV70 EV | 2022/11-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV80 | 2024/01-2026/06 | 433MHz 52933D4100 | JX1 FL | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV80 | 2024/01-2026/06 | 433MHz 52940T6000 | JX1 FL | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV80 | 2024/01-2026/06 | 433MHz 52933D2100 | JX1 FL | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Genesis GV80 | 2020/01-2022/12 | 433MHz 52933J5000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Genesis GV80 | 2020/01-2021/12 | 433MHz 52933D4100 | JX1 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Grand Starex | 2015/01-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2023/01-2026/06 | 433MHz | GN7 HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2023/01-2026/06 | 433MHz 52940N1000 | GN7 HEV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 그렌저 | 2020/01-2023/12 | 433MHz 52940T6100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2020/01-2023/12 | 433MHz 52933D4100 | IG LAMBDA | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2018/01-2019/12 | 433MHz | IG LAMBDA | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2017/01-2020/12 | 433MHz | IG/IG HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2015/01-2017/12 | 433MHz | Hybrid | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 그렌저 | 2014/01-2014/12 | 433MHz | Hybrid | ● | ● | ○ | C | 433MHz | TRW | ● | ● |
| 현대 | 그렌저 | 2011/06-2015/12 | 433MHz | HG | ● | ● | ○ | C | 433MHz | TRW | ● | ● |

| | | | | | | | | | | | | |
|----|---------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|----------|---|
| 현대 | 그랜저 | 2011/01-2017/12 | 433MHz | HG/DM | ● | ● | ○ | C | 433MHz | TRW | ● | ● |
| 현대 | Grandeur GN7 | 2023/01-2024/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i30 | 2025/01-2026/06 | 433MHz | Pde | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i30 | 2017/01-2020/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 현대 | i30 | 2016/08-2024/12 | 433MHz 52933562C6 | PD/Pde | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i30 | 2016/08-2024/12 | 433MHz | PD/Pde | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i30 | 2012/01-2016/12 | 433MHz | GD | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | i30 | 2007/01-2016/12 | 433MHz | FD/Fde | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i30 N | 2018/01-2024/12 | 433MHz 52940L8200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | i30 N | 2018/01-2024/12 | 433MHz 52933F2000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | i40 | 2017/01-2019/12 | 433MHz | IF | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | i40 | 2014/04-2020/12 | 433MHz | VF | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 현대 | i40 | 2011/01-2014/03 | 433MHz | VF | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | i40 | 2011/01-2014/03 | 433MHz Second | VF | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | Ioniq | 2022/03-2022/12 | 433MHz 52940T6100 | AE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Ioniq | 2016/01-2023/12 | 433MHz | AE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5 | 2024/10-2026/05 | 433MHz 52940L1100 | NE EV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5 | 2024/10-2026/05 | 433MHz 52940L8200 | NE EV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 5 | 2024/10-2026/05 | 433MHz 52940BE000 | NE EV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5 | 2022/01-2022/12 | 433MHz 52933D4100 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5 | 2021/10-2024/12 | 433MHz 52940L1100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5 | 2021/10-2024/12 | 433MHz 52940L8200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 5 | 2020/01-2021/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5N | 2024/01-2026/06 | 433MHz 52940L1100 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5N | 2024/01-2026/06 | 433MHz 52940L8200 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 5N | 2024/01-2026/06 | 433MHz 52933D4100 | NE EV N | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 5N | 2023/11-2026/06 | 433MHz 52940T6100 | NE EV N | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Ioniq 6 | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 6 N | 2025/12-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 9 | 2025/05-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Ioniq 9 | 2025/05-2026/06 | 433MHz 52940BE000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Kona | 2023/01-2026/06 | 433MHz | SX2 | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| 현대 | Kona | 2023/01-2026/06 | 433MHz 52940BE000 | SX2 | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| 현대 | Kona | 2017/01-2023/12 | 433MHz | OS | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| 현대 | Kona electric | 2024/01-2026/06 | 433MHz | SX2 EV | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |
| 현대 | Kona electric | 2023/07-2026/06 | 433MHz 52940BE000 | SX2 EV | ● | ● | ○ | A/0 | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|----|-----------------|-----------------|----------------------|-------------|---|---|---|-----|--------|-------------|---|---|
| 현대 | Kona electric | 2023/01-2026/06 | 315MHz 529333N000 | SX2 EV | ● | ● | ○ | A/O | 315MHz | Continental | ● | ● |
| 현대 | Kona electric | 2017/01-2024/12 | 433MHz | OS EV | ● | ● | ○ | A/O | 433MHz | Continental | ● | ● |
| 현대 | Kona N | 2022/01-2026/06 | 433MHz | OSN | ● | ● | ○ | A/O | 433MHz | Continental | ● | ● |
| 현대 | Maxcruz | 2012/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Nexo | 2025/10-2026/06 | 433MHz 52940E2100 | NH2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Nexo | 2024/08-2025/12 | 433MHz 52940E2100 | FE | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Nexo | 2024/08-2025/12 | 433MHz 52940L1100 | FE | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Nexo | 2018/04-2025/12 | 433MHz | FE | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Palisade | 2025/06-2026/06 | 433MHz 52940BE000 | LX3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Palisade | 2025/06-2026/06 | 433MHz 52940E2100 | LX3 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Palisade | 2025/01-2025/12 | 433MHz 52940BE000 | LX2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Palisade | 2023/01-2026/07 | 433MHz | LX2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Palisade | 2023/01-2025/12 | 433MHz 52940E2100 | LX2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Palisade | 2018/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Palisade Hybrid | 2025/06-2026/06 | 433MHz 52940BE000 | LX3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Palisade Hybrid | 2025/06-2026/06 | 433MHz 52940E2100 | LX3 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Porter | 2014/01-2023/12 | 433MHz 52933A5100 | HR | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Porter | 2007/01-2018/12 | 433MHz 529334H100 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 싼타페 | 2024/06-2026/06 | 433MHz 52940E2100 | MX5 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2024/01-2026/06 | 433MHz 52940CG100 | MX5/MX5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2024/01-2026/06 | 433MHz 52940AY200 | MX5/MX5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2024/01-2026/06 | 433MHz 52940Q3100 | MX5/MX5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2022/01-2024/12 | 433MHz | TM/TMA | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2019/01-2022/12 | 433MHz | TM | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2018/01-2018/12 | 433MHz | TM | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 싼타페 | 2012/06-2014/12 | 315MHz | NC | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 현대 | 싼타페 | 2012/01-2018/12 | 433MHz | DM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 싼타페 | 2009/01-2012/05 | 433MHz | CM | ● | ● | ○ | 0 | 433MHz | Lear | ● | ● |
| 현대 | 싼타페 | 2006/01-2008/12 | 433MHz | CM | ● | ● | ○ | 0 | 433MHz | Lear | ● | ● |
| 현대 | Santa Fe hybrid | 2023/10-2026/06 | 433MHz 52940CG100 | MX5/MX5A | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Santa Fe hybrid | 2023/10-2026/06 | 433MHz 52940AY200 | MX5/MX5A | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Santa Fe hybrid | 2023/10-2026/06 | 433MHz 52940Q3100 | MX5/MX5A | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Santa Fe hybrid | 2023/10-2026/06 | 433MHz 52940E2100 | MX5/MX5A | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Solati | 2014/03-2023/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 쏘나타 | 2024/10-2026/06 | 433MHz 52940T6000 | DN8 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|----|---------------|-----------------|----------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| 현대 | 쏘나타 | 2019/05-2024/12 | 433MHz 52940L1100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 쏘나타 | 2014/04-2019/12 | 433MHz Hi Line | LF/LFA | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 쏘나타 | 2014/01-2015/12 | 433MHz 529331J000 | VDO | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 쏘나타 | 2010/01-2013/12 | 433MHz | LF/LFA | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 쏘나타 | 2010/01-2010/12 | 433MHz | YF | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Sonata Hybrid | 2024/01-2026/06 | 433MHz 52940L1100 | DN8 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Sonata Hybrid | 2020/01-2023/12 | 433MHz 52940L1100 | DN8 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Sonata Hybrid | 2016/01-2021/12 | 433MHz | YF/LF HEV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Sonata Hybrid | 2011/01-2019/12 | 433MHz 529331J000 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Sonata Hybrid | 2011/01-2014/12 | 433MHz 529333N100 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Sonata N | 2023/01-2026/06 | 433MHz 52940L1100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Sonata N | 2023/01-2026/06 | 433MHz 52940Q3100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 스타렉스 | 2016/01-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 스타렉스 | 2007/01-2015/12 | 433MHz | TQ | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 스타렉스 | 2007/01-2007/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 현대 | Staria | 2026/01-2026/06 | 433MHz 52940E2100 | | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |
| 현대 | Staria | 2023/01-2025/12 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Staria | 2021/03-2025/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Staria HEV | 2024/01-2026/06 | 433MHz | US4 HEV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Staria HEV | 2024/01-2026/06 | 433MHz 52940E2100 | US4 HEV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2024/01-2026/06 | 433MHz 52940L1100 | NX4 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 투싼 | 2024/01-2026/06 | 433MHz 52940E2100 | NX4 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2024/01-2026/06 | 433MHz 52940BV100 | NX4 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2024/01-2026/06 | 433MHz 52940BE000 | NX4 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 투싼 | 2021/01-2023/12 | 433MHz | NX | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2021/01-2023/12 | 433MHz 52940L1100 | NX | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 투싼 | 2021/01-2023/12 | 433MHz 52940L1100 | NX4 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 투싼 | 2021/01-2021/09 | 433MHz Hi Line | TL | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2016/01-2017/12 | 433MHz | TL | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 투싼 | 2015/05-2020/12 | 433MHz Hi Line | TL | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2015/01-2018/12 | 433MHz | LM FCEV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | 투싼 | 2012/01-2015/12 | 433MHz Lo Line | LM | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 투싼 | 2012/01-2015/12 | 433MHz Hi Line | LM | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 현대 | 투싼 | 2009/01-2013/12 | 433MHz | LM | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |

| | | | | | | | | | | | | |
|------|---------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|---|---|
| 현대 | Tucson hybrid | 2024/07-2026/06 | 433MHz 52940Q3100 | NX4 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Tucson hybrid | 2024/07-2026/06 | 433MHz 52940BV100 | NX4 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Tucson hybrid | 2024/07-2026/06 | 433MHz 52940L1100 | NX4 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Tucson hybrid | 2024/07-2026/06 | 433MHz 52940E2100 | NX4 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Tucson hybrid | 2021/01-2024/06 | 433MHz 52940Q3100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 현대 | Tucson hybrid | 2021/01-2024/06 | 433MHz 52940L1100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 벨로스터 | 2018/01-2025/06 | 433MHz | JS | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | 벨로스터 | 2011/03-2019/06 | 433MHz | FS | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 현대 | Veloster N | 2019/01-2024/06 | 433MHz | JSN | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 현대 | Venue | 2023/01-2026/06 | 433MHz 52933D4100 | QX | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Venue | 2023/01-2026/06 | 433MHz 52940T6100 | QX | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Venue | 2022/01-2025/12 | 433MHz 52933D4100 | QXI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Venue | 2022/01-2025/12 | 433MHz 52940T6100 | QXI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | Venue | 2019/01-2022/12 | 433MHz 52933D4100 | QX/QXI | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 현대 | 베라크루즈 | 2007/01-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Lear | ● | ● |
| 현대 | 베라크루즈 | 2007/01-2012/12 | 433MHz | EN/CM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | EX Series | 2010/03-2015/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | EX Series | 2008/01-2014/03 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 인피니티 | EX Series | 2007/11-2011/03 | 315MHz 40700JK00C | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | FX Series | 2010/12-2018/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | FX Series | 2010/12-2018/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | FX Series | 2008/07-2010/12 | 315MHz 40700JA01C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | FX Series | 2008/05-2011/04 | 315MHz 40700JK00C | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | FX Series | 2008/05-2010/04 | 315MHz 40700JY10A | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | FX Series | 2008/03-2013/12 | 433MHz 407001AY0A | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 인피니티 | FX Series | 2007/07-2008/06 | 315MHz 40700JA00B | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | FX Series | 2002/11-2007/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | G Series | 2011/07-2014/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 인피니티 | G Series | 2010/03-2015/12 | 315MHz 407001LA0E | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | G Series | 2007/01-2011/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 인피니티 | G Series | 2006/08-2010/11 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | G Series | 2006/08-2007/12 | 315MHz 40700JA01B | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | M Series | 2010/08-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | M Series | 2010/05-2013/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | M Series | 2008/05-2010/04 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|------|----------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| 인피니티 | M Series | 2007/09-2008/08 | 315MHz 40700JA00C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | M Series | 2002/07-2007/08 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | Q30 | 2016/04-2020/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 인피니티 | Q45 | 2006/09-2008/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | Q45 | 2002/08-2006/08 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 인피니티 | Q50 | 2014/01-2022/07 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 인피니티 | Q50 | 2013/11-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | Q60 | 2017/01-2020/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 인피니티 | Q60 | 2016/10-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | Q70 | 2018/10-2021/12 | 433MHz 407003JA0A | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | Q70 | 2014/11-2021/12 | 433MHz 407006WYOB | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | Q70 | 2013/07-2020/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | Q70 | 2013/07-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | QX50 | 2018/04-2022/05 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | QX50 | 2016/12-2018/03 | 433MHz 407001AYOA | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 인피니티 | QX50 | 2014/05-2018/03 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | QX50 | 2013/09-2018/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 인피니티 | QX60 | 2018/08-2021/12 | 433MHz 407009DJOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | QX60 | 2012/04-2018/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 인피니티 | QX70 | 2014/05-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | QX80 | 2014/09-2020/12 | 433MHz 407006WYOC | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 인피니티 | QX80 | 2013/10-2016/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 재규어 | E-페이스 | 2022/01-2026/06 | 433MHz M8E21A159AA | X540 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | E-페이스 | 2019/01-2022/12 | 433MHz | X540 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | E-페이스 | 2017/01-2018/12 | 433MHz | X540 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-페이스 | 2022/01-2026/06 | 433MHz M8E21A159AA | X761 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-페이스 | 2019/01-2022/12 | 433MHz | X761 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-페이스 | 2015/01-2018/12 | 433MHz | X761 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2021/01-2023/12 | 433MHz M8E21A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2019/01-2026/06 | 433MHz GX631A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2019/01-2021/06 | 433MHz FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2016/05-2018/12 | 433MHz FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2016/05-2018/12 | 433MHz GX631A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2012/11-2016/04 | 315MHz AH521A159CA | X152 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2012/11-2016/04 | 433MHz FW931A159AB | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | F-타일 | 2012/11-2016/04 | 433MHz AH521A159AA | X152 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | I-페이스 | 2021/01-2026/06 | 433MHz M8E21A159AA | X590 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|-----|-----------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|----------|---|
| 재규어 | I-페이스 | 2019/01-2023/12 | 433MHz GX631A159AA | X590 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | I-페이스 | 2017/01-2018/12 | 433MHz | X590 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | S-타워 | 1998/10-2011/08 | 315MHz | X200 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 재규어 | S-타워 | 1998/10-2011/08 | 433MHz | X200 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | X-타워 | 2001/01-2009/12 | 315MHz | X400 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 재규어 | X-타워 | 2001/01-2009/12 | 433MHz | X400 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XE | 2022/01-2026/06 | 433MHz M8E21A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XE | 2018/01-2022/12 | 433MHz GX631A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XE | 2016/01-2017/12 | 433MHz GX631A159AA | X760 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XE | 2015/04-2016/12 | 433MHz FW931A159AB | X760 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XF | 2019/01-2026/06 | 433MHz GX631A159AA | X260 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XF | 2015/09-2018/12 | 433MHz | X260 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XF | 2014/07-2015/05 | 433MHz | X260 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XF | 2009/04-2015/08 | 315MHz | X250 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 재규어 | XF | 2007/01-2015/08 | 433MHz | X250 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XJ | 2016/01-2020/04 | 433MHz GX631A159AA | X351 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XJ | 2010/01-2015/12 | 433MHz AH521A159AA | X351 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XJ | 2002/12-2009/12 | 433MHz | X350 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XK | 2010/01-2015/12 | 315MHz | X150 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 재규어 | XK | 2010/01-2015/12 | 433MHz | X150 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XK | 2006/01-2009/12 | 433MHz | X150 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 재규어 | XK | 2006/01-2009/12 | 315MHz | X150 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 지프 | Avenger | 2023/01-2026/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 지프 | 체로키 | 2019/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 지프 | 체로키 | 2019/01-2022/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | TRW | ● | ● |
| 지프 | 체로키 | 2018/01-2018/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 지프 | 체로키 | 2018/01-2018/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | TRW | ● | ● |
| 지프 | 체로키 | 2016/01-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | TRW | ● | ● |
| 지프 | 체로키 | 2013/01-2017/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | TRW | ● | ● |
| 지프 | 체로키 | 2013/01-2015/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | TRW | ● | ● |
| 지프 | 컴맨더 | 2008/01-2010/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 컴맨더 | 2006/01-2007/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 컴맨더 | 2006/01-2007/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 컴파스 | 2019/01-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 컴파스 | 2019/01-2021/12 | 433MHz 68193586AC | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 컴파스 | 2017/01-2018/12 | 433MHz 68105280AF | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 컴파스 | 2010/01-2015/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 컴파스 | 2007/01-2012/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 컴파스 | 2006/05-2010/12 | 433MHz VDO | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | Gladiator | 2023/01-2026/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 지프 | Gladiator | 2021/01-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | Gladiator | 2019/03-2021/12 | 433MHz MRXAG4WA5 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|-----|-----------|-----------------|----------------------|--|---|---|---|-----|--------|-------------|---|---|
| 지프 | 그랜드 체로키 | 2023/11-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 그랜드 체로키 | 2023/01-2026/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 그랜드 체로키 | 2021/01-2026/12 | 433MHz Conti | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 그랜드 체로키 | 2018/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 그랜드 체로키 | 2016/01-2017/12 | 433MHz Conti | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 그랜드 체로키 | 2016/01-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 그랜드 체로키 | 2010/05-2015/12 | 433MHz Snap in | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 그랜드 체로키 | 2006/06-2010/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 그랜드 체로키 | 2006/01-2007/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Schrader | ● | ● |
| 지프 | 그랜드 체로키 | 2005/01-2007/12 | 433MHz Conti | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 그랜드 체로키 | 2004/05-2005/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 패트리오트 | 2013/01-2017/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Schrader | ● | ● |
| 지프 | 패트리오트 | 2009/01-2014/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 패트리오트 | 2006/01-2012/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 패트리오트 | 2006/01-2008/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 레니게이드 | 2018/01-2026/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 레니게이드 | 2018/01-2025/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 레니게이드 | 2016/01-2017/12 | 433MHz 68252493AB | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 레니게이드 | 2014/07-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 레니게이드 | 2014/07-2017/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 랭글러 | 2022/01-2026/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 지프 | 랭글러 | 2021/07-2026/12 | 433MHz Conti | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 지프 | 랭글러 | 2021/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2019/01-2020/12 | 433MHz 68510379AA | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2018/01-2019/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2015/01-2017/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2013/01-2014/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2011/01-2012/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2010/01-2012/12 | 315MHz | | ● | ● | ● | 0/A | 315MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2010/01-2012/12 | 433MHz Snap in | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2007/01-2010/12 | 315MHz Clamp in | | ● | ● | ● | 0/A | 315MHz | Schrader | ● | ● |
| 지프 | 랭글러 | 2006/06-2010/12 | 433MHz | | ● | ● | ● | 0/A | 433MHz | Schrader | ● | ● |
| KGM | Actyon | 2023/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| KGM | Actyon | 2023/01-2025/12 | 433MHz 4199035000 | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| KGM | Korando | 2023/01-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Korando | 2023/01-2023/12 | 433MHz 4199034000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| KGM | Korando E | 2023/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| KGM | Korando E | 2023/01-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Musso | 2023/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| KGM | Musso | 2023/01-2023/12 | 433MHz 4199035000 | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|-----|---------------|-----------------|----------------------|----------|---|---|---|-----|--------|-------------|---|---|
| KGM | Musso EV | 2025/07-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| KGM | Musso Grand | 2023/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| KGM | Musso Grand | 2023/01-2026/06 | 433MHz 4199035000 | | ○ | ● | ○ | C | 433MHz | Huf/Beru | ● | ● |
| KGM | Rexton | 2023/01-2026/06 | 433MHz 4199035000 | Y450 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Rexton | 2023/01-2026/06 | 433MHz 4199037000 | Y450 | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| KGM | Rexton Sports | 2023/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| KGM | Tivoli | 2023/01-2023/12 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Torres | 2023/01-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Torres | 2023/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| KGM | Torres EVX | 2024/02-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| KGM | Torres EVX | 2024/02-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| KGM | Torres Hybrid | 2025/10-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| KGM | Turismo | 2023/01-2025/12 | 433MHz AJ | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| KGM | XLV | 2023/01-2025/12 | 433MHz | XK | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 기아 | Bongo | 2024/01-2025/12 | 433MHz | PU | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Bongo | 2020/01-2023/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Bongo | 2017/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Bongo | 2014/01-2016/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2020/01-2024/12 | 433MHz 52933D2100 | HM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2017/01-2019/12 | 433MHz 529332J100 | HM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2014/01-2016/12 | 433MHz | HM | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 카렌스 | 2017/01-2019/12 | 433MHz 529332J100 | RP | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 카렌스 | 2006/01-2019/12 | 433MHz | RP | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 카니발 | 2024/01-2026/06 | 433MHz | KA4 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 카니발 | 2020/01-2023/12 | 433MHz | KA4 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 카니발 | 2020/01-2023/12 | 433MHz 52933C1100 | KA4 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 카니발 | 2019/01-2024/12 | 433MHz | YP/YPi | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 카니발 | 2018/01-2018/12 | 433MHz 52933C1100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 카니발 | 2014/01-2018/12 | 433MHz | YP/Sedan | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 카니발 | 2005/01-2014/12 | 315MHz | YP | ● | ● | ○ | 0 | 315MHz | Lear | ● | ● |
| 기아 | Carnival HEV | 2024/07-2026/06 | 433MHz 52940E2100 | KA4 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Carnival HEV | 2024/01-2026/06 | 433MHz | KA4 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Carnival HEV | 2024/01-2026/06 | 433MHz 52933D4100 | KA4 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | E-Niro | 2024/03-2026/06 | 433MHz 52940E2100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | E-Niro | 2023/01-2026/06 | 433MHz | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----|--------|-----------------|----------------------|--------|---|---|---|-----|--------|-------------|---|---|
| 기아 | E-Niro | 2023/01-2026/06 | 433MHz 52940BV100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | E-Niro | 2023/01-2026/06 | 433MHz 52940T6100 | SG2 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | E-Niro | 2023/01-2026/06 | 433MHz 52940CG100 | SG2 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | E-Niro | 2022/05-2022/12 | 433MHz 52940BV100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | E-Niro | 2022/04-2022/12 | 433MHz 52940CG100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | E-Niro | 2021/06-2022/12 | 433MHz 52940T6100 | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | E-Niro | 2017/01-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | E-Soul | 2018/12-2025/06 | 433MHz | SK3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV3 | 2024/08-2026/06 | 433MHz | SV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV3 | 2024/08-2026/06 | 433MHz 52940L1100 | SV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV3 | 2024/08-2026/06 | 433MHz 52940Q3100 | SV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV4 | 2025/01-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | EV5 | 2023/11-2026/06 | 433MHz 52940BE000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV5 | 2023/11-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2025/01-2026/06 | 433MHz 52940L8200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2025/01-2026/06 | 433MHz 52940L1100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV6 | 2025/01-2026/06 | 433MHz 52940Q3100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2025/01-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2025/01-2026/06 | 433MHz 52940BE000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV6 | 2021/03-2024/12 | 433MHz 52940CG100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2021/03-2024/12 | 433MHz 52940BV100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV6 | 2021/03-2024/12 | 433MHz 52940L8200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV9 | 2024/05-2026/06 | 433MHz 52940BE000 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | EV9 | 2024/05-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV9 | 2023/07-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | EV9 | 2023/07-2026/06 | 433MHz 52940CG100 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | 포르테 | 2009/01-2013/04 | 315MHz | TD | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 기아 | K3 | 2022/01-2025/12 | 433MHz | BD | ● | ● | ○ | 0/A | 433MHz | Pacific | ● | ● |
| 기아 | K3 | 2019/01-2019/12 | 433MHz TRW | YDC/YD | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 기아 | K3 | 2018/01-2021/12 | 433MHz Pacific | BDC/BD | ● | ● | ○ | 0/A | 433MHz | Pacific | ● | ● |
| 기아 | K3 | 2012/01-2018/12 | 433MHz TRW | YDC/YD | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | K3 | 2012/01-2018/12 | 433MHz 529333X305 | | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |

| | | | | | | | | | | | | |
|----|-----------|-----------------|----------------------|------------------|---|---|---|-----|--------|-------------|----------|---|
| 기아 | K5 | 2024/01-2026/06 | 433MHz | DL3/DL3 HEV (PE) | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K5 | 2024/01-2026/06 | 433MHz 52933D4100 | DL3/DL3 HEV (PE) | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K5 | 2020/01-2024/12 | 433MHz | DL3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K5 | 2015/07-2021/12 | 433MHz Hybrid | JF/JF HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K5 | 2013/01-2015/06 | 433MHz Hybrid | TF/TF HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | K5 | 2011/01-2012/12 | 433MHz | TF/TF HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | K5 HEV | 2023/12-2026/06 | 433MHz | DL3 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K5 HEV | 2020/01-2023/11 | 433MHz | DL3 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | K7 | 2016/01-2021/12 | 433MHz | YG | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | K7 | 2013/01-2016/12 | 433MHz Hybrid | VG | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | K7 | 2008/01-2012/12 | 433MHz | VG | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | K8 | 2024/09-2026/06 | 433MHz 52940L8200 | GL3 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | K8 | 2024/09-2026/06 | 433MHz 52940N1000 | GL3 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | K8 | 2024/05-2024/12 | 433MHz 52940N1000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | K8 | 2021/07-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | K9 | 2024/10-2026/06 | 433MHz 52940E2100 | RJ | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | K9 | 2022/01-2026/06 | 433MHz | RJ | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | K9 | 2019/01-2021/12 | 433MHz | RJ | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | K9 | 2011/01-2018/12 | 433MHz | KH | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 모하비 | 2022/01-2024/12 | 433MHz | HM PE2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2022/01-2023/12 | 433MHz 52940T6000 | HM PE2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2020/01-2021/12 | 433MHz 52933D2100 | HM PE2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2020/01-2020/12 | 433MHz 52933D4100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2017/01-2020/12 | 433MHz 529332J100 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2016/01-2016/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 모하비 | 2014/09-2015/12 | 433MHz | HM | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 기아 | 모하비 | 2008/01-2014/08 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 기아 | 모하비 | 2007/01-2007/12 | 433MHz 529333M000 | | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 모하비 | 2007/01-2007/12 | 433MHz 529333V600 | HM | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 모닝 | 2017/01-2022/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 기아 | 모닝 | 2014/01-2025/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Morning 3 | 2017/01-2020/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 기아 | Niro | 2023/01-2026/06 | 433MHz 52940CG100 | SG2 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Niro | 2023/01-2026/06 | 433MHz 52940T6100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Niro | 2023/01-2026/06 | 433MHz 52940E2100 | SG2 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Niro | 2023/01-2026/06 | 433MHz 52940BV100 | SG2 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Niro | 2022/01-2022/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Niro | 2022/01-2022/12 | 433MHz 52940BV100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----|-----------|-----------------|----------------------|------|---|---|---|-----|--------|-------------|----------|---|
| 기아 | Niro | 2021/06-2022/12 | 433MHz 52940T6100 | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Niro | 2019/01-2021/12 | 433MHz 52940T6000 | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Niro | 2016/01-2022/12 | 433MHz 52933D4100 | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Niro | 2016/01-2021/12 | 433MHz | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Niro Plus | 2024/03-2026/06 | 433MHz 52940E2100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Niro Plus | 2022/07-2026/06 | 433MHz 52940T6100 | DE | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Niro Plus | 2022/07-2026/06 | 433MHz 52933D4100 | DE | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Niro Plus | 2022/07-2026/06 | 433MHz 52940BV100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Niro Plus | 2022/07-2026/06 | 433MHz 52940CG100 | DE | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Opirus | 2006/01-2014/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 옵티마 | 2005/12-2010/12 | 315MHz | MG | ● | ● | ○ | 0 | 315MHz | Lear | ● | ● |
| 기아 | Pride | 2018/01-2018/12 | 433MHz Lo Line | YB | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | Pride | 2018/01-2018/12 | 433MHz Hi Line | YB | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | Pride | 2017/01-2018/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 기아 | Pride | 2012/01-2017/12 | 433MHz | UB | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | PV5 | 2025/01-2026/06 | 433MHz 52940E2100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Ray | 2024/01-2025/12 | 433MHz | Elec | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Ray | 2023/01-2025/12 | 433MHz 52940CG100 | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Ray | 2018/01-2022/12 | 433MHz 52933B1100 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Ray | 2011/01-2023/12 | 433MHz | Elec | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Seltos | 2023/08-2026/06 | 433MHz | SP2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Seltos | 2019/01-2023/07 | 433MHz | SP2 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Sonet | 2024/01-2025/12 | 433MHz | QYC | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sonet | 2024/01-2025/12 | 433MHz 52940CG100 | QYC | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sonet | 2024/01-2025/12 | 433MHz 52940E2100 | QYC | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sonet | 2024/01-2025/12 | 433MHz 52940CG100 | QY | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sonet | 2024/01-2025/12 | 433MHz 52940E2100 | QY | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sonet | 2021/01-2025/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | 쏘렌토 | 2023/10-2026/06 | 433MHz 52940L1100 | MQ4 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2020/01-2023/09 | 433MHz 52940L1100 | MQ4 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2018/01-2020/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2014/01-2018/06 | 433MHz 529333N100 | UMA | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2011/01-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2009/01-2010/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘렌토 | 2006/01-2008/12 | 433MHz | XM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|-------|--------------|-----------------|----------------------|---------|---|---|---|-----|--------|-------------|----------|---|
| 기아 | Sorento HEV | 2023/12-2026/06 | 433MHz 52940L1100 | MQ4 HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Sorento HEV | 2020/01-2023/11 | 433MHz 52940L1100 | MQ4 HEV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 | 2023/01-2026/06 | 433MHz | SK3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 | 2023/01-2026/06 | 433MHz 52940T6100 | SK3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 | 2019/01-2022/12 | 433MHz | SK3 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 | 2013/11-2018/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 쏘울 | 2008/06-2013/10 | 433MHz | AM | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 EV | 2019/01-2019/12 | 433MHz | PS EV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | 쏘울 EV | 2018/12-2025/06 | 433MHz 52933D4100 | SK3 EV | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | 쏘울 EV | 2013/01-2018/12 | 433MHz | PS EV | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | 스포티지 | 2024/10-2026/06 | 433MHz 52940E2100 | NQ5 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | 스포티지 | 2021/09-2024/09 | 433MHz 52940L1100 | NQ5 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 스포티지 | 2021/01-2024/09 | 433MHz 52940BV100 | NQ5 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | 스포티지 | 2015/11-2021/06 | 433MHz | QL/QLE | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | 스포티지 | 2013/10-2016/01 | 433MHz | SL | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 기아 | 스포티지 | 2010/01-2014/01 | 433MHz Hi Line | SL | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 스포티지 | 2010/01-2013/12 | 433MHz Lo Line | SL | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | 스포티지 | 2009/01-2010/12 | 315MHz Lo Line | KM/SL | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 기아 | 스포티지 | 2008/01-2008/12 | 315MHz Lo Line | KM | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 기아 | 스포티지 | 2005/01-2007/12 | 315MHz Lo Line | KM | ● | ● | ○ | 0 | 315MHz | TRW | ● | ● |
| 기아 | Sportage HEV | 2024/11-2026/06 | 433MHz 52940E2100 | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sportage HEV | 2024/11-2026/06 | 433MHz 52940L1100 | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 기아 | Sportage HEV | 2022/01-2024/10 | 433MHz 52940BV100 | NQ5 HEV | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Sportage R | 2014/01-2023/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | TRW | ● | ● |
| 기아 | Sportage R | 2010/01-2016/12 | 433MHz 529333M000 | | ● | ● | ○ | 0/A | 433MHz | TRW | ● | ● |
| 기아 | Stinger | 2018/01-2025/06 | 433MHz | CK | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 기아 | Stinger | 2017/06-2017/12 | 433MHz | CK | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Stinger | 2017/01-2017/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 기아 | Stonic | 2017/11-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 기아 | Stonic | 2017/01-2026/06 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 기아 | Tasman | 2025/05-2026/06 | 433MHz 52940BE000 | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 람보르기니 | 아벤티도 | 2011/01-2023/12 | 433MHz | LB834 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 람보르기니 | Few Off | 2017/01-2020/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 람보르기니 | 허라칸 | 2014/01-2024/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 람보르기니 | One Off | 2016/01-2020/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 람보르기니 | Urus | 2020/01-2024/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 람보르기니 | Urus | 2017/01-2019/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|------|-----------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| 랜드로버 | 디펜더 | 2026/01-2026/06 | 433MHz M8E21A159AA | L663 | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디펜더 | 2020/01-2025/12 | 433MHz M8E21A159AA | L663 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디펜더 | 2020/01-2023/12 | 433MHz GX631A159AA | L663 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디펜더 | 2020/01-2023/12 | 433MHz FW931A159AB | L663 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2026/01-2026/06 | 433MHz M8E21A159AA | L462 | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2021/01-2025/12 | 433MHz M8E21A159AA | L462 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2017/01-2022/12 | 433MHz GX631A159AA | L462 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 433MHz FW931A159AB | L319 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 433MHz AH521A159AA | L319 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 315MHz BH521A159CA | L319 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 433MHz BH521A159AA | L319 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 433MHz GX631A159AA | L319 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2009/12-2016/12 | 315MHz AH521A159CA | L319 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2004/06-2009/11 | 433MHz | L319 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2004/06-2009/11 | 315MHz | L319 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 | 2002/01-2004/05 | 433MHz | L318 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 랜드로버 | 디스커버리 스포츠 | 2021/01-2026/06 | 433MHz M8E21A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 스포츠 | 2019/01-2022/12 | 433MHz GX631A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 스포츠 | 2019/01-2022/12 | 433MHz BH521A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 스포츠 | 2014/06-2018/12 | 433MHz GX631A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 디스커버리 스포츠 | 2014/01-2018/12 | 433MHz BH521A159AA | L550 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 433MHz FW931A159AB | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 315MHz 4H231A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 315MHz AH521A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 433MHz BH521A159AA | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 433MHz GX631A159AA | L359 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 프리랜더 | 2006/01-2014/12 | 315MHz BH521A159CA | L359 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2022/01-2026/06 | 433MHz M8E21A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2022/01-2023/12 | 433MHz GX631A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2020/02-2021/12 | 433MHz M8E21A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|------|--------------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| 랜드로버 | 렌지로버 | 2017/01-2021/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2016/01-2016/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2016/01-2016/12 | 433MHz FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2013/01-2015/12 | 433MHz FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2013/01-2015/12 | 315MHz AH521A159CA | L405 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2013/01-2015/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2013/01-2015/12 | 433MHz AH521A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2010/01-2012/12 | 315MHz BH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2010/01-2012/12 | 433MHz BH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2010/01-2012/12 | 433MHz GX631A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2010/01-2012/12 | 433MHz AH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2010/01-2012/12 | 315MHz AH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2005/01-2009/12 | 315MHz | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2005/01-2009/12 | 433MHz | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 | 2002/01-2004/12 | 433MHz | L322 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2021/07-2026/06 | 433MHz M8E21A159AA | L551 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2019/01-2023/12 | 433MHz GX631A159AA | L551 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2015/07-2018/12 | 433MHz GX631A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2015/07-2018/12 | 433MHz BH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2015/07-2018/12 | 315MHz BH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2015/07-2017/12 | 433MHz FW931A159AB | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2011/07-2016/12 | 433MHz AH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2011/07-2015/06 | 433MHz BH521A159AA | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2011/07-2015/06 | 315MHz AH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2011/07-2015/06 | 315MHz BH521A159CA | L538 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 예보 크 | 2011/07-2015/06 | 433MHz FW931A159AB | L538 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포 츠 | 2022/10-2026/06 | 433MHz | L461 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포 츠 | 2021/01-2022/09 | 433MHz M8E21A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포 츠 | 2017/01-2022/09 | 433MHz GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포 츠 | 2017/01-2022/09 | 433MHz FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|------|----------|-----------------|-----------------------|------|---|---|---|-----|--------|-------------|---|---|
| 랜드로버 | 렌지로버 스포츠 | 2016/01-2016/12 | 433MHz FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2016/01-2016/12 | 433MHz GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz AH521A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz FW931A159AB | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 315MHz AH521A159CA | L494 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2013/07-2015/12 | 433MHz GX631A159AA | L494 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz BH521A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz AH521A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 315MHz BH521A159CA | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz GX631A159AA | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 315MHz AH521A159CA | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2010/01-2013/06 | 433MHz FW931A159AB | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2005/01-2009/12 | 315MHz | L320 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 스포츠 | 2005/01-2009/12 | 433MHz | L320 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 벨라 | 2021/01-2026/06 | 433MHz M8E21A159AA | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 벨라 | 2019/01-2023/12 | 433MHz GX631A159AA | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 벨라 | 2017/01-2018/12 | 433MHz | L560 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2022/01-2026/06 | 433MHz M8E21A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2022/01-2023/12 | 433MHz GX631A159AA | L460 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2020/02-2021/12 | 433MHz M8E21A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2017/01-2021/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2016/01-2016/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2016/01-2016/12 | 433MHz FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2013/01-2015/12 | 433MHz FW931A159AB | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2013/01-2015/12 | 433MHz GX631A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2013/01-2015/12 | 433MHz AH521A159AA | L405 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2013/01-2015/12 | 315MHz AH521A159CA | L405 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2010/01-2012/12 | 433MHz AH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2010/01-2012/12 | 315MHz BH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|------|-----------|-----------------|--|------|---|---|---|-----|--------|-------------|---|---|
| 랜드로버 | 렌지로버 보그 | 2010/01-2012/12 | 433MHz BH521A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2010/01-2012/12 | 315MHz AH521A159CA | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2010/01-2012/12 | 433MHz GX631A159AA | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2005/01-2009/12 | 315MHz | L322 | ● | ● | ○ | 0/A | 315MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2005/01-2009/12 | 433MHz | L322 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 랜드로버 | 렌지로버 보그 | 2002/01-2004/12 | 433MHz | L322 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 렉서스 | CT Series | 2013/12-2022/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | ES Series | 2018/06-2026/06 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | ES Series | 2012/06-2021/01 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | ES Series | 2006/01-2012/05 | 433MHz PMV- 107K/1019 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | GS Series | 2012/01-2022/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | GX Series | 2013/09-2019/08 | 315MHz PMV- C010 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 렉서스 | IS Series | 2013/04-2023/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | IS Series | 2005/08-2022/12 | 315MHz PMV- 107J/1017/C11 A/1037 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 렉서스 | LC Series | 2017/01-2022/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | LS Series | 2017/10-2025/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | LS Series | 2012/10-2017/09 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | LX Series | 2015/10-2021/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | NX Series | 2014/01-2024/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | RC Series | 2014/09-2023/01 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | RX Series | 2015/09-2025/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | RX Series | 2015/09-2025/12 | 315MHz PMV- C015/E000 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 렉서스 | RX Series | 2009/01-2015/10 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 렉서스 | SC Series | 2006/08-2010/12 | 315MHz PMV- 107J/1017/C11 A/1037 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 렉서스 | UX Series | 2018/01-2024/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 링컨 | 에비에이터 | 2024/05-2026/06 | 433MHz PR3Z1A189M | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 에비에이터 | 2019/05-2026/06 | 315MHz | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 링컨 | 에비에이터 | 2019/05-2024/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 컨티넨탈 | 2016/07-2020/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | Corsair | 2019/05-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKC | 2017/08-2019/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|---------|----------|-----------------|-----------------------|-----------|---|---|---|-----|--------|-------------|---|---|
| 링컨 | MKC | 2014/04-2017/08 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKS | 2013/01-2016/12 | 433MHz | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| 링컨 | MKS | 2011/01-2012/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Schrader | ● | ● |
| 링컨 | MKS | 2008/01-2010/12 | 315MHz | | ● | ● | ● | 0/S | 315MHz | Lear | ● | ● |
| 링컨 | MKX | 2018/01-2019/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKX | 2015/05-2017/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKX | 2015/01-2015/12 | 433MHz DR3Z1A189B | | ● | ● | ● | S | 433MHz | Schrader | ● | ● |
| 링컨 | MKZ | 2016/04-2021/12 | 433MHz | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKZ | 2015/01-2016/12 | 433MHz BB5Z1A189A | | ● | ● | ● | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | MKZ | 2012/10-2014/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | Nautilus | 2023/09-2026/06 | 433MHz | CDX707 | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | Nautilus | 2018/01-2023/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 네비게이터 | 2025/01-2026/06 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 네비게이터 | 2022/01-2024/12 | 433MHz | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 네비게이터 | 2020/11-2024/12 | 433MHz ML3Z1A189D | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 네비게이터 | 2017/09-2024/12 | 315MHz HC3Z1A189A | | ● | ● | ○ | 0/S | 315MHz | Schrader | ● | ● |
| 링컨 | 네비게이터 | 2017/09-2021/12 | 433MHz F2GZ1A189B | | ● | ● | ○ | 0/S | 433MHz | Schrader | ● | ● |
| 링컨 | 타운카 | 2005/07-2011/12 | 315MHz | | ● | ● | ○ | S | 315MHz | Lear | ● | ● |
| Lotus | 3-Elven | 2015/01-2021/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Lotus | Elise | 2000/09-2021/05 | 433MHz | Monza | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Lotus | Evora | 2010/01-2022/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| Lotus | Exige | 2000/09-2022/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 마세라티 | 지블리 | 2018/01-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 마세라티 | 지블리 | 2018/01-2020/12 | 433MHz | M156/M157 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 지블리 | 2013/01-2017/12 | 433MHz | M156/M157 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 그란싸브리오 | 2024/03-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 마세라티 | 그란싸브리오 | 2017/01-2020/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 그란 투리스모 | 2014/01-2022/01 | 433MHz | M145 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | Grecale | 2022/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 마세라티 | 레반테 | 2019/01-2026/06 | 433MHz 50554747 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 마세라티 | 레반테 | 2018/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 레반테 | 2015/01-2019/12 | 433MHz A0009050030 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 레반테 | 2015/01-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | MC20 | 2020/01-2025/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 마세라티 | 콰트로폴테 | 2018/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 콰트로폴테 | 2018/01-2022/12 | 433MHz 50554747 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 마세라티 | 콰트로폴테 | 2013/01-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 마세라티 | 스파이더 | 2001/07-2008/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 540C | 2015/01-2022/12 | 433MHz RDE011 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 570S | 2015/01-2022/12 | 433MHz RDE011 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 600LT | 2018/01-2022/12 | 433MHz RDE011 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 620R | 2019/12-2021/12 | 433MHz RDE011 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 625C | 2015/01-2018/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 650S | 2014/01-2018/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 675LT | 2015/01-2018/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|----------|-----------|-----------------|-----------------------------|------|---|---|---|-----|--------|----------|---|---|
| McLaren | 720S | 2023/01-2023/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 720S | 2017/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 750S | 2023/01-2025/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 765LT | 2023/01-2023/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | 765LT | 2021/07-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | GT | 2023/01-2025/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | GT | 2020/01-2021/12 | 433MHz 4.0L V8 Hybrid + DCT | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | GT | 2019/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| McLaren | P1 | 2016/01-2020/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | P1 | 2013/01-2015/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | Senna | 2018/01-2020/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| McLaren | Speedtail | 2019/01-2021/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | A Class | 2025/06-2026/06 | 433MHz A0009058821 | 177 | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | A Class | 2025/06-2026/06 | 315MHz A0009058921 | 177 | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | A Class | 2018/06-2026/06 | 433MHz | 177 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | A Class | 2018/06-2026/06 | 315MHz A0009054204 | 177 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | A Class | 2014/04-2018/05 | 433MHz | 176 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | A Class | 2012/01-2014/03 | 433MHz | 176 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2023/06-2026/06 | 315MHz A0009058513 | 192 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2023/06-2026/06 | 433MHz A0009058413 | 192 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2022/01-2026/06 | 433MHz | 192 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2018/11-2023/12 | 433MHz | 290 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2018/11-2023/12 | 315MHz | 290 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | AMG GT | 2014/01-2023/12 | 433MHz | C190 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | B Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | B Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | B Class | 2019/02-2026/06 | 433MHz A0009054104 | 247 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | B Class | 2019/02-2026/06 | 315MHz | 247 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | B Class | 2011/11-2019/01 | 433MHz | 246 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | C Class | 2022/09-2026/06 | 433MHz A0009058413 | 206 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | C Class | 2022/09-2026/06 | 315MHz A0009058513 | 206 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | C Class | 2021/06-2026/06 | 433MHz | 206 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | C Class | 2018/06-2023/12 | 433MHz A0009053907 | C205 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----------|-----------|-----------------|-----------------------|------------|---|---|---|-----|--------|-------------|---|---|
| 메르세데스 벤츠 | C Class | 2018/01-2018/12 | 433MHz | C205 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | C Class | 2007/04-2020/12 | 433MHz | W205 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CL Class | 2010/01-2015/12 | 433MHz | 216 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CL Class | 2007/01-2014/12 | 433MHz Continental | 216 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2025/11-2026/06 | 433MHz A0009058821 | 178/174 | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2025/11-2026/06 | 315MHz A0009058921 | 178/174 | ○ | ● | ○ | C | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2019/05-2026/06 | 433MHz | 118 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2019/05-2026/06 | 315MHz A0009054204 | 118 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2014/06-2019/04 | 433MHz | 117 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLA Class | 2012/12-2014/05 | 433MHz | 117 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLC Class | 2008/01-2018/06 | 433MHz | 216 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLE Class | 2023/06-2026/06 | 315MHz A0009058513 | 236 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLE Class | 2023/06-2026/06 | 433MHz A0009058413 | 236 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLK Class | 2002/01-2018/06 | 433MHz | 209 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLS Class | 2018/01-2026/06 | 433MHz | 257 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLS Class | 2018/01-2026/06 | 315MHz | 257 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | CLS Class | 2012/01-2017/12 | 433MHz | 218 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2025/01-2026/06 | 433MHz A0009058821 | 214 | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | E Class | 2025/01-2026/06 | 315MHz A0009058921 | 214 | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | E Class | 2023/10-2026/06 | 315MHz A0009058513 | 214 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2023/10-2026/06 | 433MHz A0009058413 | 214 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2016/01-2023/12 | 315MHz | 213 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2015/11-2023/12 | 433MHz | W213/BR238 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2014/06-2018/12 | 433MHz | W212 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2009/07-2014/05 | 433MHz | W212/C207 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | E Class | 2005/06-2011/10 | 433MHz | W211 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 메르세데스 벤츠 | EQA | 2020/01-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | EQA | 2020/01-2026/06 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|----------|-----------|-----------------|-----------------------|----------|---|---|---|-----|--------|----------|---|---|
| 메르세데스 벤츠 | EQA Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | EQA Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | EQB | 2022/01-2026/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | EQB | 2021/01-2026/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | EQB Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | EQB Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | EQC | 2019/01-2026/06 | 433MHz | 293 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQC | 2019/01-2026/06 | 315MHz | 293 | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQE | 2022/09-2026/06 | 433MHz A0009058413 | 295 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQE | 2022/09-2026/06 | 315MHz A0009058513 | 295 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQE | 2022/01-2026/06 | 433MHz | 295 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQE | 2022/01-2026/06 | 315MHz | 295 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQS | 2022/09-2026/06 | 433MHz A0009058413 | 297 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQS | 2022/09-2026/06 | 315MHz A0009058513 | 297 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQS | 2021/01-2026/06 | 433MHz | 297 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQS | 2021/01-2026/06 | 315MHz | 297 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | EQV | 2024/01-2026/06 | 433MHz A0009057205 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | G Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | G Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | G Class | 2024/06-2026/06 | 433MHz A0009054104 | 465 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | G Class | 2024/06-2026/06 | 315MHz A0009054204 | 465 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | G Class | 2018/06-2026/06 | 433MHz | 463 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | G Class | 2018/06-2026/06 | 315MHz | 463 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | G Class | 2007/04-2018/05 | 433MHz | G463/461 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLA Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLA Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLA Class | 2020/01-2026/06 | 433MHz | H247 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLA Class | 2020/01-2026/06 | 315MHz A0009054204 | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|----------|-----------|-----------------|-----------------------|------|---|---|---|-----|--------|----------|---|---|
| 메르세데스 벤츠 | GLA Class | 2018/01-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLB Class | 2025/11-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLB Class | 2025/11-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLB Class | 2019/01-2026/06 | 433MHz | 247 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLB Class | 2019/01-2026/06 | 315MHz | 247 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2022/09-2026/06 | 315MHz A0009058513 | 254 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2022/09-2026/06 | 433MHz A0009058413 | 254 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2022/06-2026/06 | 433MHz | 254 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2022/01-2026/06 | 315MHz | 254 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2016/09-2022/12 | 433MHz A0009053907 | C253 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLC Class | 2015/01-2019/07 | 433MHz | X253 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLE Class | 2025/10-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLE Class | 2025/10-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLE Class | 2018/10-2026/06 | 433MHz | V167 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLE Class | 2018/01-2026/06 | 315MHz | W167 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLE Class | 2012/01-2020/12 | 433MHz | X166 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLK Class | 2008/01-2015/09 | 433MHz | X204 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GLS Class | 2025/06-2026/06 | 433MHz A0009058821 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLS Class | 2025/06-2026/06 | 315MHz A0009058921 | | ● | ● | ○ | 0 | 315MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | GLS Class | 2020/01-2026/06 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLS Class | 2019/07-2026/06 | 433MHz | X167 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | GLS Class | 2013/01-2019/06 | 433MHz | X166 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | GT | 2014/01-2022/12 | 433MHz | GT | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | ML Class | 2011/09-2015/09 | 433MHz | 166 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class | 2022/09-2026/06 | 433MHz A0009058413 | 223 | ● | ● | ○ | A/0 | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class | 2022/09-2026/06 | 315MHz A0009058513 | 223 | ● | ● | ○ | A/0 | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class | 2022/01-2026/06 | 315MHz | 223 | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class | 2021/06-2026/06 | 433MHz | 223 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----------|-------------|-----------------|-----------------------|------------|---|---|---|-----|--------|-------------|----------|---|
| 메르세데스 벤츠 | S Class | 2017/01-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class | 2009/06-2020/12 | 433MHz | W222/C217 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | S Class 쿠페 | 2014/01-2022/12 | 433MHz | 217 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SL Class | 2021/09-2026/06 | 433MHz | 232 | ● | ● | ○ | A/O | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SL Class | 2021/09-2026/06 | 315MHz | 232 | ● | ● | ○ | A/O | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SL Class | 2021/09-2026/06 | 433MHz A0009058413 | 232 | ● | ● | ○ | A/O | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SL Class | 2021/09-2026/06 | 315MHz A0009058513 | 232 | ● | ● | ○ | A/O | 315MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SL Class | 2012/01-2020/12 | 433MHz | W231 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SLC Class | 2016/01-2020/06 | 433MHz | R172 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | SLK Class | 2004/01-2021/12 | 433MHz | R171, R172 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | 스프린터 | 2024/06-2026/06 | 433MHz A0009052816 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | 스프린터 | 2024/06-2026/06 | 433MHz 6-wheel | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| 메르세데스 벤츠 | 스프린터 | 2018/01-2026/06 | 433MHz A0009054104 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | V Class | 2024/01-2026/06 | 433MHz A0009057205 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | V Class | 2014/01-2026/06 | 433MHz | W447 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 메르세데스 벤츠 | 비토 | 2024/01-2026/06 | 433MHz A0009057205 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 메르세데스 벤츠 | 비토 | 2014/07-2026/06 | 433MHz | W447 | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 미니 | Aceman | 2024/05-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | Aceman | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 미니 | 카브리오 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 카브리오 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 미니 | 클럽맨 | 2015/07-2024/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 미니 | 클럽맨 | 2014/07-2014/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 클럽맨 | 2007/08-2016/12 | 433MHz 36236781847 | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 클럽맨 | 2007/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | Convertible | 2015/01-2023/12 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 미니 | Convertible | 2014/07-2015/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | Convertible | 2009/01-2014/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | Convertible | 2009/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | 쿠퍼 | 2023/11-2026/06 | 433MHz | J01 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 쿠퍼 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 미니 | 컨트리맨 | 2023/11-2026/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 컨트리맨 | 2023/11-2026/06 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 미니 | 컨트리맨 | 2015/07-2024/06 | 433MHz Continental | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 미니 | 컨트리맨 | 2014/07-2018/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|------|------|-----------------|-----------------------|---------|---|---|---|------|--------|-------------|----------|---|
| 미니 | 컨트리맨 | 2010/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | 컨트리맨 | 2009/01-2014/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 쿠페 | 2016/01-2017/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 미니 | 쿠페 | 2014/07-2015/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 쿠페 | 2012/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | 쿠페 | 2011/07-2014/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 미니 | 2024/07-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 미니 | 2017/01-2022/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 미니 | 2014/01-2016/12 | 433MHz | | ● | ● | ○ | 0*/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 미니 | 2013/12-2024/06 | 433MHz Continental | F55/F56 | ● | ● | ○ | A | 433MHz | Continental | ● | ● |
| 미니 | 미니 | 2009/01-2015/12 | 433MHz OYGTSSRE4D | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 미니 | 2006/03-2013/11 | 433MHz Continental | R56 | ● | ● | ○ | 0*/A | 433MHz | Continental | ● | ● |
| 미니 | 페이스맨 | 2014/07-2018/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 페이스맨 | 2012/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | 페이스맨 | 2009/01-2014/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 로드스터 | 2014/05-2015/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미니 | 로드스터 | 2012/01-2013/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 미니 | 로드스터 | 2011/01-2014/12 | 433MHz 36106856227 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 미츠비시 | 이클립스 | 2006/01-2011/08 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 미츠비시 | 아웃랜더 | 2008/01-2011/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 니산 | 350Z | 2007/01-2010/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 370Z | 2014/09-2022/06 | 433MHz 407006WYOB | | ● | ● | ○ | 0/A | 433MHz | Pacific | ● | ● |
| 니산 | 370Z | 2011/07-2022/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 니산 | 370Z | 2010/03-2022/06 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 370Z | 2009/10-2011/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 니산 | 370Z | 2008/10-2010/02 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 알티마 | 2018/11-2020/06 | 433MHz 407004CBOB | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 알티마 | 2012/06-2018/10 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 알티마 | 2012/01-2014/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 니산 | 알티마 | 2010/09-2011/12 | 315MHz 407001AAOB | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 알티마 | 2008/05-2009/05 | 315MHz 40700JA02B | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 알티마 | 2006/01-2011/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 큐브 | 2013/01-2016/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 큐브 | 2012/03-2012/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 큐브 | 2011/11-2015/12 | 315MHz 407001LAOE | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 큐브 | 2010/10-2016/12 | 315MHz 407003AN1A | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 니산 | 큐브 | 2009/10-2012/02 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 큐브 | 2009/07-2009/10 | 315MHz 40700JA00C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 큐브 | 2009/02-2009/07 | 315MHz 40700JA01C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | GT-R | 2013/11-2022/08 | 433MHz 4070062BOA | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 니산 | GT-R | 2011/06-2020/04 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----|-------|-----------------|----------------------|-----|---|---|---|-----|--------|-------------|----------|---|
| 니산 | GT-R | 2010/11-2020/04 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | GT-R | 2008/12-2011/05 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 니산 | GT-R | 2008/03-2010/12 | 315MHz 40700JA00C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | GT-R | 2008/03-2009/12 | 315MHz 40700JA01C | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 쥬크 | 2014/05-2019/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 니산 | 쥬크 | 2013/01-2014/10 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 쥬크 | 2012/03-2012/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 쥬크 | 2011/07-2012/02 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 니산 | 쥬크 | 2010/07-2020/12 | 315MHz 407001LA0E | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 쥬크 | 2010/07-2012/03 | 315MHz 407001AA0B | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 리프 | 2018/01-2020/01 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 리프 | 2014/11-2017/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 리프 | 2014/05-2016/02 | 433MHz 407006WY0B | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 니산 | 리프 | 2013/01-2018/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Continental | ● | ● |
| 니산 | 맥시마 | 2018/11-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 맥시마 | 2015/04-2018/12 | 433MHz 407003JA0B | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 무라노 | 2015/01-2021/06 | 433MHz 407006WY0A | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 니산 | 무라노 | 2014/10-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 무라노 | 2004/01-2015/12 | 433MHz 407001AY0A | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 니산 | 무라노 | 2004/01-2014/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 니산 | 패스파인더 | 2012/09-2019/02 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 니산 | 콰시카이 | 2013/12-2017/07 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 니산 | 로그 | 2013/01-2015/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 로그 | 2011/07-2012/12 | 315MHz 407001K00E | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 니산 | 로그 | 2009/08-2012/12 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 로그 | 2007/08-2009/07 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 니산 | 엑스트레일 | 2018/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 1007 | 2004/01-2011/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 2008 | 2013/02-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 푸조 | 207 | 2005/11-2013/09 | 433MHz | A7 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 208 | 2012/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 푸조 | 3008 | 2016/06-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 푸조 | 3008 | 2013/09-2019/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 푸조 | 3008 | 2008/11-2013/08 | 433MHz | T84 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 307 | 2007/03-2008/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 307 | 2001/01-2007/02 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 308 | 2020/01-2024/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 푸조 | 308 | 2013/06-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 308 | 2007/05-2013/05 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 407 | 2003/01-2012/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 5008 | 2017/01-2025/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 푸조 | 5008 | 2013/09-2022/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 5008 | 2009/09-2013/08 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 푸조 | 508 | 2017/07-2024/12 | Indirect | R83 | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |

| | | | | | | | | | | | | |
|----------|-------------|-----------------|-----------------------|-----------|---|---|---|-----|--------|-------------|----------|---|
| 푸조 | 508 | 2013/10-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 푸조 | 508 | 2010/09-2013/09 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 607 | 2004/10-2012/12 | 433MHz | Z8 | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | 607 | 1999/09-2004/09 | 433MHz | 6042/Z8 | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |
| 푸조 | 807 | 2004/10-2016/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 푸조 | RCZ | 2009/12-2013/09 | 433MHz | T75 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Polestar | Polestar 2 | 2020/07-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| Polestar | Polestar 3 | 2023/03-2026/06 | 433MHz | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| Polestar | Polestar 4 | 2023/04-2026/06 | 433MHz | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| Polestar | Polestar 4 | 2023/04-2026/06 | 433MHz 8889081697 | | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |
| 포르쉐 | 718 Boxster | 2017/01-2026/12 | 433MHz | 982 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 718 Cayman | 2017/01-2026/12 | 433MHz | 982C | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2019/01-2024/12 | 433MHz | 992 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2017/01-2020/12 | 433MHz | 991 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2014/01-2016/12 | 315MHz | 991T | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2014/01-2016/12 | 433MHz | 991T | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2012/02-2016/12 | 433MHz | 991 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2011/12-2016/12 | 315MHz | 991 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2009/01-2012/12 | 315MHz | 997 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2009/01-2012/12 | 433MHz | 997 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2007/01-2009/12 | 433MHz | 997T | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2007/01-2009/12 | 315MHz | 997T | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2005/01-2008/12 | 315MHz | 997 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2005/01-2008/12 | 315MHz 99760602500 | 997 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 911 | 2004/01-2008/12 | 433MHz | 997 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 918 스파이더 | 2013/01-2015/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2017/01-2026/12 | 433MHz | 982/982SP | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2017/01-2026/12 | 315MHz | 982SP | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2012/01-2016/12 | 433MHz | 981 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2012/01-2016/12 | 315MHz | 981/981SP | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2009/01-2012/12 | 315MHz | 987 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2004/01-2008/12 | 433MHz | 987 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 박스터 | 2004/01-2008/12 | 315MHz | 987 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | Carrera GT | 2003/09-2011/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2017/09-2023/12 | 433MHz | 9YA | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2015/01-2023/12 | 315MHz | 9YA | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2014/11-2017/08 | 433MHz | 92A | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2011/01-2014/10 | 433MHz | 92A | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2010/01-2014/12 | 315MHz | 92A | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2007/01-2010/12 | 315MHz | 9PA1 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2007/01-2010/12 | 433MHz | 9PA1 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2002/01-2006/12 | 433MHz | 9PA | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 카이엔 | 2002/01-2006/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2017/09-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2014/06-2017/08 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2010/01-2014/05 | 433MHz | 4. 8L | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2010/01-2012/12 | 315MHz | 4. 8L | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2008/01-2009/12 | 315MHz | 4. 8L | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | Cayenne S | 2007/01-2009/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|---------|---------------|-----------------|----------------------|-----------------|---|---|---|-----|--------|-------------|----------|---|
| 포르쉐 | 케이맨 | 2025/06-2026/12 | 433MHz | CT4-2 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 케이맨 | 2019/10-2025/05 | 433MHz | CT4-2 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 케이맨 | 2009/01-2016/12 | 433MHz | 987C/981C/GT4-1 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 케이맨 | 2009/01-2016/12 | 315MHz | 987C/981C/GT4-1 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 케이맨 | 2005/01-2008/12 | 433MHz | 987C | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 케이맨 | 2005/01-2008/12 | 315MHz | 987C | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | GT3 | 2017/01-2025/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | GT3 | 2015/01-2015/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | GT3 | 2010/01-2016/12 | 433MHz | 996/997 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | GT3 | 2007/01-2009/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | GT3 | 2006/03-2011/12 | 433MHz | 996 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 마칸 | 2014/01-2023/12 | 433MHz | PO416/95B | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 마칸 | 2014/01-2023/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 파나메라 | 2017/09-2023/12 | 433MHz | 970/971 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 파나메라 | 2014/01-2016/12 | 315MHz | 970 | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 파나메라 | 2013/09-2017/08 | 433MHz | 970 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | 파나메라 | 2010/01-2013/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | 파나메라 | 2009/01-2014/02 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | Panamera S | 2009/06-2013/12 | 315MHz | 4. 8L | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 포르쉐 | Panamera S | 2009/01-2013/06 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 포르쉐 | Taycan | 2019/01-2023/12 | 433MHz 911907275 | | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| Renault | Arkana E-TECH | 2025/01-2026/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | Captur | 2022/03-2024/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | Clio III | 2005/01-2014/05 | 433MHz | X85 | ● | ● | ● | 0 | 433MHz | Schrader | ● | ● |
| Renault | Clio IV | 2018/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Renault | Clio IV | 2014/11-2016/02 | 433MHz 407005642R | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Renault | Grand Koleos | 2024/06-2026/06 | 433MHz | | ● | ● | ○ | C | 433MHz | Schrader | ● | ● |
| Renault | Master | 2009/11-2022/08 | 433MHz | X62 | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Renault | QM6 | 2022/07-2025/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | SM6 | 2022/01-2025/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | XM3 | 2022/01-2024/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| Renault | XM3 | 2022/01-2024/06 | 433MHz 407006UAOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | Zoe | 2021/01-2023/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | Zoe | 2019/06-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| Renault | Zoe | 2018/04-2020/12 | 433MHz 407004CBOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | QM3 | 2016/01-2018/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 르노삼성 | QM3 | 2013/01-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 르노삼성 | QM5 | 2014/01-2016/07 | 433MHz 407003VUOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | QM5 | 2011/06-2016/07 | 315MHz | | ● | ● | ○ | 0 | 315MHz | Schrader | ● | ● |
| 르노삼성 | QM5 | 2010/01-2016/07 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 르노삼성 | QM6 | 2016/08-2022/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM3 | 2018/01-2019/12 | 433MHz 407004CBOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM3 | 2009/01-2017/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM3 ZE | 2017/01-2020/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |

| | | | | | | | | | | | | |
|-------|------------|-----------------|-----------------------|--------------------|---|---|---|-----|--------|-------------|---|---|
| 르노삼성 | SM3 ZE | 2017/01-2020/12 | 433MHz 407004CBOA | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM5 | 2016/01-2019/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM5 | 2010/01-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM6 | 2016/01-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM7 | 2016/01-2020/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | SM7 | 2012/01-2015/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 르노삼성 | XM3 | 2019/01-2021/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Schrader | ● | ● |
| 롤스로이스 | 컬리넨 | 2024/08-2026/06 | 315MHz | | ○ | ● | ○ | A | 315MHz | Schrader | ● | ● |
| 롤스로이스 | 컬리넨 | 2019/01-2023/12 | 433MHz Huf | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 컬리넨 | 2018/01-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 롤스로이스 | 다운 | 2016/01-2023/12 | 433MHz | RR6 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 고스트 | 2024/12-2026/06 | 315MHz 36106887146 | | ○ | ● | ○ | A | 315MHz | Schrader | ● | ● |
| 롤스로이스 | 고스트 | 2020/08-2026/06 | 433MHz 36106887147 | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 롤스로이스 | 고스트 | 2020/01-2024/06 | 433MHz 36106877937 | RR21 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 고스트 | 2014/04-2021/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 고스트 | 2009/12-2014/03 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 팬텀 | 2025/06-2026/06 | 315MHz | | ○ | ● | ○ | A | 315MHz | Schrader | ● | ● |
| 롤스로이스 | 팬텀 | 2017/01-2026/06 | 433MHz MRXAG5SP4 | RR11/RR02/RR1 2 | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 롤스로이스 | 팬텀 | 2012/01-2017/12 | 433MHz | RR01 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 팬텀 | 2003/02-2018/12 | 433MHz OYGTSSRE4TC | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | Spectre | 2023/08-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | Spectre | 2023/08-2026/06 | 315MHz | | ○ | ● | ○ | A | 315MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 레이스 | 2013/05-2023/12 | 433MHz 36106874830 | RR5 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 롤스로이스 | 레이스 | 2013/01-2022/12 | 433MHz | RR5 | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 사브 | 9-3 | 2006/10-2009/05 | 433MHz | YS3F | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 사브 | 9-3 | 2003/01-2006/09 | 433MHz | YS3F | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 사브 | 9-5 | 2006/11-2009/09 | 433MHz | YE3E | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 사브 | 9-5 | 2002/07-2006/10 | 433MHz | YE3E | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 쌍용 | 엑티온 | 2023/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| 쌍용 | 엑티온 | 2018/07-2022/12 | 433MHz Q200 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 엑티온 | 2012/08-2021/12 | 433MHz QJ | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 체어맨 | 2014/01-2019/12 | 433MHz 4199034000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 체어맨 | 2014/01-2019/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 체어맨 | 2005/01-2013/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 쌍용 | Chairman W | 2008/01-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 코란도 | 2020/01-2023/12 | 433MHz 4199034000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 코란도 | 2019/05-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 코란도 | 2010/11-2019/12 | 433MHz C200 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 코란도 | 2008/01-2013/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 쌍용 | Korando E | 2021/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 쌍용 | Korando E | 2021/01-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|--------|---------------|-----------------|----------------------|------|---|---|---|-----|--------|-------------|---|---|
| 쌍용 | 카이런 | 2010/01-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 카이런 | 2006/01-2016/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 쌍용 | 무쏘 | 2023/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| 쌍용 | 무쏘 | 2018/06-2023/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 무쏘 | 2016/01-2018/05 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | Musso EV | 2025/07-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | A | 433MHz | BHSENS | ● | ● |
| 쌍용 | Musso Grand | 2021/01-2026/06 | 433MHz 4199036100 | | ○ | ● | ○ | C | 433MHz | BHSENS | ● | ● |
| 쌍용 | Musso Grand | 2021/01-2026/06 | 433MHz 4199035000 | | ○ | ● | ○ | C | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 렉스턴 | 2023/01-2026/06 | 433MHz 4199035000 | Y450 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 렉스턴 | 2019/09-2026/06 | 433MHz 4199037000 | Y450 | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 렉스턴 | 2017/03-2022/12 | 433MHz Y400 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 렉스턴 | 2012/07-2017/12 | 433MHz Y290 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | 렉스턴 | 2006/01-2013/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 쌍용 | Rexton Sports | 2022/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0 | 433MHz | BHSENS | ● | ● |
| 쌍용 | Rexton Sports | 2018/01-2021/12 | 433MHz 4199035000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | Rexton Sports | 2012/07-2017/12 | 433MHz 4199034000 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | Rodius | 2013/02-2022/12 | 433MHz AJ | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | Rodius | 2005/05-2013/01 | 433MHz AJ | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | Rodius | 2005/01-2013/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 쌍용 | 티볼리 | 2019/05-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 티볼리 | 2016/01-2019/04 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | 티볼리 | 2015/01-2020/06 | 433MHz X100 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | Torres | 2022/01-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | Torres | 2022/01-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| 쌍용 | Torres EVX | 2024/02-2026/06 | 433MHz 4199037000 | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 쌍용 | Torres EVX | 2024/02-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| 쌍용 | Torres Hybrid | 2025/10-2026/06 | 433MHz 4199036100 | | ● | ● | ○ | 0/A | 433MHz | BHSENS | ● | ● |
| 쌍용 | Turismo | 2014/01-2025/12 | 433MHz AJ | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 쌍용 | XLV | 2016/01-2025/12 | 433MHz | XK | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| Suzuki | Super Carry | 2019/06-2026/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Continental | ● | ● |
| 테슬라 | Model 3 | 2021/01-2026/06 | 2.4GHz | | ○ | ● | ○ | A | 2.4GHz | Sysgration | ● | ● |
| 테슬라 | Model 3 | 2018/01-2021/12 | 433MHz 107481200B | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model 3 | 2016/01-2020/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model S | 2021/01-2026/06 | 2.4GHz | | ○ | ● | ○ | A | 2.4GHz | Sysgration | ● | ● |
| 테슬라 | Model S | 2014/12-2021/01 | 433MHz | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model S | 2014/12-2021/01 | 433MHz 107481200B | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model S | 2012/01-2014/11 | 433MHz | | ○ | ● | ○ | A | 433MHz | Baolong | ● | ● |
| 테슬라 | Model X | 2021/01-2026/06 | 2.4GHz | | ○ | ● | ○ | A | 2.4GHz | Sysgration | ● | ● |

| | | | | | | | | | | | | |
|------|--------------|-----------------|--|------|---|---|---|-----|--------|-------------|----------|---|
| 테슬라 | Model X | 2015/09-2021/12 | 433MHz 107481200B | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model X | 2014/10-2023/12 | 433MHz Continental | | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 테슬라 | Model Y | 2020/01-2026/06 | 2.4GHz | | ○ | ● | ○ | A | 2.4GHz | Sysgration | ● | ● |
| 도요타 | 86 | 2012/04-2023/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 아발론 | 2018/04-2022/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 아발론 | 2016/10-2018/03 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 캠리 | 2016/08-2021/01 | 315MHz PMV- C015/E000 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 도요타 | 캠리 | 2016/04-2020/07 | 315MHz PMV- C010 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 도요타 | 캠리 | 2016/01-2026/06 | 433MHz PMV- E100 | | ● | ● | ○ | 0/A | 433MHz | Pacific | ● | ● |
| 도요타 | 캠리 | 2014/01-2021/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | Camry Hybrid | 2012/06-2017/09 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 코롤라 | 2002/01-2013/08 | 315MHz PMV- 107J/1017/C11 A/1037 | | ● | ● | ○ | 0 | 315MHz | Pacific | ● | ● |
| 도요타 | FJ 크루저 | 2014/06-2023/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 포투나 | 2016/08-2021/01 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | GR Supra | 2019/01-2026/06 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| 도요타 | GT86 | 2012/09-2023/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 랜드크루저 | 2012/01-2016/01 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 프라도 | 2009/01-2017/09 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 프리우스 | 2019/01-2025/12 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 프리우스 | 2014/05-2022/01 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 프리우스 C | 2014/03-2022/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 프리우스 V | 2014/11-2017/11 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | RAV4 | 2018/01-2026/06 | 433MHz PMV- C215 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | RAV4 | 2012/01-2023/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 씨에나 | 2010/06-2022/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 도요타 | 벤자 | 2014/06-2015/12 | 433MHz PMV- C210 | | ● | ● | ○ | 0 | 433MHz | Pacific | ● | ● |
| 폭스바겐 | 아테온 | 2017/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 비틀 | 2012/12-2019/12 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 비틀 | 2012/01-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | CC | 2018/01-2023/06 | 433MHz MQB | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | CC | 2011/06-2017/12 | 433MHz | VC17 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |

| | | | | | | | | | | | | |
|------|------------|-----------------|----------------------|------------|---|---|---|-----|--------|-------------|----------|---|
| 폭스바겐 | EOS | 2014/01-2015/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | 골프 | 2013/01-2022/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 폭스바겐 | 골프 | 2009/01-2012/12 | Indirect | | ○ | ○ | ○ | S | N/A | N/A | Indirect | ● |
| 폭스바겐 | 제타 | 2010/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | 뉴 비틀 | 2012/01-2022/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | 뉴 비틀 | 2011/08-2020/06 | 433MHz | | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 뉴 비틀 | 2006/01-2011/12 | 315MHz | | ○ | ● | ○ | A | 315MHz | Continental | ● | ● |
| 폭스바겐 | 뉴 비틀 | 2006/01-2011/12 | 433MHz | VW314 | ○ | ● | ○ | A | 433MHz | Continental | ● | ● |
| 폭스바겐 | 파사트 | 2014/09-2023/12 | 433MHz | B8 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 파사트 | 2010/01-2014/12 | 433MHz | | ● | ● | ○ | 0 | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 파사트 | 2005/01-2011/12 | 433MHz | VW451 | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 폭스바겐 | Passat CC | 2009/01-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 폭스바겐 | 페이톤 | 2010/06-2019/12 | 433MHz | Vh67 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 페이톤 | 2001/12-2007/05 | 433MHz | VW611 | ● | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 폴로 | 2009/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | Santana | 2014/09-2023/12 | 433MHz | | ○ | ● | ○ | A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | T-ROC | 2017/11-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 폭스바겐 | Teramont | 2019/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | Teramont X | 2019/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 티구안 | 2016/01-2023/12 | 433MHz | VW376/5N2 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 티구안 | 2011/05-2015/12 | 433MHz | 5N | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 티구안 | 2008/01-2011/04 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 폭스바겐 | Tiguan L | 2016/01-2023/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 투아렉 | 2014/08-2023/12 | 433MHz | 7P5/7P6108 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 투아렉 | 2007/01-2014/07 | 433MHz 7PP907275F | VW526 | ● | ● | ○ | 0/A | 433MHz | Huf/Beru | ● | ● |
| 폭스바겐 | 타우란 | 2020/06-2026/12 | 315MHz | | ● | ● | ○ | 0/A | 315MHz | Huf/Beru | ● | ● |
| 볼보 | C30 | 2011/01-2014/03 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C30 | 2006/01-2014/03 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C30 | 2006/01-2010/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C30 일렉트릭 | 2011/01-2013/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C30 일렉트릭 | 2010/01-2010/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C40 | 2022/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 볼보 | C70 | 2011/01-2014/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C70 | 2008/01-2010/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C70 | 2006/01-2014/12 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | C70 | 2006/01-2007/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | EX30 | 2023/06-2026/06 | 433MHz | | ○ | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 볼보 | S40 | 2011/01-2014/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | S40 | 2003/01-2014/12 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | S40 | 2003/01-2010/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | S60 | 2019/04-2024/12 | 433MHz 31362304 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 볼보 | S60 | 2019/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 볼보 | S60 | 2010/01-2020/12 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | S60 | 2010/01-2019/12 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 볼보 | S60 | 2001/01-2010/12 | 315MHz 31200923 | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |

| | | | | | | | | | | | | |
|----|----------------------|-----------------|--------------------|--|---|---|---|-----|--------|-------------|----------|---|
| 불모 | S60 | 2000/07-2010/02 | 433MHz 31329981 | | ● | ● | ○ | A | 433MHz | Schrader | ● | ● |
| 불모 | S80 | 2016/01-2018/02 | 433MHz | | ○ | ● | ○ | C | 433MHz | Schrader | ● | ● |
| 불모 | S80 | 2013/01-2019/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | S80 | 2010/01-2016/12 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | S80 | 2007/01-2009/12 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | S80 | 2006/01-2017/01 | 433MHz 31341893 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | S80 | 1999/01-2013/12 | 315MHz | | ● | ● | ○ | A | 315MHz | Schrader | ● | ● |
| 불모 | S90 | 2016/05-2024/12 | 433MHz 31362304 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 불모 | S90 | 2016/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | V40 | 2015/01-2020/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | V40 | 2012/01-2021/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V50 | 2011/01-2016/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V50 | 2004/01-2014/12 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V50 | 2003/01-2010/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V60 | 2019/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | V60 | 2017/11-2024/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 불모 | V60 | 2011/01-2022/12 | 433MHz 31341893 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V60 | 2008/01-2014/06 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V60 Cross Country | 2019/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | V70 | 2007/01-2016/12 | 433MHz 31445474 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | V90 | 2016/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | V90 | 2015/01-2022/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 불모 | V90 Cross Country | 2016/01-2023/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | XC40 | 2017/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | XC60 | 2015/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | XC60 | 2008/01-2017/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | XC70 | 2010/01-2014/06 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | XC70 | 2008/01-2018/12 | 433MHz | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | XC70 | 2008/01-2009/12 | 433MHz 31302096 | | ● | ● | ○ | 0/A | 433MHz | Continental | ● | ● |
| 불모 | XC90 | 2016/01-2024/12 | Indirect | | ○ | ○ | ○ | A | N/A | N/A | Indirect | ● |
| 불모 | XC90 | 2015/01-2022/12 | 433MHz 31362304 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |
| 불모 | XC90 | 2003/01-2016/12 | 315MHz 31200923 | | ● | ● | ○ | 0/A | 315MHz | Schrader | ● | ● |
| 불모 | XC90 | 2003/01-2016/12 | 433MHz 31329981 | | ● | ● | ○ | 0/A | 433MHz | Schrader | ● | ● |